

MOTORCYCLES & SCOOTERS



 **meteor**[®]
piston

CATALOGUE
2019₀₁



VINTAGE



 **meteor[®]**
piston



Meteor nasce per gli scooter e vive per gli scooter.

Tutta la storia dei motocicli dagli anni '50 ad oggi è condensata in questo catalogo e nei magazzini Meteor!

Meteor was born for scooters and still lives for them.

The whole small 2-wheelers history is stored in this catalogue and in Meteor's stock!

Pistoni scooter da sempre e per sempre

Scooter pistons since ever and forever

La nostra filosofia consiste nel non deludere nessuno! Ovvero garantire un'ampia varietà di ricambi che segue l'evoluzione dei motocicli in Italia e nel mondo, aggiornata ai modelli più attuali, senza interrompere mai la produzione dei modelli storici.

Meteor è dunque oggi un riferimento per i clienti che trattano tutte le tipologie di questi motori.

Meteor Piston has always followed the evolution of these engines developing aftermarket parts for all the scooters most used in Italy and around the world, never stopping the production of the older models. Meteor today is a point of reference for customers into dealing with motorcycles and scooters parts.

First in...
...last out!



Vintage

La sezione Vintage del catalogo è dedicata ai pistoni per motori d'epoca.

Nasceva inizialmente come revival dei primi pistoni prodotti da Meteor Piston per i modelli di Lambretta e Vespa Piaggio degli anni '50 e '60.

Oggi la categoria Vintage sta crescendo e segue la tendenza degli appassionati di motori storici che hanno dato una nuova vita a questi modelli grazie a raduni nazionali e internazionali.

Meteor Piston propone ricambi totalmente rinnovati nella tecnologia di produzione, studiati secondo le geometrie attuali che migliorano le prestazioni, l'affidabilità e la durata dello scooter.

Non solo, novità su questo catalogo, arrivano i le TRASFORMAZIONI, pistoni che aumentano le rese dei motori originali utilizzati nelle COMPETIZIONI di settore.



Revival

The Vintage section is addressed to the historical engines.

Originally introduced as a revival of the first pistons produced by Meteor Piston for the Lambretta and Vespa Piaggio engines of the 1950s and 1960s.

The range of models is expanding thanks to the lovers of these engines that gave a second life to historical models meeting at National and International events.

Meteor Piston offers spare parts totally renewed in the production technology, designed with new geometries that provide improved performances, reliability and endurance of the motorcycles.

Last but not least, a new entry on this catalogue: Meteor has started to produce TUNING PISTONS to fit the engines efficiency during RACING sessions.

NEW!

Trasformazioni Tuning Pistons

Racing Vintage

Da qualche anno la sezione si è arricchita di pistoni di gloriose moto da gara degli anni '70 e '80 protagoniste di importanti vittorie, come YAMAHA TZ250, TZ350 e TZ750.

Pistoni di alta affidabilità con caratteristiche di elevata qualità che garantiscono le prestazioni originali e soddisfano le aspettative su pista.

Since a few years, this section is also addressed to glorious racing motorcycles of the 1970s and 1980s like YAMAHA TZ250, TZ350 and TZ750.

Reliable pistons with high quality features that guarantee the original performance of these engines on racing circuits.



Pistoni scooter 4-tempi | 4-strokes scooter pistons

G-AlSi 12MgCuNi-P Chemical composition in %																
	Si	Fe	Cu	Mn	Mg	Zn	Ti	Ni	Pb	Sn	Sr ppm	Ca ppm	P ppm	Na ppm	Altri sing	Altri tot
Min	12,0	-	0,8	-	1,0	-	-	1,0	-	-	-	-	80	-	-	-
Max	13,0	0,3	1,5	0,1	1,5	0,10	0,10	1,3	0,05	0,05	5	10	120	5	0,05	0,15

Pistoni scooter 2-tempi | 2-strokes scooter pistons

G-AlSi 18MgCuNi-P Chemical composition in %																
	Si	Fe	Cu	Mn	Mg	Zn	Ti	Ni	Pb	Sn	Sr ppm	Ca ppm	P ppm	Na ppm	Altri sing	Altri tot
Min	17,0	-	1,3	-	1,0	-	-	0,8	-	-	-	-	80	-	-	-
Max	19,0	0,3	1,7	0,1	1,5	0,10	0,10	1,3	0,05	0,05	5	10	130	5	0,05	0,15

Pistoni scooter 2-tempi con particolari esigenze di ridotte dilatazioni termiche

2-strokes scooter pistons with need of reduced thermal expansion

G-AlSi 21MgCuNi-P Chemical composition in %																
	Si	Fe	Cu	Mn	Mg	Zn	Ti	Ni	Pb	Sn	Sr ppm	Ca ppm	P ppm	Na ppm	Altri sing	Altri tot
Min	20,0	-	1,3	0,5	1,1	-	-	1,2	-	-	-	-	90	-	-	-
Max	22,0	0,3	1,5	0,8	1,5	0,10	0,20	1,6	0,05	0,05	-	10	150	5	0,05	0,15

HIGH QUALITY ALUMINIUM ALLOYS PURCHASED IN ITALY

LEGHE DI ALLUMINIO ALTA QUALITÀ
ACQUISTATE IN ITALIA

FONDERIA INTERNA IN GRAVITÀ » INTERNAL FOUNDRY

I pistoni Meteor vengono realizzati interamente nei nostri stabilimenti a partire dalla fonderia, situata negli stabilimenti dell'azienda associata CABER S.r.l., nei pressi di Torino.

Pistons by Meteor are 100% produced in our plants, starting from the foundry, situated in Turin in our sister company's plant, Caber S.r.l.

STAMPI » MOLDING TOOLS

Ci occupiamo direttamente della progettazione in 3D e della realizzazione degli stampi di ciascun pistone.

Meteor cares for all the design, 3D modeling and building of molding tools.

MACCHINARI » FOUNDRY MACHINES

I macchinari di fonderia sono stati progettati e realizzati da noi grazie alla divisione macchine della Caber S.r.l.

Macchinari costruiti sulla base dei modelli principali utilizzati dai più importanti produttori europei di pistoni e ottimizzati per le esigenze produttive di Meteor.


Special casting machines designed and built on our own thanks to the Engineering Machines Division of Caber S.r.l.

The machines correspond to the same models used from the most important European pistons and producers, upgraded to fit Meteor's production requirements.

TRATTAMENTI TERMICI » HEAT TREATMENTS

Si eseguono i trattamenti termici internamente grazie alla presenza di forni dedicati.

In-house heat treatments in our own foundry.





Lavorazioni

Machining

Tutte le lavorazioni meccaniche sono eseguite nello stabilimento Meteor Piston di Baranzate, Milano.

Pistons are fully machined in our plant in Baranzate, Milano.

CENTRI DI LAVORO CNC

La perfezione e la precisione del pezzo sono assicurate da macchine e centri di lavoro CNC di ultima generazione utilizzati per tutti gli stadi di lavorazione, dalla prima sgrossatura alla diamantatura.

CNC MACHINES

Perfect and precise machining thanks to latest generation CNC centers and machines used for all processing phases, from first rough turning to diamond profiling.

100 %
Made in
Italy

MACCHINARI E ATTREZZATURE SPECIALI

Meteor Piston dispone di macchinari personalizzati per operazioni delicate e particolari (quali il piantaggio speciale di spine anti-rotazione e il montaggio segmenti) non realizzabili con macchinari commerciali.

SPECIAL MACHINES AND SPECIAL TOOLING

Customized machines care for fragile phases where commercial machines are not available, like for the rings' anti-rotation pin fixing and piston rings assembling.

I centri di lavoro CNC sono dotati di attrezzature personalizzate, progettate e realizzate ad hoc.

Tutte le personalizzazioni sono progettate e realizzate internamente dalla divisione macchine di CABER S.r.l.

CNC Centers are equipped with special toolings designed and built according to our own processing needs.




All customized machines and toolings designed and produced by the Engineering machines division of Caber S.r.l.

CONTROLLI IN PROCESS

I pistoni Meteor Piston sono soggetti a continui controlli in process per garantire la correttezza di produzione e vengono testati a fine processo con strumentazioni di misurazione innovative ad alta precisione

IN-PROCESS CONTROLS

Pistons by Meteor are subject to continuous in-process controls and checking to guarantee a correct processing. At end production pistons are tested with Hi-Tech and high precision measuring systems providing full data of diameter profiling and surface roughness.



COMPETENZA TECNICA

Servizio R&D per tutte le fasi di progettazione del prodotto a partire dallo stampo fino alla realizzazione del pezzo

TECHNICAL EXPERTISE

Complete R&D service for the total design of the product, starting from the molding tools up to the final product

Analisi metallurgiche

Metallurgic surveys

Analisi campioni

Technical surveys on samples

Progettazione CAD di pistoni e segmenti

Piston and rings CAD design

Matematiche 3D

Pistons 3D models

Progettazione attrezzature e utensili speciali

Machines tooling and fixtures design

Prototipi e implementazioni del prodotto

Technical surveys on prototypes for product

Servizio

Service

MAGAZZINO PRODOTTI FINITI

Consegne rapide grazie ad un magazzino di prodotti finiti continuamente approvvigionato di quasi tutte le misure presenti a catalogo

MAGAZZINO SEMI-LAVORATI

Nel caso di prodotti esauriti a stock Meteor produce in tempi brevissimi grazie ad un magazzino di prodotti semi-lavorati sempre pronti ad entrare in lavorazione

IN CASO DI STOCK ESAURITO...
NO PROBLEM!

ABBIAMO UNA "FAST LANE"
LA NOSTRA FONDERIA!

FINISHED PRODUCTS IN STOCK

Fast deliveries thanks to the stock of finished products we always keep updated with almost all sizes available on catalogue

SEMI-FINISHED PRODUCTS IN STOCK

In case of no stock pistons can be processed in short time relying on the semi-finished stock with cast pistons ready to be machined.

IF WE RUN OUT OF STOCK...
NO PROBLEM!

WE HAVE OUR "FAST LANE"
OUR FOUNDRY!

NEW!

AUTOMATIC VERTICAL MAGAZINES

Aftermarket products are today stocked into two
that allow easy and fast orders handling.
This new system has been introduced to improve logistics in a safe and rapid way.

I prodotti aftermarket sono oggi gestiti con due nuovi

MAGAZZINI VERTICALI AUTOMATICI

ad ampia portata che agevolano le operazioni di prelievo e di evasione degli ordini.
Un sistema nato per velocizzare le operazioni logistiche in modo più rapido e sicuro.

Products

PISTONI » PISTONS

- Compatibilità con tutti i motori originali
- Gamma completa di selezioni cilindro per l'accoppiamento con tutte le classi di cilindro
- Vasta gamma di maggiorazioni nel caso di utilizzo in cilindri rettificati
- Pistoni disponibili anche per kit di trasformazione scooters
- Pistoni per scooter 4-tempi con segmenti in acciaio
- Pistons to fit all original engines
- Complete range of selections to match all cylinder classes
- Wide range of over sizes to fit rebored cylinders
- Pistons available also for big bore kits
- Pistons for 4-strokes scooters available with rings in steel



ITALIAN PRODUCTS

SEGMENTI » RINGS



SEGMENTI IN GHISA PER PISTONI 2 TEMPI E 4 TEMPI

Progettati e prodotti da CABER S.R.L.

Segmenti 100% Made in Italy realizzati con tecnologia avanzata:

- Fusione singola
- Doppia tornitura ovale (interna ed esterna contemporaneamente)

RINGS IN CAST IRON FOR 2-STROKES AND 4-STROKES PISTONS

Designed and manufactured by CABER S.R.L.

Rings 100% Made in Italy, processed with advanced technology:

- Single cast blanks
- Double oval turning (simultaneous internal and external)



SEGMENTI IN ACCIAIO PER PISTONI 4 TEMPI

Segmenti di fabbricazione giapponese dei principali produttori mondiali

RINGS IN STEEL

Made in Japan from the most important manufacturers



SPINOTTI » PINS

Spinotti prodotti in Italia, di alta qualità, in acciaio da cementazione

High quality pins made of Hardened Steel
Made in Italy



PACK VINTAGE LINE



PACK MOTORCYCLES & SCOOTER





Legenda

1

APRILIA

2 TEMPI 2 STROKES

Modello/Model

AF1 - Tuareg - Rec

cc

50

Dal/ From

Al/ To

Suit. to OEM

Tipo Compr. Compr. Ty

Rapp. Compress. mpr. Ratio

3a

4a

5a

6a

MP Ref:

2a1245

Nom. Ø mm

38,8

Spinotto dim. mm
Piston pin dim.

12 X 31.5 X 8

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

2 G30HP SF 1,20

Anellino/Circlip

12 2B FILO 1.0

Codice KIT PISTONE

Ø mm

Cod. SPINOTTO PIN code

Codice Segmenti Piston rings code

AN.Qta CLIPQty

Cod. SERIE anellino

7

27,5

8

B-1,5

50,5

PC1245A	38,74	SP120315080HI	2 S0388012016030HPI	1 AN2B1210SET
PC1245B	38,75	SP120315080HI	2 S0388012016030HPI	1 AN2B1210SET
PC1245C	38,76	SP120315080HI	2 S0388012016030HPI	1 AN2B1210SET
PC1245D	38,77	SP120315080HI	2 S0388012016030HPI	1 AN2B1210SET

9

2b

3b

4b

5b

6b

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

27,5

B-1,5

50,5

1

MARCA, MOTORE, ANNI , CILINDRATA cc

BRAND NAME, ENGINE MODEL, YEARS, CYLINDER cc

2

NUMERO DI RIFERIMENTO PISTONE / PISTON REFERENCE NUMBER

a. NUMERO GENERICO DI RIFERIMENTO MP / MP GENERAL REF. NUMBER

b. CODICE ARTICOLO KIT PISTONE / PISTON KIT ITEM CODE

Un kit pistone comprende: Pistone/Segmenti/Spinotto/Anellini ferma-spinotto

A piston kit includes: Piston/Rings/Wrist pin/Circlips

3

DIAMETRO / DIAMETER (mm)

a. DIAMETRO NOMINALE DEL PISTONE / PISTON NOMINAL DIAMETER

b. DIAMETRO DEL KIT PISTONE / PISTON KIT DIAMETER

4

SPINOTTO / PISTON PIN

a. DIMENSIONI / DIMENSIONS in mm

Dove le dimensioni terminano con il termine BIC = forma BICONICA

Dimensions ending with BIC mean the pin having BICONIC shape

b. CODICE SPINOTTO / WRIST PIN ITEM CODE

5

SEGMENTI / PISTON RINGS

a. DESCRIZIONE SEGMENTI: NR PEZZI, TIPOLOGIA, MATERIALE, H. mm, SEZIONE / RINGS DESCRIPTION: NO. OF PIECES, TYPE, MATERIAL, H. mm, CROSS-SECTION

b. CODICE SEGMENTO SINGOLO (PISTONI 2T) / SERIE SEGMENTI (PISTONI 4T)

SINGLE RING ITEM CODE (2-STROKES PISTONS) / RING SET ITEM CODE (4-STROKES PISTONS)

LEGENDA MATERIALI SEGMENTI / RINGS MATERIALS LEGENDA

MP Ref.	Description	ISO Std	Goetze Ref.
(STD)	Grey cast iron	Class 10 Subclass MC12	
GH. I.	IKA cast iron	Class 20 Subclass MC24	IKA
GH. F.	F cast iron	Class 30 Subclass MC32	F14
GH. SF.	Spheroidal cast iron	Class 50 Subclass MC52	KV1



6

ANELLINO - SEEGER / CIRCLIP - SEEGER

a. **DIMENSIONI E FORMA /**
DIMENSIONS AND SHAPE (mm)

b. **CODICE SERIE ANELLINO /**
CIRCLIP SET ITEM CODE

LEGENDA FORME / SHAPES LEGENDA


Description	Type	MP Ref.	Shape	DIN 73130
Anellino Circlip	AN	2B		
Anellino Circlip	AN	1B		
Anellino Circlip	AN	0B		
Seeger	SG			

7

QUOTA DI COMPRESSIONE in mm / COMPRESSION VALUE in mm





**Valore dimensionale compreso tra l'apice della testa
e l'asse trasversale del foro spinotto**

Value of the dimension between head top edge
and piston hole cross axis



8

MISURA E FORMA DELLA TESTA / HEAD SIZE AND SHAPE

B		Testa bombata	Barrel shaped head
C		Testa conica	Taper shaped head
TC		Testa tronco-cronica	Cut-taper shaped head
P		Testa piana	Flat Head

9

LUNGHEZZA TOTALE DEL PISTONE in mm (vedere figura al punto 7)

PISTON TOTAL LENGTH in mm (see on figure at point No. 7)



MOTORCYCLES

MOTORCYCLES
SCOOTERS



meteor

MOTORCYCLES & SCOOTERS

APRILIA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
AF1 - Tuareg - Red Rose	50					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1245	38,8	12 X 31.5 X 8	2	G30HP SF	1,20	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1245A	38,74	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET	
PC1245B	38,75	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET	
PC1245C	38,76	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET	
PC1245D	38,77	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET	
PC1245E	38,78	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET	
PC1245F	38,79	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET	

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

27,5

B-1,5

50,5

**Segmenti NON CROMATI/
rings NOT CHROMED**

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50	50					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1278	40	10 X 33 X 6	2	G15H STD	1,50	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1278000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET	
PC1278025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1008SET	
PC1278050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1008SET	
PC1278075	40,75	SP100330060HI	2 F0407515016515H0I	1	AN2B1008SET	
PC1278100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1008SET	
PC1278125	41,25	SP100330060HI	2 F0412515017015H0I	1	AN2B1008SET	
PC1278150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1008SET	
PC1278175	41,75	SP100330060HI	2 F0417515017015H0I	1	AN2B1008SET	
PC1278200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1008SET	
PC1278220	42,25	SP100330060HI	2 F0422015017515H0I	1	AN2B1008SET	
PC1278250	42,5	SP100330060HI	2 F0425015017515H0I	1	AN2B1008SET	
PC1278300	43	SP100330060HI	2 F0430015018015H0I	1	AN2B1008SET	
PC1278350	43,5	SP100330060HI	2 F0435015018015H0I	1	AN2B1008SET	

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

25,5

B-2,5

50,5

MOTORCYCLES & SCOOTERS

APRILIA

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED rings



Compressione
Compression 25,5

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 50,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50	50					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2278	40	10 X 33 X 6	2	G15K STD 1,50		10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC2278000	40	SP100330060HI	2	F0400015016515K0I	1	AN2B1008SET
PC2278025	40,25	SP100330060HI	2	F0402515016515K0I	1	AN2B1008SET
PC2278050	40,5	SP100330060HI	2	F0405015016515K0I	1	AN2B1008SET
PC2278075	40,75	SP100330060HI	2	F0407515016515K0I	1	AN2B1008SET
PC2278100	41	SP100330060HI	2	F0410015017015K0I	1	AN2B1008SET
PC2278125	41,25	SP100330060HI	2	F0412515017015K0I	1	AN2B1008SET
PC2278150	41,5	SP100330060HI	2	F0415015017015K0I	1	AN2B1008SET
PC2278175	41,75	SP100330060HI	2	F0417515017015K0I	1	AN2B1008SET
PC2278200	42	SP100330060HI	2	F0420015017515K0I	1	AN2B1008SET
PC2278225	42,25	SP100330060HI	2	F0422515017515K0I	1	AN2B1008SET
PC2278250	42,5	SP100330060HI	2	F0425015017515K0I	1	AN2B1008SET
PC2278300	43	SP100330060HI	2	F0430015018015K0I	1	AN2B1008SET
PC2278350	43,5	SP100330060HI	2	F0435015018015K0I	1	AN2B1008SET

MOTORCYCLES & SCOOTERS

APRILIA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
AM 345 - RX Red Rose - RS	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1324	40,3	12 X 33 X 8	1 G30RP SF 1,20 	12 2B FILO 1.0
			1 G30KB SF 1,20 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1324A	40,25	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324B	40,26	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324C	40,27	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324D	40,28	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324E	40,29	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324F	40,3	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324G	40,31	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET

Compressione
Compression 28

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 53



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
DI-TECH - Iniezione (liquid-cooled)	50	2000	2003			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1767	41	12 X 33 X 8	2 G30KB SF 1,20 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1767000	41	SP120330080HI	2 S0410012016030KB2304I	1	AN2B1210SET
PC1767025	41,25	SP120330080HI	2 S0412512016030KB2304I	1	AN2B1210SET
PC1767050	41,5	SP120330080HI	2 S0415012016030KB2304I	1	AN2B1210SET
PC1767075	41,75	SP120330080HI	2 S0417512016030KB2304I	1	AN2B1210SET
PC1767100	42	SP120330080HI	2 S0420012017530KB2304I	1	AN2B1210SET
PC1767125	42,25	SP120330080HI	2 S0422512017530KB2304I	1	AN2B1210SET
PC1767150	42,5	SP120330080HI	2 S0425012017530KB2304I	1	AN2B1210SET

Compressione
Compression 27

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 50,5



MOTORCYCLES & SCOOTERS

APRILIA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
DI-TECH - Iniezione (air-cooled)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1891	41	12 X 33 X 8	2 G30KB SF 1,50 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1891A	40,96	SP120330080HI	2 S0410015016030KB2313I	1	AN0B1210SET
PC1891B	40,97	SP120330080HI	2 S0410015016030KB2313I	1	AN0B1210SET
PC1891C	40,98	SP120330080HI	2 S0410015016030KB2313I	1	AN0B1210SET
PC1891D	40,99	SP120330080HI	2 S0410015016030KB2313I	1	AN0B1210SET
PC1891E	41	SP120330080HI	2 S0410015016030KB2313I	1	AN0B1210SET



Compressione
Compression 27

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 50,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Scarabeo	100					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2008	52	14 X 40 X 9	2 G30KP SF 1,20 	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2008000	52	SP140400090HI	2 S0520012021530KPI	1	AN1B1410SET
PC2008050	52,5	SP140400090HI	2 S0525012021530KPI	1	AN1B1410SET
PC2008100	53	SP140400090HI	2 S0530012022030KPI	1	AN1B1410SET
PC2008150	53,5	SP140400090HI	2 S0535012022030KPI	1	AN1B1410SET



Compressione
Compression 33,5

Mis. Testa
Head size mm B-3,2

Lungh. tot.
Tot. Length mm 63,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
FUTURA - AF1 - RX - RED ROSE - RALLY - PEGASO - TUAREG	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1688	54	15 X 45 X 10 BIC	2 G30KB SF 1,20 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1688A	53,96	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET
PC1688B	53,97	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET
PC1688C	53,98	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET
PC1688D	53,99	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET
PC1688E	54	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET



Compressione
Compression 29

Mis. Testa
Head size mm B-3,3

Lungh. tot.
Tot. Length mm 63,3

MOTORCYCLES & SCOOTERS

APRILIA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MX 125	125	2004	2006			
RS 125 Prima serie/First version	125	1995	1998			
RS 125 Seconda serie/Second version	125	1999	2005			
RS 125 Terza serie/Third version	125	2006	2011			
RX 125	125	2008	2013			
SX 125	125					
TUONO 125	125	2003	2004			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2347	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23475393	53,93	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET
PC23475394	53,94	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET
PC23475395	53,95	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET
PC23475396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET

Compressione
Compression 29,1

Mis. Testa
Head size mm B-3,1

Lungh. tot.
Tot. Length mm 63,2

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
RS 125 / GP 125	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2639	54	15 X 45 X 10 BIC	1 G30KB AC 0,80 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC26395396	53,96	SP150450100YB4I	1 T0540008022030KBI	1	AN0B1510SET
PC26395397	53,97	SP150450100YB4I	1 T0540008022030KBI	1	AN0B1510SET
PC26395398	53,98	SP150450100YB4I	1 T0540008022030KBI	1	AN0B1510SET
PC26395399	53,99	SP150450100YB4I	1 T0540008022030KBI	1	AN0B1510SET

Compressione
Compression 24

Mis. Testa
Head size mm B - 1,6

Lungh. tot.
Tot. Length mm 59,7

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
RS 250 Twin cylinders	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2585	56	16 X 45 X 9.5 BIC	2 G30KB AC 1,00 	16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2585A	55,94	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET
PC2585B	55,95	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET
PC2585C	55,96	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET
PC2585D	55,97	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET
PC2585E	55,98	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET

Compressione
Compression 28,6

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 59,1

MOTORCYCLES & SCOOTERS

APRILIA

2 TEMPI 2 STROKES

**RACING Versione 1
SEGMENTO - 1 RING
version**



NEW 2634

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
RS 250 Twin cylinders	250					
3. RACING MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2634	56	16 X 45 X 9.5 BIC	1	G30KB AC 1,00		16 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2634A	55,94	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET	
PC2634B	55,95	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET	
PC2634C	55,96	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET	
PC2634D	55,97	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET	
PC2634E	55,98	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET	

Compressione
Compression 28,6
Mis. Testa
Head size mm P
Lungh. tot.
Tot. Length mm 59,1

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Scarabeo 50- 4 Valvole	50					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2305	39	13 X 30 X 8	1	C1KBP SF 1,00		13 SB FILO 1.0
			1	C2LP SF 1,00		
			1	R7P SF 2,00		
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2305000	39	SP130300080HI	1 RSMOT390001	1	AN0B1310SET	
PC2305040	39,4	SP130300080HI	1 RSMOT394001	1	AN0B1310SET	
PC2305080	39,8	SP130300080HI	1 RSMOT398001	1	AN0B1310SET	

Compressione
Compression 18,5
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm 38



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Scarabeo	100					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2146	50	13 X 30 X 8	1	C6KBP SF 1,00		13 SB FILO 1.0
			1	C2LP F 1,00		
			1	R7P SF 2,00		
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2146040	50,4	SP130300080HI	1 RSMOT504001	1	AN0B1310SET	
PC2146080	50,8	SP130300080HI	1 RSMOT508001	1	AN0B1310SET	

Compressione
Compression 17,5
Mis. Testa
Head size mm p
Lungh. tot.
Tot. Length mm 34

MOTORCYCLES & SCOOTERS

APRILIA

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
LEONARDO (cast iron cyl.)	150					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1893	62	15 X 42 X 10	1 C2LP F 1,00  1 S20LP F 1,00  1 R5P STD 2,50 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1893000	62	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC1893040	62,4	SP150420100HI	1 RSMOT624001	1	AN0B1510SET
PC1893060	62,6	SP150420100HI	1 RSMOT626001	1	AN0B1510SET
PC1893080	62,8	SP150420100HI	1 RSMOT628001	1	AN0B1510SET
PC1893100	63	SP150420100HI	1 RSMOT630001	1	AN0B1510SET

Compressione 21
Compression
Mis. Testa PFV+3
Head size mm
Lungh. tot. 37
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
LEONARDO (aluminum cyl.)	150					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2024	62	15 X 41 X 10 BIC	1 C2LP F 1,00  1 S20LP F 1,00  1 R5P STD 2,50 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2024A	61,96	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC2024B	61,97	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC2024C	61,98	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC2024D	61,99	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC2024E	62	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC2024F	62,01	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC2024G	62,02	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC2024H	62,03	SP150420100HI	1 RSMOT620001	1	AN0B1510SET
PC2024I	62,04	SP150420100HI	1 RSMOT620001	1	AN0B1510SET

Compressione 21
Compression
Mis. Testa PFV+3
Head size mm
Lungh. tot. 37
Tot. Length mm

MOTORCYCLES & SCOOTERS

APRILIA

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Atlantic (cast iron cyl.)	250	2004	2011			
Scarabeo (cast iron cyl.)	250	2006	2011			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2049	72	15 X 44 X 7	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R5P F 2,50 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2049000	72	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2049025	72,25	SP150440070HI	1 RSMOT722502	1	AN0B1510SET
PC2049050	72,5	SP150440070HI	1 RSMOT725002	1	AN0B1510SET
PC2049075	72,75	SP150440070HI	1 RSMOT727502	1	AN0B1510SET

Compressione
Compression 23,6

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 38,6



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Atlantic (aluminum cyl.)	250	2004	2011			
Scarabeo (aluminum cyl.)	250	2006	2011			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2050	72	15 X 44 X 7	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R5P F 2,50 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2050A	71,96	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050B	71,97	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050C	71,98	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050D	71,99	SP150440070HI	1 RSMOT720002	1	AN0B1510SET

Compressione
Compression 23,6

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 38,6

MOTORCYCLES & SCOOTERS

APRILIA

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Scarabeo, Sportcity, SR300	300					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2424	75	16 X 45 X 9.5 BIC	NS 1 C6NB AC 1,00  1 C2LP F 1,20  1 RAN AC 2,00  WS 1 C6NB AC 1,00  1 C2LP F 1,20  1 RAN AC 2,00 	16 SB FILO 1.0

FORGIATO / FORGED
NUOVE MAGGIORAZIONI
/ NEW OVER SIZES: Ø
75,5 - Ø 76 mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2424000	75	SP160450095KBI	1 NSMOT750002	1	AN0B1610SET
PC2424050	75,5	SP160450095KBI	1 WSMOT755005I	1	AN0B1610SET
PC2424100	76	SP160450095KBI	1 WSMOT760005I	1	AN0B1610SET

Compressione 23,6
 Compression
 Mis. Testa p
 Head size mm
 Lungh. tot. 41,6
 Tot. Length mm

ATALA-RIZZATO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Califfone VM	50					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0989	39	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0989000	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0989020	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC0989040	39,4	SP120315080HI	2 F0394020016515H0I	1	AN2B1210SET
PC0989060	39,6	SP120315080HI	2 F0396020016515H0I	1	AN2B1210SET
PC0989080	39,8	SP120315080HI	2 F0398020016515H0I	1	AN2B1210SET
PC0989100	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET
PC0989120	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET
PC0989140	40,4	SP120315080HI	2 F0404020016515H0I	1	AN2B1210SET
PC0989160	40,6	SP120315080HI	2 F0406020017015H0I	1	AN2B1210SET

Compressione 25
 Compression
 Mis. Testa B-3,7
 Head size mm
 Lungh. tot. 52,7
 Tot. Length mm

MOTORCYCLES & SCOOTERS

ATHENA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compres. Compr. Ratio
Trasf. Scooter Piaggio da 50cc a 75cc - TESTA BOMBATA-spin. Ø 12	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1619	47,6	12 X 37 X 8	1 G30KB SF 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1619A	47,54	SP120370080KI	1 S0476010019530KB254SI	1	AN0B1210SET
PC1619B	47,55	SP120370080KI	1 S0476010019530KB254SI	1	AN0B1210SET
PC1619C	47,56	SP120370080KI	1 S0476010019530KB254SI	1	AN0B1210SET
PC1619D	47,57	SP120370080KI	1 S0476010019530KB254SI	1	AN0B1210SET

Compressione
Compression 24,7

Mis. Testa
Head size mm B-2,8

Lungh. tot.
Tot. Length mm 49,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compres. Compr. Ratio
Trasf. Sc. Yamaha Minarelli 50cc a 75cc -TESTA BOMB- spin Ø 10	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1648	47,6	10 X 36 X 5	1 G30KB SF 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1648A	47,54	SP100360050KI	1 S0476010019530KB254SI	1	AN0B1008SET
PC1648B	47,55	SP100360050KI	1 S0476010019530KB254SI	1	AN0B1008SET
PC1648C	47,56	SP100360050KI	1 S0476010019530KB254SI	1	AN0B1008SET
PC1648D	47,57	SP100360050KI	1 S0476010019530KB254SI	1	AN0B1008SET
PC1648E	47,58	SP100360050KI	1 S0476010019530KB254SI	1	AN0B1008SET
PC1648F	47,59	SP100360050KI	1 S0476010019530KB254SI	1	AN0B1008SET

Compressione
Compression 24,7

Mis. Testa
Head size mm B-2,8

Lungh. tot.
Tot. Length mm 49,5

MOTORCYCLES & SCOOTERS

CAGIVA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MITO SPORT (testa piatta - flat head)	125	1990	2007			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1497	56	16 X 45 X 9.5 BIC	1 G30KB SF 1,00 	16 SB FILO 1.2
			1 G30KB AC 1,00 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1497A	55,95	SP160450095KBI	1 N0560010022530KBI	1	AN0B1612SET
PC1497B	55,96	SP160450095KBI	1 N0560010022530KBI	1	AN0B1612SET
PC1497C	55,97	SP160450095KBI	1 N0560010022530KBI	1	AN0B1612SET
PC1497D	55,98	SP160450095KBI	1 N0560010022530KBI	1	AN0B1612SET
PC1497025	56,25	SP160450095KBI	1 S0562510023530KB235OI	1	AN0B1612SET
PC1497050	56,5	SP160450095KBI	1 S0565010023530KB235OI	1	AN0B1612SET

Compressione 25
Compression
Mis. Testa P
Head size mm
Lungh. tot. 57
Tot. Length mm

MOTORCYCLES & SCOOTERS

CPI / KEEWAY

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
CPI / KEEWAY Scooter (with window)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1901	40	12 X 33 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1901000	40	SP120330080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1901025	40,25	SP120330080HI	2 F0402515016515H0I	1	AN2B1210SET
PC1901050	40,5	SP120330080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1901075	40,75	SP120330080HI	2 F0407515016515H0I	1	AN2B1210SET
PC1901100	41	SP120330080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1901150	41,5	SP120330080HI	2 F0415015017015H0I	1	AN2B1210SET



Compressione
Compression 25,5

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 50,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
CPI / KEEWAY Scooter (without window)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1902	40	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1902000	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1902025	40,25	SP120315080HI	2 F0402515016515H0I	1	AN2B1210SET
PC1902050	40,5	SP120315080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1902075	40,75	SP120315080HI	2 F0407515016515H0I	1	AN2B1210SET
PC1902100	41	SP120315080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1902150	41,5	SP120315080HI	2 F0415015017015H0I	1	AN2B1210SET



Compressione
Compression 26

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 49,5

MOTORCYCLES & SCOOTERS

DAELIM

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
S3 125 FI -S3 125R TOURING	125	2009	2013			



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2280	56,5	15 X 42 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2280000	56,5	SP150420100HI	1 WSMOT565001I	1	AN0B1510SET
PC2280025	56,75	SP150420100HI	1 RSMOT567502	1	AN0B1510SET
PC2280050	57	SP150420100HI	1 RSMOT570002	1	AN0B1510SET
PC2280100	57,5	SP150420100HI	1 RSMOT575002	1	AN0B1510SET

Compressione 21,7
 Compression
 Mis. Testa
 Head size mm
 Lungh. tot. 42,6
 Tot. Length mm

MOTORCYCLES & SCOOTERS

DERBI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Senda SM / R / GPR50R / Start 50 autom.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1626	39,9	12 X 31.5 X 8	2 G30KB SF 1,20 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1626A	39,86	SP120315080HI	2 S0399012016530KB2551I	1	AN0B1210SET
PC1626B	39,87	SP120315080HI	2 S0399012016530KB2551I	1	AN0B1210SET
PC1626C	39,88	SP120315080HI	2 S0399012016530KB2551I	1	AN0B1210SET
PC1626D	39,89	SP120315080HI	2 S0399012016530KB2551I	1	AN0B1210SET
PC1626E	39,9	SP120315080HI	2 S0399012016530KB2551I	1	AN0B1210SET
PC1626F	39,91	SP120315080HI	2 S0399012016530KB2551I	1	AN0B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Senda- Racing version	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2248	39,9	12 X 31.5 X 8	1 G30KB AC 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2248A	39,82	SP120315080HI	1 N0399010016530KBI	1	AN0B1210SET
PC2248B	39,83	SP120315080HI	1 N0399010016530KBI	1	AN0B1210SET
PC2248C	39,84	SP120315080HI	1 N0399010016530KBI	1	AN0B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Variant cilindro alluminio/Nikasil - aluminum/Nikasil cylinder	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2267	39,9	12 X 31.5 X 8	2 G30KB SF 1,20 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2267A	39,86	SP120315080HI	2 S0399012016530KB2551I	1	AN0B1210SET
PC2267B	39,87	SP120315080HI	2 S0399012016530KB2551I	1	AN0B1210SET



Compressione
Compression 24

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 49



Compressione
Compression 24,1

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 49,1



Compressione
Compression 24

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 49

MOTORCYCLES & SCOOTERS

DERBI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compression Compr. Ratio
Senda Start- cil. ghisa/ cast iron cyl.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1777	40,08	12 X 31.5 X 8	2 G30KB SF 1,20 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1777000	40,08	SP120315080HI	2 S0401012016530KB2551I	1	AN0B1210SET
PC1777020	40,28	SP120315080HI	2 S0403012016030KB2304I	1	AN0B1210SET
PC1777040	40,48	SP120315080HI	2 S0405012016030KB2304I	1	AN0B1210SET



Compressione 24
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 49
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compression Compr. Ratio
Predator / Atlantis / Paddock / Vamos	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1878	41	10 X 33 X 6	2 G30KB SF 1,50 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1878A	40,95	SP100330060HI	2 S0410015016030KB2313I	1	AN0B1008SET
PC1878B	40,96	SP100330060HI	2 S0410015016030KB2313I	1	AN0B1008SET
PC1878C	40,97	SP100330060HI	2 S0410015016030KB2313I	1	AN0B1008SET
PC1878D	40,98	SP100330060HI	2 S0410015016030KB2313I	1	AN0B1008SET



Compressione 19,2
Compression
Mis. Testa B-3,3
Head size mm
Lungh. tot. 45,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compression Compr. Ratio
Vamos Trasf.	74					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1380	47	10 X 36 X 6	2 G30HP STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1380000	47	SP100360060HI	2 F0470015019530HPI	1	AN2B1010SET
PC1380020	47,2	SP100360060HI	2 F0472015019530HPI	1	AN2B1010SET
PC1380040	47,4	SP100360060HI	2 F0474015019530HPI	1	AN2B1010SET
PC1380060	47,6	SP100360060HI	2 F0476015019530HPI	1	AN2B1010SET
PC1380080	47,8	SP100360060HI	2 F0478015019530HPI	1	AN2B1010SET
PC1380100	48	SP100360060HI	2 F0480015020030HPI	1	AN2B1010SET



Compressione 20,2
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 45
Tot. Length mm

MOTORCYCLES & SCOOTERS

DERBI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
100cc. Cilindro Nikasil	100					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1934	50	12 X 42 X 8	2 G30HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1934A	49,95	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET
PC1934B	49,96	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET
PC1934C	49,97	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET

Compressione 27,5
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 53
Tot. Length mm

MOTORCYCLES & SCOOTERS

DR MOTORPARTS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Vespa 50 - PK 50 - Ape 50 - 3 travasi	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1052	47	12 X 40 X 8	2 G15HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1052000	47	SP120400080HI	2 F0470015018515HP2861I	1	AN2B1210SET
PC1052040	47,4	SP120400080HI	2 F0474015018515HP2861I	1	AN2B1210SET
PC1052080	47,8	SP120400080HI	2 F0478015018515HP2861I	1	AN2B1210SET
PC1052100	48	SP120400080HI	2 F0480015020015HPI	1	AN2B1210SET
PC1052140	48,4	SP120400080HI	2 F0484015020015HPI	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Vespa 50 - PK 50 - Ape 50 - 6 travasi	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1186	47	12 X 40 X 7	2 G15HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1186000	47	SP120400070KI	2 F0470015018515HP2861I	1	AN2B1210SET
PC1186020	47,2	SP120400070KI	2 F0472015019515HPI	1	AN2B1210SET
PC1186040	47,4	SP120400070KI	2 F0474015018515HP2861I	1	AN2B1210SET
PC1186050	47,5	SP120400070KI	2 F0475015019515HPI	1	AN2B1210SET
PC1186060	47,6	SP120400070KI	2 F0476015019515HPI	1	AN2B1210SET
PC1186080	47,8	SP120400070KI	2 F0478015018515HP2861I	1	AN2B1210SET
PC1186100	48	SP120400070KI	2 F0480015020015HPI	1	AN2B1210SET
PC1186140	48,4	SP120400070KI	2 F0484015020015HPI	1	AN2B1210SET

Compressione 26
Compression
Mis. Testa B-4
Head size mm
Lungh. tot. 52
Tot. Length mm



Compressione 26,2
Compression
Mis. Testa B-3,8
Head size mm
Lungh. tot. 52
Tot. Length mm

MOTORCYCLES & SCOOTERS

DR MOTORPARTS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. HONDA - PEUGEOT - KYMCO						



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2301	47	12 X 35 X 8	1 G15KP STD 1,50	12 2B FILO 1.0
			1 G15HP STD 1,50	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2301000	47	SP120350080HI	1 F0470015019515KPI 1 F0470015018515HP2861I	1	AN2B1210SET
PC2301040	47,4	SP120350080HI	1 F0474015019515KPI 1 F0474015018515HP2861I	1	AN2B1210SET
PC2301080	47,8	SP120350080HI	1 F0478015019515KPI 1 F0478015018515HP2861I	1	AN2B1210SET

Compressione
Compression 23

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 49,4

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Piaggio VESPA 50 3 Travasi						
84						



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2583	50	12 X 42 X 8	2 G30HP STD 1,50	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2583000	50	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET
PC2583040	50,4	SP120420080HI	2 F0504015021030HPI	1	AN2B1210SET
PC2583080	50,8	SP120420080HI	2 F0508015021030HPI	1	AN2B1210SET

Compressione
Compression 26,5

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 48,5

MOTORCYCLES & SCOOTERS

DR MOTORPARTS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Vespa 50 - PK 50 - Ape 50 - 6 travasi	100					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1127	55	12 X 45 X 8 RAM. DIS. SP13	2 G30HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1127000	55	SP120450080KS2I	2 F0550015022030HP2850I	1	AN2B1210SET
PC1127020	55,2	SP120450080KS2I	2 F0552015023030HPI	1	AN2B1210SET
PC1127040	55,4	SP120450080KS2I	2 F0554015022030HP2850I	1	AN2B1210SET
PC1127060	55,6	SP120450080KS2I	2 F0556015023030HPI	1	AN2B1210SET
PC1127080	55,8	SP120450080KS2I	2 F0558015022030HP2850I	1	AN2B1210SET
PC1127100	56	SP120450080KS2I	2 F0560015023530HPI	1	AN2B1210SET
PC1127120	56,2	SP120450080KS2I	2 F0562015023530HPI	1	AN2B1210SET
PC1127140	56,4	SP120450080KS2I	2 F0564015023530HPI	1	AN2B1210SET
PC1127160	56,6	SP120450080KS2I	2 F0566015023530HPI	1	AN2B1210SET
PC1127180	56,8	SP120450080KS2I	2 F0568015023530HPI	1	AN2B1210SET
PC1127200	57	SP120450080KS2I	2 F0570015024030HP2875I	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Vespa PX 125/150	150					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
NEW 2669	63	15 X 54 X 10	2 G30HP STD 2,00 	15 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2669000	63	SP150540100HI	2 F0630020025030HP2756I	1	AN2B1512SET
PC2669040	63,4	SP150540100HI	2 F0634020025030HP2756I	1	AN2B1512SET
PC2669080	63,8	SP150540100HI	2 F0638020025030HP2756I	1	AN2B1512SET

Compressione
Compression 26,5
Mis. Testa
Head size mm P
Lungh. tot.
Tot. Length mm 48,5

Compressione
Compression 35
Mis. Testa
Head size mm B - 2
Lungh. tot.
Tot. Length mm 67

MOTORCYCLES & SCOOTERS

GARELLI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Gulp-Flex-Matic-Katia-Eureka	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0798	40	12 X 33 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0798000	40	SP120330080HI	2 F0400020016515H0I	1	AN2B1210SET
PC0798040	40,4	SP120330080HI	2 F0404020016515H0I	1	AN2B1210SET
PC0798080	40,8	SP120330080HI	2 F0408020016515H0I	1	AN2B1210SET
PC0798120	41,2	SP120330080HI	2 F0412020017015H0I	1	AN2B1210SET
PC0798150	41,5	SP120330080HI	2 F0415020017015H0I	1	AN2B1210SET
PC0798180	41,8	SP120330080HI	2 F0418020017015H0I	1	AN2B1210SET
PC0798200	42	SP120330080HI	2 F0420020017515H0I	1	AN2B1210SET



Compressione 24
Compression
Mis. Testa B-3,3
Head size mm
Lungh. tot. 49,3
Tot. Length mm

MOTORCYCLES & SCOOTERS

GILERA

2 TEMPI 2 STROKES

**Segmenti NON CROMATI/
rings NOT CHROMED**



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
NRG (ring not chromed)	50					
Runner (ring not chromed)	50					
Stalker (ring not chromed)	50	1996	2012			
Storm (ring not chromed)	50					
Typhoon (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1306	40	12 X 33 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1306000	40	SP120330080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1306020	40,2	SP120330080HI	2 F0402015016515H0I	1	AN2B1210SET
PC1306040	40,4	SP120330080HI	2 F0404015016515H0I	1	AN2B1210SET
PC1306060	40,6	SP120330080HI	2 F0406015016515H0I	1	AN2B1210SET
PC1306080	40,8	SP120330080HI	2 F0408015016515H0I	1	AN2B1210SET
PC1306100	41	SP120330080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1306120	41,2	SP120330080HI	2 F0412015017015H0I	1	AN2B1210SET
PC1306140	41,4	SP120330080HI	2 F0414015017015H0I	1	AN2B1210SET
PC1306160	41,6	SP120330080HI	2 F0416015017015H0I	1	AN2B1210SET
PC1306180	41,8	SP120330080HI	2 F0418015017015H0I	1	AN2B1210SET
PC1306200	42	SP120330080HI	2 F0420015017515H0I	1	AN2B1210SET
PC1306250	42,5	SP120330080HI	2 F0425015017515H0I	1	AN2B1210SET
PC1306300	43	SP120330080HI	2 F0430015018015H0I	1	AN2B1210SET

Compressione 26
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 54
Tot. Length mm

MOTORCYCLES & SCOOTERS

GILERA

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED rings



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
NRG	50					
Runner	50					
Stalker	50	1996	2012			
Storm	50					
Typhoon	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2306	40	12 X 33 X 8	2 G15K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2306000	40	SP120330080HI	2 F0400015016515K0I	1	AN2B1210SET
PC2306020	40,2	SP120330080HI	2 F0402015016515K0I	1	AN2B1210SET
PC2306040	40,4	SP120330080HI	2 F0404015016515K0I	1	AN2B1210SET
PC2306060	40,6	SP120330080HI	2 F0406015016515K0I	1	AN2B1210SET
PC2306080	40,8	SP120330080HI	2 F0408015016515K0I	1	AN2B1210SET
PC2306100	41	SP120330080HI	2 F0410015017015K0I	1	AN2B1210SET
PC2306120	41,2	SP120330080HI	2 F0412015017015K0I	1	AN2B1210SET
PC2306140	41,4	SP120330080HI	2 F0414015017015K0I	1	AN2B1210SET
PC2306160	41,6	SP120330080HI	2 F0416015017015K0I	1	AN2B1210SET
PC2306180	41,8	SP120330080HI	2 F0418015017515K0I	1	AN2B1210SET
PC2306200	42	SP120330080HI	2 F0420015017515K0I	1	AN2B1210SET

Compressione 26
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 54
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Runner	180	1998	2003			
Typhoon						

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1645	65,6	16 X 54 X 11	2 G33KB SF 1,50 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1645M	65,55	SP160540110Y4I	2 S0656015027033KB1839I	1	AN0B1612SET
PC1645N	65,56	SP160540110Y4I	2 S0656015027033KB1839I	1	AN0B1612SET
PC1645O	65,57	SP160540110Y4I	2 S0656015027033KB1839I	1	AN0B1612SET
PC1645P	65,58	SP160540110Y4I	2 S0656015027033KB1839I	1	AN0B1612SET

Compressione 30
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 64,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

GILERA

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Runner VX	125	2002	2005			
ST	125					
Typhoon	125					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1548	57	14 X 42 X 9	1 C2LP F 1,00 	14 1B FILO 1.2
			1 S20LP F 1,00 	
			1 R5P STD 2,50 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1548000	57	SP140420090HI	1 RSMOT570001	1	AN1B1412SET
PC1548025	57,25	SP140420090HI	1 RSMOT572501	1	AN1B1412SET
PC1548050	57,5	SP140420090HI	1 RSMOT575001	1	AN1B1412SET
PC1548080	57,8	SP140420090HI	1 RSMOT578001	1	AN1B1412SET
PC1548100	58	SP140420090HI	1 RSMOT580001	1	AN1B1412SET

Compressione
Compression

19,7

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

42,7

SEGM. RASCH. ACCIAIO/ OIL RING IN STEEL

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Runner VX	125	2002	2005			
ST	125					
Typhoon	125					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2468	57	14 X 42 X 9	1 C6KBP SF 1,00 	14 1B FILO 1.2
			1 C2LP F 1,00 	
			1 RAC AC 2,00 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2468000	57	SP140420090HI	1 RSMOT570005	1	AN1B1412SET
PC2468050	57,5	SP140420090HI	1 RSMOT575005	1	AN1B1412SET
PC2468100	58	SP140420090HI	1 RSMOT580005	1	AN1B1412SET

Compressione
Compression

19,7

Mis. Testa
Head size mm

p

Lungh. tot.
Tot. Length mm

42,7

MOTORCYCLES & SCOOTERS

GILERA

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Runner (cast iron cyl.)	200					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2049	72	15 X 44 X 7	1 C6KBP SF 1,00 1 S20LP F 1,00 1 R5P F 2,50	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2049000	72	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2049025	72,25	SP150440070HI	1 RSMOT722502	1	AN0B1510SET
PC2049050	72,5	SP150440070HI	1 RSMOT725002	1	AN0B1510SET
PC2049075	72,75	SP150440070HI	1 RSMOT727502	1	AN0B1510SET

Compressione 23,6
Compression
Mis. Testa P
Head size mm
Lungh. tot. 38,6
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Runner (aluminum cyl.)	200					
ST (aluminum cyl.)	200	2008				



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2050	72	15 X 44 X 7	1 C6KBP SF 1,00 1 S20LP F 1,00 1 R5P F 2,50	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2050A	71,96	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050B	71,97	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050C	71,98	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050D	71,99	SP150440070HI	1 RSMOT720002	1	AN0B1510SET

Compressione 23,6
Compression
Mis. Testa P
Head size mm
Lungh. tot. 38,6
Tot. Length mm

MOTORCYCLES & SCOOTERS

GILERA

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Nexus 300	300					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2424	75	16 X 45 X 9.5 BIC	NS 1 C6NB AC 1,00  1 C2LP F 1,20  1 RAN AC 2,00  WS 1 C6NB AC 1,00  1 C2LP F 1,20  1 RAN AC 2,00 	16 SB FILO 1.0

FORGIATO / FORGED
NUOVE MAGGIORAZIONI
/ NEW OVER SIZES: Ø
75,5 - Ø 76 mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2424000	75	SP160450095KBI	1 NSMOT750002	1	AN0B1610SET
PC2424050	75,5	SP160450095KBI	1 WSMOT755005I	1	AN0B1610SET
PC2424100	76	SP160450095KBI	1 WSMOT760005I	1	AN0B1610SET

Compressione 23,6
 Compression
 Mis. Testa p
 Head size mm
 Lungh. tot. 41,6
 Tot. Length mm

MOTORCYCLES & SCOOTERS

HONDA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MBX (L RING)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1137	39	12 X 31.5 X 8	1 LH STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1137AB	38,95	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC1137CD	38,96	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC1137EF	38,97	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC1137GH	38,98	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET

Compressione 25
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 50
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MB - MT - MTX	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1239	39	12 X 31.5 X 8	2 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1239000	39	SP120315080HI	2 F0390015016530H0I	1	AN2B1210SET
PC1239050	39,5	SP120315080HI	2 F0395015016530H0I	1	AN2B1210SET
PC1239100	40	SP120315080HI	2 F0400015016530H0I	1	AN2B1210SET
PC1239150	40,5	SP120315080HI	2 F0405015016530H0I	1	AN2B1210SET
PC1239200	41	SP120315080HI	2 F0410015017030H0I	1	AN2B1210SET

Compressione 23
Compression
Mis. Testa B-4,3
Head size mm
Lungh. tot. 50,3
Tot. Length mm

MOTORCYCLES & SCOOTERS

HONDA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Bali (ring not chromed)	50	1992	2001			
Dio SC (ring not chromed)	50					
Dio SR (ring not chromed)	50	1994	2003			
Dio ZX (ring not chromed)	50	1994	2003			
SFX (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1359	39	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1359000	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET
PC1359025	39,25	SP120315080HI	2 F0392515016515H0I	1	AN2B1210SET
PC1359050	39,5	SP120315080HI	2 F0395015016515H0I	1	AN2B1210SET
PC1359075	39,75	SP120315080HI	2 F0397515016515H0I	1	AN2B1210SET
PC1359100	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1359125	40,25	SP120315080HI	2 F0402515016515H0I	1	AN2B1210SET
PC1359150	40,5	SP120315080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1359175	40,75	SP120315080HI	2 F0407515016515H0I	1	AN2B1210SET
PC1359200	41	SP120315080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1359225	41,25	SP120315080HI	2 F0412515017015H0I	1	AN2B1210SET
PC1359250	41,5	SP120315080HI	2 F0415015017015H0I	1	AN2B1210SET
PC1359300	42	SP120315080HI	2 F0420015017515H0I	1	AN2B1210SET

Compressione 28
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

HONDA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MBX	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2137	39	12 X 31.5 X 8	1 G30K STD 1,50 	12 2B FILO 1.0
			1 G30H STD 1,50 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2137A	38,94	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137B	38,95	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137C	38,96	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137D	38,97	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137000	39	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137050	39,5	SP120315080HI	1 F0395015016530H0I 1 F0395015016530K0I	1	AN2B1210SET
PC2137100	40	SP120315080HI	1 F0400015016530H0I 1 F0400015016530K0I	1	AN2B1210SET
PC2137150	40,5	SP120315080HI	1 F0405015016530H0I 1 F0405015016530K0I	1	AN2B1210SET
PC2137200	41	SP120315080HI	1 F0410015017030H0I 1 F0410015017030K0I	1	AN2B1210SET
PC2137250	41,5	SP120315080HI	1 F0415015017030H0I 1 F0415015017030K0I	1	AN2B1210SET



Compressione
Compression 25

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 50,5

MOTORCYCLES & SCOOTERS

HONDA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Bali	50	1992	2001			
Dio SC	50					
Dio SR	50	1994	2003			
Dio ZX	50	1994	2003			
SFX	50					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2359	39	12 X 31.5 X 8	2 G15K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2359000	39	SP120315080HI	2 F0390015016515K0I	1	AN2B1210SET
PC2359025	39,25	SP120315080HI	2 F0392515016515K0I	1	AN2B1210SET
PC2359050	39,5	SP120315080HI	2 F0395015016515K0I	1	AN2B1210SET
PC2359075	39,75	SP120315080HI	2 F0397515016515K0I	1	AN2B1210SET
PC2359100	40	SP120315080HI	2 F0400015016515K0I	1	AN2B1210SET
PC2359125	40,25	SP120315080HI	2 F0402515016515K0I	1	AN2B1210SET
PC2359150	40,5	SP120315080HI	2 F0405015016515K0I	1	AN2B1210SET
PC2359175	40,75	SP120315080HI	2 F0407515016515K0I	1	AN2B1210SET
PC2359200	41	SP120315080HI	2 F0410015017015K0I	1	AN2B1210SET
PC2359250	41,5	SP120315080HI	2 F0415015017015K0I	1	AN2B1210SET
PC2359300	42	SP120315080HI	2 F0420015017515K0I	1	AN2B1210SET

Compressione 28
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Lead - SH - Camino - Sting - Scoopy (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1246	40	10 X 33 X 6	2 G15H STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1246000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1010SET
PC1246025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1010SET
PC1246050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1010SET
PC1246100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1010SET
PC1246150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1010SET
PC1246200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1010SET

Compressione 25,5
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 50,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

HONDA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Walleroo	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1377	40	12 X 33 X 8	2 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1377000	40	SP120330080HI	2 F0400015016530H0I	1	AN2B1210SET
PC1377025	40,25	SP120330080HI	2 F0402515016530H0I	1	AN2B1210SET
PC1377050	40,5	SP120330080HI	2 F0405015016530H0I	1	AN2B1210SET
PC1377075	40,75	SP120330080HI	2 F0407515016530H0I	1	AN2B1210SET
PC1377100	41	SP120330080HI	2 F0410015017030H0I	1	AN2B1210SET
PC1377150	41,5	SP120330080HI	2 F0415015017030H0I	1	AN2B1210SET
PC1377200	42	SP120330080HI	2 F0420015017530H0I	1	AN2B1210SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

21,5

B-2,3

48,3



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Lead - SH - Camino - Sting - Scoopy	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2246	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2246000	40	SP100330060HI	2 F0400015016515K0I	1	AN2B1010SET
PC2246025	40,25	SP100330060HI	2 F0402515016515K0I	1	AN2B1010SET
PC2246050	40,5	SP100330060HI	2 F0405015016515K0I	1	AN2B1010SET
PC2246100	41	SP100330060HI	2 F0410015017015K0I	1	AN2B1010SET
PC2246150	41,5	SP100330060HI	2 F0415015017015K0I	1	AN2B1010SET
PC2246200	42	SP100330060HI	2 F0420015017515K0I	1	AN2B1010SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

25,5

B-2

50,5

MOTORCYCLES & SCOOTERS

HONDA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
ST 50 (ring not chromed)		50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1259	41	10 X 33 X 6	2 G30H STD 1,50			10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1259000	41	SP100330060HI	2 F0410015017030H0I	1	AN2B1008SET	
PC1259025	41,25	SP100330060HI	2 F0412515017030H0I	1	AN2B1008SET	
PC1259050	41,5	SP100330060HI	2 F0415015017030H0I	1	AN2B1008SET	
PC1259100	42	SP100330060HI	2 F0420015017530H0I	1	AN2B1008SET	
PC1259150	42,5	SP100330060HI	2 F0425015017530H0I	1	AN2B1008SET	
PC1259200	43	SP100330060HI	2 F0430015018030H0I	1	AN2B1008SET	
PC1259250	43,5	SP100330060HI	2 F0435015018030H0I	1	AN2B1008SET	



Compressione
Compression 20,5

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 45,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vision - Vision 2 - Met-in (ring not chromed)						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1272	41	10 X 33 X 6	2 G30H STD 1,50			10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1272000	41	SP100330060HI	2 F0410015017030H0I	1	AN2B1008SET	
PC1272050	41,5	SP100330060HI	2 F0415015017030H0I	1	AN2B1008SET	
PC1272100	42	SP100330060HI	2 F0420015017530H0I	1	AN2B1008SET	
PC1272150	42,5	SP100330060HI	2 F0425015017530H0I	1	AN2B1008SET	
PC1272200	43	SP100330060HI	2 F0430015018030H0I	1	AN2B1008SET	



Compressione
Compression 20,2

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 47,7

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vision - Vision 2 - Met-in		50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2272	41	10 X 33 X 6	2 G30K STD 1,50			10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2272000	41	SP100330060HI	2 F0410015017030K0I	1	AN2B1008SET	
PC2272050	41,5	SP100330060HI	2 F0415015017030K0I	1	AN2B1008SET	
PC2272100	42	SP100330060HI	2 F0420015017530K0I	1	AN2B1008SET	
PC2272150	42,5	SP100330060HI	2 F0425015017530K0I	1	AN2B1008SET	
PC2272200	43	SP100330060HI	2 F0430015018030K0I	1	AN2B1008SET	



Compressione
Compression 20,2

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 47,7

MOTORCYCLES & SCOOTERS

HONDA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Scooter	100					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2007	50,6	13 X 42 X 9	2 G30HP SF 1,20 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2007000	50,6	SP130420090HI	2 S0506012021030HPI	1	AN1B1310SET
PC2007040	51	SP130420090HI	2 S0510012021530HPI	1	AN1B1310SET
PC2007090	51,5	SP130420090HI	2 S0515012021530HPI	1	AN1B1310SET
PC2007140	52	SP130420090HI	2 S0520012021530HPI	1	AN1B1310SET

Compressione
Compression 29

Mis. Testa
Head size mm B-3

Lungh. tot.
Tot. Length mm 63

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
NSR - KY4	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1395	54	16 X 45 X 11	2 G30KB SF 1,20 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1395A	53,95	SP160450110HI	2 S0540012022530KB2670I	1	AN0B1612SET
PC1395B	53,96	SP160450110HI	2 S0540012022530KB2670I	1	AN0B1612SET
PC1395C	53,97	SP160450110HI	2 S0540012022530KB2670I	1	AN0B1612SET
PC1395D	53,98	SP160450110HI	2 S0540012022530KB2670I	1	AN0B1612SET
PC1395E	53,99	SP160450110HI	2 S0540012022530KB2670I	1	AN0B1612SET
PC1395000	54	SP160450110HI	2 S0540012022530KB2670I	1	AN0B1612SET
PC1395025	54,25	SP160450110HI	2 S0542512022030KB2291I	1	AN0B1612SET
PC1395050	54,5	SP160450110HI	2 S0545012022030KB2291I	1	AN0B1612SET
PC1395075	54,75	SP160450110HI	2 S0547512022030KB2291I	1	AN0B1612SET
PC1395100	55	SP160450110HI	2 S0550012023030KB2291I	1	AN0B1612SET

Compressione
Compression 30

Mis. Testa
Head size mm B-2,3

Lungh. tot.
Tot. Length mm 64,3

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Pantheon	150					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1907	59	16 X 52 X 11	2 G30H STD 1,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1907000	59	SP160520110HI	2 F0590015024530H0I	2	SG16
PC1907050	59,5	SP160520110HI	2 F0595015024530H0I	2	SG16
PC1907100	60	SP160520110HI	2 F0600015025030H0I	2	SG16

Compressione
Compression 34

Mis. Testa
Head size mm B-3,7

Lungh. tot.
Tot. Length mm 75,2

MOTORCYCLES & SCOOTERS

HONDA

4 TEMPI 4 STROKES

SEGM. RASCH. IN ACCIAIO / OIL RING IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Dylan (Rasch. acciaio- steel oil ring)	125					
PCX (Rasch. acciaio- steel oil ring)	125	2009	2013			
SH 125 (Rasch. acciaio- steel oil ring)	125	2009	2013			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2260	52,4	14 X 35 X 9	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 1,50 	14 SB FILO 1.0

Compressione
Compression 18,6

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 37,1

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2260000	52,4	SP140350090HI	1 RSMOTS24005	1	AN0B1410SET
PC2260035	52,75	SP140350090HI	1 RSMOTS27505	1	AN0B1410SET
PC2260060	53	SP140350090HI	1 RSMOTS30005	1	AN0B1410SET
PC2260110	53,5	SP140350090HI	1 RSMOTS35005	1	AN0B1410SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
PCX 125						

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2606	52,4	13 X 33 X 8	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 1,50 	13 SB FILO 1.0

Compressione
Compression 19,6

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 36,1

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2606000	52,4	SP130330080H2I	1 RSMOTS24005	1	AN0B1310SET
PC2606035	52,75	SP130330080H2I	1 RSMOTS27505	1	AN0B1310SET
PC2606060	53	SP130330080H2I	1 RSMOTS30005	1	AN0B1310SET
PC2606110	53,5	SP130330080H2I	1 RSMOTS35005	1	AN0B1310SET

MOTORCYCLES & SCOOTERS

HONDA

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. SH	125					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1956	54	14 X 42 X 9	1 C6KBP SF 1,00 1 S20LP F 1,00 1 C2LP F 1,00 1 R7P F 2,00	14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1956000	54	SP140420090HI	1 RSMOT540001	1	AN0B1410SET
PC1956050	54,5	SP140420090HI	1 RSMOT545001	1	AN0B1410SET
PC1956100	55	SP140420090HI	1 RSMOT550001	1	AN0B1410SET

Compressione 18,6
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 36,8
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Dylan (Rasch. ghisa/cast iron oil ring)	150	2002	2007			
SH 150 (Rasch. ghisa/cast iron oil ring)	150	2001	2013			



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1830	58	14 X 40 X 9	1 C6KBP SF 1,00 1 S20LP F 1,00 1 R7P F 2,00	14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1830000	58	SP140400090HI	1 RSMOT580003	1	AN0B1410SET
PC1830025	58,25	SP140400090HI	1 RSMOT582503	1	AN0B1410SET
PC1830050	58,5	SP140400090HI	1 RSMOT585003	1	AN0B1410SET
PC1830075	58,75	SP140400090HI	1 RSMOT587503	1	AN0B1410SET
PC1830100	59	SP140400090HI	1 RSMOT590003	1	AN0B1410SET

Compressione 18,6
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 37,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

HONDA

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Dylan (Serie segm. Acciaio - Steel ring set)	150	2002	2007			
SH 150 (Serie segm. Acciaio - Steel ring set)	150	2001	2013			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2236	58	14 X 40 X 9		14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2236000	58	SP140400090HI	1 WSMOT580001I	1	AN0B1410SET
PC2236025	58,25	SP140400090HI	1 WSMOT582501I	1	AN0B1410SET
PC2236050	58,5	SP140400090HI	1 WSMOT585001I	1	AN0B1410SET
PC2236075	58,75	SP140400090HI	1 WSMOT587501I	1	AN0B1410SET
PC2236100	59	SP140400090HI	1 WSMOT590001I	1	AN0B1410SET

Compressione 18,6
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 37,6
Tot. Length mm

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
SH 300	300	2011	2013			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2100	72	17 X 47 X 12 BIC RAM	RS	17 SB FILO 1.2

1	C6KBP	SF	1,00	
1		F	1,00	
1	C6KBP	SF	1,00	
1	C2LP	F	1,00	
1	R7P	F	2,50	
1	R7P	F	2,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2100000	72	SP170470120KRI	1 RSMOT720001	1	AN0B1712SET
PC2100005	72,05	SP170470120KRI	1 RSMOT720501	1	AN0B1712SET
PC2100025	72,25	SP170470120KRI	1 RSMOT722501	1	AN0B1712SET
PC2100050	72,5	SP170470120KRI	1 RSMOT725001	1	AN0B1712SET
PC2100075	72,75	SP170470120KRI	1 RSMOT727501	1	AN0B1712SET
PC2100100	73	SP170470120KRI	1 RSMOT730001	1	AN0B1712SET
PC2100200	74	SP170470120KRI	1 RSMOT740001	1	AN0B1712SET

Compressione 22
Compression
Mis. Testa P
Head size mm
Lungh. tot. 43,85
Tot. Length mm

MOTORCYCLES & SCOOTERS

HONDA

4 TEMPI 4 STROKES

SERIE SEGMENTI IN ACCIAIO / RINGS SET IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
SH 300	300	2011	2013			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2475	72	17 X 47 X 12 BIC RAM	1 C6KB AC 0,80 1 C2LP AC 0,80 1 RAC AC 1,50	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2475050	72,5	SP170470120KRI	1 WSMOT725001I	1	AN0B1712SET
PC2475100	73	SP170470120KRI	1 WSMOT730001I	1	AN0B1712SET
PC2475150	73,5	SP170470120KRI	1 WSMOT735001I	1	AN0B1712SET
PC2475200	74	SP170470120KRI	1 WSMOT740001I	1	AN0B1712SET

Compressione 22
Compression
Mis. Testa P
Head size mm
Lungh. tot. 43,85
Tot. Length mm

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Foresight	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1829	72,7	17 X 57 X 12 BIC RAM	1 C6KBP SF 1,00 1 S20LP F 1,00 1 R7P F 2,50	17 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1829000	72,7	SP170570120KRI	1 RSMOT727003	1	AN0B1710SET
PC1829030	73	SP170570120KRI	1 RSMOT730003	1	AN0B1710SET
PC1829055	73,25	SP170570120KRI	1 RSMOT732503	1	AN0B1710SET
PC1829080	73,5	SP170570120KRI	1 RSMOT735003	1	AN0B1710SET
PC1829130	74	SP170570120KRI	1 RSMOT740003	1	AN0B1710SET

Compressione 22,6
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 49,1
Tot. Length mm

SERIE SEGMENTI IN ACCIAIO / STEEL RINGS SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Foresight	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2530	72,7	17 X 57 X 12 BIC RAM		17 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2530000	72,7	SP170570120KRI	1 WSMOT727002I	1	AN0B1710SET
PC2530030	73	SP170570120KRI	1 WSMOT730002I	1	AN0B1710SET
PC2530080	73,5	SP170570120KRI	1 WSMOT735002I	1	AN0B1710SET

Compressione 22,6
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 49,1
Tot. Length mm

MOTORCYCLES & SCOOTERS

HONDA

4 TEMPI 4 STROKES

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Forza 250 EX	250	2008	2011			
Forza 250 X	250	2005	2007			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2307	72,8	17 X 47 X 12 BIC RAM	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2307000	72,8	SP170470120KRI	1 RSMOT728001	1	AN0B1712SET
PC2307020	73	SP170470120KRI	1 RSMOT730001	1	AN0B1712SET
PC2307070	73,5	SP170470120KRI	1 RSMOT735001	1	AN0B1712SET

Compressione 22,6
Compression
Mis. Testa B-1,6
Head size mm
Lungh. tot. 47,1
Tot. Length mm



FORGIATO / FORGED

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
SH 300 Kit Trasf. Ø 75	300					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2674	75	17 X 47 X 12 BIC RAM		17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2674000	75	SP170470120KRI	1 N0750010027006NB 1 E0750010031502LP2934 1 N07500200250RANO	1	AN0B1712SET

Compressione 21
Compression
Mis. Testa 0.8
Head size mm
Lungh. tot. 37,8
Tot. Length mm

MOTORCYCLES & SCOOTERS

IAME

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MINIMOTO M-40 AIR	40					
MINIMOTO M-40 RL	40					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2402	35,9	10 X 29 X 6	1 G30KB SF 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC24023575	35,75	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023576	35,76	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023577	35,77	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023578	35,78	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023579	35,79	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023580	35,8	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023581	35,81	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023582	35,82	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023583	35,83	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023584	35,84	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023585	35,85	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023586	35,86	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023587	35,87	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023588	35,88	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023589	35,89	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023590	35,9	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023591	35,91	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023592	35,92	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023593	35,93	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023594	35,94	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023595	35,95	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023596	35,96	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023597	35,97	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023598	35,98	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023600	36	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023602	36,02	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET

Compressione
Compression

20

Mis. Testa
Head size mm

B-1,5

Lungh. tot.
Tot. Length mm

44

MOTORCYCLES & SCOOTERS

IAME

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MINIMOTO M-50RL	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2378	40	10 X 33 X 6	1 G30KP SF 1,00 	10 2B FILO 0.8
			1 G30KB SF 1,00 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23783993	39,93	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783994	39,94	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783995	39,95	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783996	39,96	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783997	39,97	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783998	39,98	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783999	39,99	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784000	40	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784001	40,01	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784002	40,02	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784003	40,03	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784004	40,04	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784006	40,06	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784008	40,08	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784010	40,1	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784012	40,12	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784015	40,15	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784018	40,18	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784021	40,21	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784024	40,24	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784027	40,27	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784030	40,3	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET

Compressione 20
Compression
Mis. Testa B-1,6
Head size mm
Lungh. tot. 43,6
Tot. Length mm

MOTORCYCLES & SCOOTERS

ITALJET

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Adly (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1246	40	10 X 33 X 6	2 G15H STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1246000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1010SET
PC1246025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1010SET
PC1246050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1010SET
PC1246100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1010SET
PC1246150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1010SET
PC1246200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1010SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Adly	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2246	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2246000	40	SP100330060HI	2 F0400015016515K0I	1	AN2B1010SET
PC2246025	40,25	SP100330060HI	2 F0402515016515K0I	1	AN2B1010SET
PC2246050	40,5	SP100330060HI	2 F0405015016515K0I	1	AN2B1010SET
PC2246100	41	SP100330060HI	2 F0410015017015K0I	1	AN2B1010SET
PC2246150	41,5	SP100330060HI	2 F0415015017015K0I	1	AN2B1010SET
PC2246200	42	SP100330060HI	2 F0420015017515K0I	1	AN2B1010SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

25,5

B-2

50,5

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

25,5

B-2

50,5

MOTORCYCLES & SCOOTERS

KREIDLER

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compr. Compr. Ratio
R.S.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0842	40	14 X 32.5 X 9	1 LH STD 2,00 1 G30H STD 1,50	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0842A	39,95	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842B	39,955	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842C	39,96	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842D	39,965	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842E	39,97	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842F	39,975	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842G	39,98	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842H	39,985	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842I	39,99	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842K	39,995	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842L	40	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842M	40,005	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842N	40,01	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842O	40,015	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET

Compressione
Compression 24,5

Mis. Testa
Head size mm B-3

Lungh. tot.
Tot. Length mm 51

MOTORCYCLES & SCOOTERS

KYMCO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Gak - Snyder - Spacer 50 (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1358	39	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1358000	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET
PC1358050	39,5	SP120315080HI	2 F0395015016515H0I	1	AN2B1210SET
PC1358100	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1358150	40,5	SP120315080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1358200	41	SP120315080HI	2 F0410015017015H0I	1	AN2B1210SET

Compressione
Compression 27,5

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 53,5



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
GR1 - GR1A - DJ - KB - K12 - Top Boy - Heroism (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1359	39	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1359000	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET
PC1359025	39,25	SP120315080HI	2 F0392515016515H0I	1	AN2B1210SET
PC1359050	39,5	SP120315080HI	2 F0395015016515H0I	1	AN2B1210SET
PC1359075	39,75	SP120315080HI	2 F0397515016515H0I	1	AN2B1210SET
PC1359100	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1359125	40,25	SP120315080HI	2 F0402515016515H0I	1	AN2B1210SET
PC1359150	40,5	SP120315080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1359175	40,75	SP120315080HI	2 F0407515016515H0I	1	AN2B1210SET
PC1359200	41	SP120315080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1359225	41,25	SP120315080HI	2 F0412515017015H0I	1	AN2B1210SET
PC1359250	41,5	SP120315080HI	2 F0415015017015H0I	1	AN2B1210SET
PC1359300	42	SP120315080HI	2 F0420015017515H0I	1	AN2B1210SET

Compressione
Compression 28

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 53,5



MOTORCYCLES & SCOOTERS

KYMCO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Gak - Snyder - Spacer 50	50					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2358	39	12 X 31.5 X 8	2 G15K STD 1,50			12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2358000	39	SP120315080HI	2 F0390015016515K0I	1	AN2B1210SET	
PC2358050	39,5	SP120315080HI	2 F0395015016515K0I	1	AN2B1210SET	
PC2358100	40	SP120315080HI	2 F0400015016515K0I	1	AN2B1210SET	
PC2358150	40,5	SP120315080HI	2 F0405015016515K0I	1	AN2B1210SET	
PC2358200	41	SP120315080HI	2 F0410015017015K0I	1	AN2B1210SET	



Compressione
Compression 27,5

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 53,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
GR1 - GR1A - DJ - KB - K12 - Top Boy - Heroism	50					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2359	39	12 X 31.5 X 8	2 G15K STD 1,50			12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2359000	39	SP120315080HI	2 F0390015016515K0I	1	AN2B1210SET	
PC2359025	39,25	SP120315080HI	2 F0392515016515K0I	1	AN2B1210SET	
PC2359050	39,5	SP120315080HI	2 F0395015016515K0I	1	AN2B1210SET	
PC2359075	39,75	SP120315080HI	2 F0397515016515K0I	1	AN2B1210SET	
PC2359100	40	SP120315080HI	2 F0400015016515K0I	1	AN2B1210SET	
PC2359125	40,25	SP120315080HI	2 F0402515016515K0I	1	AN2B1210SET	
PC2359150	40,5	SP120315080HI	2 F0405015016515K0I	1	AN2B1210SET	
PC2359175	40,75	SP120315080HI	2 F0407515016515K0I	1	AN2B1210SET	
PC2359200	41	SP120315080HI	2 F0410015017015K0I	1	AN2B1210SET	
PC2359250	41,5	SP120315080HI	2 F0415015017015K0I	1	AN2B1210SET	
PC2359300	42	SP120315080HI	2 F0420015017515K0I	1	AN2B1210SET	



Compressione
Compression 28

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 53,5

MOTORCYCLES & SCOOTERS

KYMCO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Scooter 100	100					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2007	50,6	13 X 42 X 9	2 G30HP SF 1,20 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2007000	50,6	SP130420090HI	2 S0506012021030HPI	1	AN1B1310SET
PC2007040	51	SP130420090HI	2 S0510012021530HPI	1	AN1B1310SET
PC2007090	51,5	SP130420090HI	2 S0515012021530HPI	1	AN1B1310SET
PC2007140	52	SP130420090HI	2 S0520012021530HPI	1	AN1B1310SET

Compressione
Compression 29

Mis. Testa
Head size mm B-3

Lungh. tot.
Tot. Length mm 63

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
People - Agility	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1871	39	13 X 30 X 8	RS 1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1871000	39	SP130300080HI	1 RSMOT390001	1	AN1B1310SET
PC1871040	39,4	SP130300080HI	1 RSMOT394001	1	AN1B1310SET
PC1871080	39,8	SP130300080HI	1 RSMOT398001	1	AN1B1310SET
PC1871100	40	SP130300080HI	1 RSMOT400001	1	AN1B1310SET
PC1871140	40,4	SP130300080HI	1 RSMOT404001	1	AN1B1310SET

Compressione
Compression 17,2

Mis. Testa
Head size mm B-2FV

Lungh. tot.
Tot. Length mm 33,7

MOTORCYCLES & SCOOTERS

KYMCO

4 TEMPI 4 STROKES

**SEGM. RASCH. IN
ACCIAIO / OIL RING IN
STEEL**



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Agility	125	2006	2012			
B & W	125	2000	2004			
Dink	125	1997	2004			
Grand Dink	125	2001	2012			
Like	125	2009	2012			
Movie	125	1999	2007			
People	125	1999	2011			
Spacer	125					
Super8	125	2008	2009			
Vivio	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2276	52,4	15 X 40 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 1,50 	15 SB FILO 1.2

Compressione 20
Compression
Mis. Testa B-1,5
Head size mm
Lungh. tot. 37,5
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2276000	52,4	SP150400100HI	1 RSMOT524005	1	AN0B1512SET
PC2276035	52,75	SP150400100HI	1 RSMOT527505	1	AN0B1512SET
PC2276060	53	SP150400100HI	1 RSMOT530005	1	AN0B1512SET
PC2276110	53,5	SP150400100HI	1 RSMOT535005	1	AN0B1512SET

MOTORCYCLES & SCOOTERS

KYMCO

4 TEMPI 4 STROKES

**SEGM. RASCH. IN
ACCIAIO / OIL RING IN
STEEL**



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Agility R16	150	2008	2009			
B & W	125	2000	2004			
B & W 150	150	2000	2004			
Dink - Classic - LX	150	1997	2003			
Dink - Classic - LX 125	125	1997	2003			
Grand Dink	150	2001	2004			
Grand Dink 125	125	2001	2004			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2438	57,4	15 X 42 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2438000	57,4	SP150420100HI	1 RSMOT574005	1	AN0B1512SET
PC2438060	58	SP150420100HI	1 RSMOT580005	1	AN0B1512SET
PC2438085	58,25	SP150420100HI	1 RSMOT582505	1	AN0B1512SET
PC2438110	58,5	SP150420100HI	1 RSMOT585005	1	AN0B1512SET

Compressione 20
Compression
Mis. Testa P
Head size mm
Lungh. tot. 38
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Agility	0	2010	2014			
Like	0	2009	2014			
People	0	2005	2007			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2103	60	15 X 42 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2103000	60	SP150420100HI	1 WSMOT600001	1	AN0B1510SET
PC2103040	60,4	SP150420100HI	1 WSMOT604001I	1	AN0B1510SET
PC2103080	60,8	SP150420100HI	1 RSMOT608001	1	AN0B1510SET

Compressione 20
Compression
Mis. Testa P
Head size mm
Lungh. tot. 38
Tot. Length mm

MOTORCYCLES & SCOOTERS

KYMCO

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
DINK 200	200					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2509	62	15 X 42 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2509000	62	SP150420100HI	1 RSMOT620005	1 AN0B1510SET
PC2509050	62,5	SP150420100HI	1 RSMOT625005	1 AN0B1510SET
PC2509100	63	SP150420100HI	1 RSMOT630005	1 AN0B1510SET

Compressione 20
 Compression
 Mis. Testa P
 Head size mm
 Lungh. tot. 38
 Tot. Length mm

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
People - Grand Dink	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1829	72,7	17 X 57 X 12 BIC RAM	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R7P F 2,50 	17 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1829000	72,7	SP170570120KRI	1 RSMOT727003	1 AN0B1710SET
PC1829030	73	SP170570120KRI	1 RSMOT730003	1 AN0B1710SET
PC1829055	73,25	SP170570120KRI	1 RSMOT732503	1 AN0B1710SET
PC1829080	73,5	SP170570120KRI	1 RSMOT735003	1 AN0B1710SET
PC1829130	74	SP170570120KRI	1 RSMOT740003	1 AN0B1710SET

Compressione 22,6
 Compression
 Mis. Testa B-3,5
 Head size mm
 Lungh. tot. 49,1
 Tot. Length mm

MOTORCYCLES & SCOOTERS

KYMCO

4 TEMPI 4 STROKES

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
People - downtown - GTI	250					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1969	72,7	17 X 57 X 12 BIC RAM	RS			17 SB FILO 1.0
			1 C6KBP	SF	1,00	
			1 S20LP	F	1,00	
			1 R7P	F	2,50	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1969055	73,25	SP170570120KRI	1 RSMOT732503	1	AN0B1710SET	
PC1969130	74	SP170570120KRI	1 RSMOT740003	1	AN0B1710SET	

Compressione 22,3
Compression
Mis. Testa P
Head size mm
Lungh. tot. 42
Tot. Length mm

SERIE SEGMENTI IN ACCIAIO / STEEL RINGS SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
People - Grand Dink	250					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2530	72,7	17 X 57 X 12 BIC RAM				17 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2530000	72,7	SP170570120KRI	1 WSMOT727002I	1	AN0B1710SET	
PC2530030	73	SP170570120KRI	1 WSMOT730002I	1	AN0B1710SET	
PC2530080	73,5	SP170570120KRI	1 WSMOT735002I	1	AN0B1710SET	

Compressione 22,6
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 49,1
Tot. Length mm

SERIE SEGMENTI IN ACCIAIO / STEEL RINGS SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
People - downtown - GTI	250					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2531	72,7	17 X 57 X 12 BIC RAM				17 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2531000	72,7	SP170570120KRI	1 WSMOT727002I	1	AN0B1710SET	
PC2531030	73	SP170570120KRI	1 WSMOT730002I	1	AN0B1710SET	
PC2531080	73,5	SP170570120KRI	1 WSMOT735002I	1	AN0B1710SET	

Compressione 22,3
Compression
Mis. Testa P
Head size mm
Lungh. tot. 42
Tot. Length mm

MOTORCYCLES & SCOOTERS

LML

4 TEMPI 4 STROKES

**SEGM. RASCH.
ACCIAIO/OIL RING IN
STEEL**



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
STAR 125 Ø 57 std	125	2013	2017			
STAR 150 Ø 57,42 std	150	2010	2017			
STAR 151 Ø 57,52 std	151	2010	2017			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
NEW 2625	57	14 X 42 X 9	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	14 SB FILO 1.0

Compressione 19,7
Compression
Mis. Testa P
Head size mm
Lungh. tot. 38,8
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2625050	57,5	SP140420090HI	1 RSMOT575005	1	AN0B1410SET
PC2625100	58	SP140420090HI	1 RSMOT580005	1	AN0B1410SET
PC2625150	58,5	SP140420090HI	1 RSMOT585005	1	AN0B1410SET

MOTORCYCLES & SCOOTERS

MALAGUTI

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Madison	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	RS	Anellino/Circlip
1772	53,7	15 X 44 X 10	1 C6KBP SF 1,00		15 SB FILO 1.0
			1 C2LP F 1,00		
			1 R7P F 2,00		

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1772000	53,7	SP150440100HI	1 RSMOT537001	1	AN0B1510SET

**PER LE MAGGIORAZIONI /
FOR OVERSIZES Ø 54 /
54,25/ 54,50 VEDERE
PISTONE / SEE PISTON
No. 2487**

Compressione 18,8
Compression
Mis. Testa P+2 FV
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Madison	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	RS	Anellino/Circlip
2487	54	15 X 44 X 10			15 SB FILO 1.0
			1 WSMOT540001I		
			1 WSMOT542501I		
			1 WSMOT545001I		

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2487030	54	SP150440100HI	1 WSMOT540001I	1	AN0B1510SET
PC2487055	54,25	SP150440100HI	1 WSMOT542501I	1	AN0B1510SET
PC2487080	54,5	SP150440100HI	1 WSMOT545001I	1	AN0B1510SET

Compressione 18,8
Compression
Mis. Testa P+2 FV
Head size mm
Lungh. tot. 37
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Madison	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	RS	Anellino/Circlip
1771	69	17 X 47 X 12 BIC RAM	1 C6KBP SF 1,00		17 SB FILO 1.2
			1 S20LP F 1,00		
			1 R7P F 2,00		

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1771000	69	SP170470120KRI	1 RSMOT690001	1	AN0B1712SET
PC1771075	69,75	SP170470120KRI	1 RSMOT697501	1	AN0B1712SET
PC1771100	70	SP170470120KRI	1 RSMOT700001	1	AN0B1712SET

Compressione 21,25
Compression
Mis. Testa
Head size mm
Lungh. tot. 42,35
Tot. Length mm

MOTORCYCLES & SCOOTERS

MALAGUTI

4 TEMPI 4 STROKES

SERIE SEGM. ACCIAIO / RINGS SET IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Madison	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. WS	Anellino/Circlip
2512	69	17 X 47 X 12 BIC RAM	1 C6KB AC 1,00  1 C2LP SF 1,00  1 RAC AC 1,50 	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2512000	69	SP170470120KRI	1 WSMOT690001I	1	AN0B1712SET
PC2512025	69,25	SP170470120KRI	1 WSMOT692501I	1	AN0B1712SET
PC2512050	69,5	SP170470120KRI	1 WSMOT695001I	1	AN0B1712SET
PC2512075	69,75	SP170470120KRI	1 WSMOT697501I	1	AN0B1712SET
PC2512100	70	SP170470120KRI	1 WSMOT700001I	1	AN0B1712SET
PC2512150	70,5	SP170470120KRI	1 WSMOT705001I	1	AN0B1712SET

Compressione 21,25
 Compression
 Mis. Testa P
 Head size mm
 Lungh. tot. 42,35
 Tot. Length mm

MOTORCYCLES & SCOOTERS

MALOSSI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MINIMOTO	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
NEW 2536	40	10 X 33 X 6	1 G30HP F 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2536A	39,94	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET
PC2536B	39,95	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET
PC2536C	39,96	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET
PC2536D	39,97	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET
PC2536E	39,98	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET

Compressione
Compression 20,1

Mis. Testa
Head size mm B-1,4

Lungh. tot.
Tot. Length mm 44,5



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Scooters Yamaha - Malaguti - MBK	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1426	47	10 X 36 X 6	2 G30HP IKA 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1426000	47	SP100360060HI	2 I0470015018030HP2695I	1	AN2B1010SET
PC1426020	47,2	SP100360060HI	2 I0472015018030HP2695I	1	AN2B1010SET
PC1426040	47,4	SP100360060HI	2 I0474015018030HP2695I	1	AN2B1010SET
PC1426060	47,6	SP100360060HI	2 I0476015018030HP2695I	1	AN2B1010SET
PC1426080	47,8	SP100360060HI	2 I0478015018030HP2695I	1	AN2B1010SET
PC1426100	48	SP100360060HI	2 I0480015018030HP2695I	1	AN2B1010SET
PC1426120	48,2	SP100360060HI	2 I0482015018030HP2695I	1	AN2B1010SET
PC1426140	48,4	SP100360060HI	2 I0484015018030HP2695I	1	AN2B1010SET

Compressione
Compression 25

Mis. Testa
Head size mm B-3

Lungh. tot.
Tot. Length mm 50,5

MOTORCYCLES & SCOOTERS

MALOSSI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Scooters Piaggio - Peugeot - Honda	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1427	47	12 X 37 X 8	2 G30HP IKA 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1427000	47	SP120370080HI	2 I0470015018030HP2695I	1	AN2B1210SET
PC1427020	47,2	SP120370080HI	2 I0472015018030HP2695I	1	AN2B1210SET
PC1427040	47,4	SP120370080HI	2 I0474015018030HP2695I	1	AN2B1210SET
PC1427060	47,6	SP120370080HI	2 I0476015018030HP2695I	1	AN2B1210SET
PC1427080	47,8	SP120370080HI	2 I0478015018030HP2695I	1	AN2B1210SET
PC1427100	48	SP120370080HI	2 I0480015018030HP2695I	1	AN2B1210SET
PC1427120	48,2	SP120370080HI	2 I0482015018030HP2695I	1	AN2B1210SET
PC1427140	48,4	SP120370080HI	2 I0484015018030HP2695I	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Scooters Yamaha - Malaguti - MBK	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1491	47	10 X 38 X 6	1 G30KB SF 1,20 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1491000	47	SP100380060HI	1 S0470012019530KB2671I	1	AN2B1010SET
PC1491020	47,2	SP100380060HI	1 S0472012019530KB2671I	1	AN2B1010SET
PC1491040	47,4	SP100380060HI	1 S0474012019530KB2671I	1	AN2B1010SET
PC1491060	47,6	SP100380060HI	1 S0476012019530KB2671I	1	AN2B1010SET
PC1491080	47,8	SP100380060HI	1 S0478012020030KB2671I	1	AN2B1010SET
PC1491100	48	SP100380060HI	1 S0480012020030KB2671I	1	AN2B1010SET
PC1491120	48,2	SP100380060HI	1 S0482012020030KB2671I	1	AN2B1010SET
PC1491140	48,4	SP100380060HI	1 S0484012020030KB2671I	1	AN2B1010SET

Compressione 25
Compression
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Compressione 25
Compression
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

MALOSSI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Scooters Yamaha - Malaguti - MBK	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1496	47	10 X 38 X 6	2 G30KB SF 1,20 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1496000	47	SP100380060HI	2 S0470012019530KB2671I	1	AN2B1010SET
PC1496020	47,2	SP100380060HI	2 S0472012019530KB2671I	1	AN2B1010SET
PC1496040	47,4	SP100380060HI	2 S0474012019530KB2671I	1	AN2B1010SET
PC1496060	47,6	SP100380060HI	2 S0476012019530KB2671I	1	AN2B1010SET
PC1496080	47,8	SP100380060HI	2 S0478012020030KB2671I	1	AN2B1010SET
PC1496100	48	SP100380060HI	2 S0480012020030KB2671I	1	AN2B1010SET
PC1496120	48,2	SP100380060HI	2 S0482012020030KB2671I	1	AN2B1010SET
PC1496140	48,4	SP100380060HI	2 S0484012020030KB2671I	1	AN2B1010SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Yamaha / Minarelli	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1765	47,6	10 X 38 X 6	1 G30KB SF 1,00 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1765A	47,55	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET
PC1765B	47,56	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET
PC1765C	47,57	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET
PC1765D	47,58	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET
PC1765E	47,59	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET

FERMO SEGM. LATERALE / SHIFTED RING STOPPER

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Piaggio - Gilera	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1766	47,6	12 X 37 X 8	1 G30KB SF 1,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1766A	47,55	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET
PC1766B	47,56	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET
PC1766C	47,57	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET
PC1766D	47,58	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET
PC1766E	47,59	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET

MOTORCYCLES & SCOOTERS

MALOSSI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
---------------	----	-----------	--------	--------------	-------------------------	------------------------------

MHR Tr. scooters Piaggio - pin 12mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2262	47,6	12 X 38 X 8	1 G30KB AC 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2262A	47,54	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET
PC2262B	47,55	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET
PC2262C	47,56	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET
PC2262D	47,57	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET
PC2262E	47,58	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET



Compressione
Compression 24,8
Mis. Testa
Head size mm B-3
Lungh. tot.
Tot. Length mm 50,3

MOTORCYCLES & SCOOTERS

MBK

2 TEMPI 2 STROKES

**Segmenti NON CROMATI/
rings NOT CHROMED**



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Booster-Evolis-Target-Fizz-Sorriso-Forte-Nitro-Flipper	50					
Ovetto-Stunt-Equalis-MachG	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1278	40	10 X 33 X 6	2 G15H STD 1,50	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1278000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET
PC1278025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1008SET
PC1278050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1008SET
PC1278075	40,75	SP100330060HI	2 F0407515016515H0I	1	AN2B1008SET
PC1278100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1008SET
PC1278125	41,25	SP100330060HI	2 F0412515017015H0I	1	AN2B1008SET
PC1278150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1008SET
PC1278175	41,75	SP100330060HI	2 F0417515017015H0I	1	AN2B1008SET
PC1278200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1008SET
PC1278220	42,25	SP100330060HI	2 F0422015017515H0I	1	AN2B1008SET
PC1278250	42,5	SP100330060HI	2 F0425015017515H0I	1	AN2B1008SET
PC1278300	43	SP100330060HI	2 F0430015018015H0I	1	AN2B1008SET
PC1278350	43,5	SP100330060HI	2 F0435015018015H0I	1	AN2B1008SET

Compressione 25,5
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

MBK

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED rings



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Booster-Evolis-Target-Fizz-Sorriso-Forte-Nitro-Flipper	50					
Ovetto-Stunt-Equalis-MachG	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2278	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2278000	40	SP100330060HI	2 F0400015016515K0I	1	AN2B1008SET
PC2278025	40,25	SP100330060HI	2 F0402515016515K0I	1	AN2B1008SET
PC2278050	40,5	SP100330060HI	2 F0405015016515K0I	1	AN2B1008SET
PC2278075	40,75	SP100330060HI	2 F0407515016515K0I	1	AN2B1008SET
PC2278100	41	SP100330060HI	2 F0410015017015K0I	1	AN2B1008SET
PC2278125	41,25	SP100330060HI	2 F0412515017015K0I	1	AN2B1008SET
PC2278150	41,5	SP100330060HI	2 F0415015017015K0I	1	AN2B1008SET
PC2278175	41,75	SP100330060HI	2 F0417515017015K0I	1	AN2B1008SET
PC2278200	42	SP100330060HI	2 F0420015017515K0I	1	AN2B1008SET
PC2278225	42,25	SP100330060HI	2 F0422515017515K0I	1	AN2B1008SET
PC2278250	42,5	SP100330060HI	2 F0425015017515K0I	1	AN2B1008SET
PC2278300	43	SP100330060HI	2 F0430015018015K0I	1	AN2B1008SET
PC2278350	43,5	SP100330060HI	2 F0435015018015K0I	1	AN2B1008SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

25,5

B-2,5

50,5



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Booster - Ovetto - Nitro	100					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2008	52	14 X 40 X 9	2 G30KP SF 1,20 	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2008000	52	SP140400090HI	2 S0520012021530KPI	1	AN1B1410SET
PC2008050	52,5	SP140400090HI	2 S0525012021530KPI	1	AN1B1410SET
PC2008100	53	SP140400090HI	2 S0530012022030KPI	1	AN1B1410SET
PC2008150	53,5	SP140400090HI	2 S0535012022030KPI	1	AN1B1410SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

33,5

B-3,2

63,5

MOTORCYCLES & SCOOTERS

MINARELLI (MOTORI)

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Super Sport - V1	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0628	38,8	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0628000	38,8	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC0628020	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET
PC0628040	39,2	SP120315080HI	2 F0392015016515H0I	1	AN2B1210SET
PC0628060	39,4	SP120315080HI	2 F0394015016515H0I	1	AN2B1210SET
PC0628080	39,6	SP120315080HI	2 F0396015016515H0I	1	AN2B1210SET
PC0628100	39,8	SP120315080HI	2 F0398015016515H0I	1	AN2B1210SET
PC0628120	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC0628140	40,2	SP120315080HI	2 F0402015016515H0I	1	AN2B1210SET
PC0628160	40,4	SP120315080HI	2 F0404015016515H0I	1	AN2B1210SET
PC0628180	40,6	SP120315080HI	2 F0406015016515H0I	1	AN2B1210SET
PC0628200	40,8	SP120315080HI	2 F0408015016515H0I	1	AN2B1210SET



Compressione
Compression 28

Mis. Testa
Head size mm B-4,5

Lungh. tot.
Tot. Length mm 53,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
48 cc. 2T 6V (ring not chromed)	48					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2771	38,8	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2771A	38,75	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771B	38,76	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771C	38,77	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771D	38,78	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771E	38,79	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771F	38,8	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771G	38,81	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET



Compressione
Compression 28

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 49

MOTORCYCLES & SCOOTERS

MINARELLI (MOTORI)

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
AM 345	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1324	40,3	12 X 33 X 8	1 G30RP SF 1,20 1 G30KB SF 1,20	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1324A	40,25	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324B	40,26	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324C	40,27	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324D	40,28	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324E	40,29	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324F	40,3	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324G	40,31	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
AM 345	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1538	40,3	12 X 33 X 8	1 G30RP SF 1,20 1 G30KB SF 1,20	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1538000	40,3	SP120330080HI	1 S0403012016030KB2304I 1 S0403012016030RP2303I	1	AN2B1210SET
PC1538020	40,5	SP120330080HI	1 S0405012016030KB2304I 1 S0405012016030RP2303I	1	AN2B1210SET
PC1538050	40,8	SP120330080HI	1 S0408012016030RP2303I 1 S0408012016030KB2304I	1	AN2B1210SET
PC1538070	41	SP120330080HI	1 S0410012016030RP2303I 1 S0410012016030KB2304I	1	AN2B1210SET
PC1538100	41,3	SP120330080HI	1 S0413012016030RP2303I 1 S0413012016030KB2304I	1	AN2B1210SET
PC1538120	41,5	SP120330080HI	1 S0415012016030RP2303I 1 S0415012016030KB2304I	1	AN2B1210SET
PC1538150	41,8	SP120330080HI	1 S0418012016030RP2303I 1 S0418012016030KB2304I	1	AN2B1210SET

MOTORCYCLES & SCOOTERS

MINARELLI (MOTORI)

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. AM 345						

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1933	49	12 X 42 X 8	2	G30HP	STD	1,50
						

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1933000	49	SP120420080HI	2 F0490015020530HPI	1	AN2B1210SET
PC1933050	49,5	SP120420080HI	2 F0495015020530HPI	1	AN2B1210SET
PC1933100	50	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET
PC1933150	50,5	SP120420080HI	2 F0505015021030HPI	1	AN2B1210SET
PC1933200	51	SP120420080HI	2 F0510015021530HPI	1	AN2B1210SET



Compressione 28
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 53,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

MINIMOTO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compr. Compr. Ratio
IAME MINIMOTO M-40 AIR	40					
IAME MINIMOTO M-40 RL	40					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2402	35,9	10 X 29 X 6	1 G30KB SF 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC24023575	35,75	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023576	35,76	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023577	35,77	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023578	35,78	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023579	35,79	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023580	35,8	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023581	35,81	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023582	35,82	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023583	35,83	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023584	35,84	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023585	35,85	SP100290060HI	1 S0358010015030KB2639I	1	AN0B1008SET
PC24023586	35,86	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023587	35,87	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023588	35,88	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023589	35,89	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023590	35,9	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023591	35,91	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023592	35,92	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023593	35,93	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023594	35,94	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023595	35,95	SP100290060HI	1 S0359010015030KB2016I	1	AN0B1008SET
PC24023596	35,96	SP100290060HI	1 S0360010015030KB2016I	1	AN0B1008SET
PC24023597	35,97	SP100290060HI	1 S0360010015030KB2016I	1	AN0B1008SET
PC24023598	35,98	SP100290060HI	1 S0360010015030KB2016I	1	AN0B1008SET
PC24023600	36	SP100290060HI	1 S0360010015030KB2016I	1	AN0B1008SET
PC24023602	36,02	SP100290060HI	1 S0360010015030KB2016I	1	AN0B1008SET



Compressione 20
Compression
Mis. Testa B-1,5
Head size mm
Lungh. tot. 44
Tot. Length mm

MOTORCYCLES & SCOOTERS

MINIMOTO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
POLINI Minimoto	40					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1920	36	10 X 29 X 6	1 G30KB SF 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC19203575	35,75	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203576	35,76	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203577	35,77	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203578	35,78	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203579	35,79	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203580	35,8	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203581	35,81	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203582	35,82	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203583	35,83	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203584	35,84	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203585	35,85	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203586	35,86	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203587	35,87	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203588	35,88	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203589	35,89	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203590	35,9	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203591	35,91	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203592	35,92	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203593	35,93	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203594	35,94	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203595	35,95	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203596	35,96	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203597	35,97	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203598	35,98	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203600	36	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203602	36,02	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET



Compressione
Compression 20

Mis. Testa
Head size mm B-1,5

Lungh. tot.
Tot. Length mm 43,5

MOTORCYCLES & SCOOTERS

MINIMOTO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
IAME MINIMOTO M-50RL	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2378	40	10 X 33 X 6	1 G30KP SF 1,00 	10 2B FILO 0.8
			1 G30KB SF 1,00 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23783993	39,93	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783994	39,94	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783995	39,95	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783996	39,96	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783997	39,97	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783998	39,98	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783999	39,99	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784000	40	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784001	40,01	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784002	40,02	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784003	40,03	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784004	40,04	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784006	40,06	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784008	40,08	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784010	40,1	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784012	40,12	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784015	40,15	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784018	40,18	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784021	40,21	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784024	40,24	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784027	40,27	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784030	40,3	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET



Compressione
Compression 20

Mis. Testa
Head size mm B-1,6

Lungh. tot.
Tot. Length mm 43,6

MOTORCYCLES & SCOOTERS

MINIMOTO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
MALOSI MINIMOTO	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
NEW 2536	40	10 X 33 X 6	1 G30HP F 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2536A	39,94	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET
PC2536B	39,95	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET
PC2536C	39,96	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET
PC2536D	39,97	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET
PC2536E	39,98	SP100330060HI	1 E0400010016530HP2783I	1	AN0B1008SET

Compressione 20,1
Compression
Mis. Testa B-1,4
Head size mm
Lungh. tot. 44,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

PEUGEOT

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Buxy	50	1994	1998			
Fox	50	1995	2001			
Fox Lux	50	1992	2001			
Speedake	50	1994	1997			
Speedfight	50	1997	2010			
Squab	50	1995	1997			
SV50 Geo	50	1993	1995			
Trekker	50	1997	2002			
Zenith	50	1995	1999			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1449	39,95	12 X 31.5 X 8	2 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1449AB	39,88	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449BC	39,89	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449CD	39,9	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449DE	39,92	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449EF	39,94	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449FG	39,95	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449GH	39,96	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449020	40,2	SP120315080HI	2 F0402015016530H0I	1	AN2B1210SET
PC1449040	40,4	SP120315080HI	2 F0404015016530H0I	1	AN2B1210SET
PC1449060	40,6	SP120315080HI	2 F0406015016530H0I	1	AN2B1210SET
PC1449080	40,8	SP120315080HI	2 F0408015016530H0I	1	AN2B1210SET
PC1449100	41	SP120315080HI	2 F0410015017030H0I	1	AN2B1210SET

Compressione
Compression 21,5

Mis. Testa
Head size mm B-2,3

Lungh. tot.
Tot. Length mm 48,3

MOTORCYCLES & SCOOTERS

PEUGEOT

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Metropolis - SC (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1246	40	10 X 33 X 6	2 G15H STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1246000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1010SET
PC1246025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1010SET
PC1246050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1010SET
PC1246100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1010SET
PC1246150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1010SET
PC1246200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1010SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
103 New - Imitation	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1377	40	12 X 33 X 8	2 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1377000	40	SP120330080HI	2 F0400015016530H0I	1	AN2B1210SET
PC1377025	40,25	SP120330080HI	2 F0402515016530H0I	1	AN2B1210SET
PC1377050	40,5	SP120330080HI	2 F0405015016530H0I	1	AN2B1210SET
PC1377075	40,75	SP120330080HI	2 F0407515016530H0I	1	AN2B1210SET
PC1377100	41	SP120330080HI	2 F0410015017030H0I	1	AN2B1210SET
PC1377150	41,5	SP120330080HI	2 F0415015017030H0I	1	AN2B1210SET
PC1377200	42	SP120330080HI	2 F0420015017530H0I	1	AN2B1210SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

25,5

B-2

50,5

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

21,5

B-2,3

48,3

MOTORCYCLES & SCOOTERS

PEUGEOT

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Metropolis - SC	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2246	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2246000	40	SP100330060HI	2 F0400015016515K0I	1	AN2B1010SET
PC2246025	40,25	SP100330060HI	2 F0402515016515K0I	1	AN2B1010SET
PC2246050	40,5	SP100330060HI	2 F0405015016515K0I	1	AN2B1010SET
PC2246100	41	SP100330060HI	2 F0410015017015K0I	1	AN2B1010SET
PC2246150	41,5	SP100330060HI	2 F0415015017015K0I	1	AN2B1010SET
PC2246200	42	SP100330060HI	2 F0420015017515K0I	1	AN2B1010SET

Compressione
Compression 25,5

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 50,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
ST 50 (ring not chromed) 50	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1259	41	10 X 33 X 6	2 G30H STD 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1259000	41	SP100330060HI	2 F0410015017030H0I	1	AN2B1008SET
PC1259025	41,25	SP100330060HI	2 F0412515017030H0I	1	AN2B1008SET
PC1259050	41,5	SP100330060HI	2 F0415015017030H0I	1	AN2B1008SET
PC1259100	42	SP100330060HI	2 F0420015017530H0I	1	AN2B1008SET
PC1259150	42,5	SP100330060HI	2 F0425015017530H0I	1	AN2B1008SET
PC1259200	43	SP100330060HI	2 F0430015018030H0I	1	AN2B1008SET
PC1259250	43,5	SP100330060HI	2 F0435015018030H0I	1	AN2B1008SET

Compressione
Compression 20,5

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 45,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Rapido (ring not chromed)						

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1272	41	10 X 33 X 6	2 G30H STD 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1272000	41	SP100330060HI	2 F0410015017030H0I	1	AN2B1008SET
PC1272050	41,5	SP100330060HI	2 F0415015017030H0I	1	AN2B1008SET
PC1272100	42	SP100330060HI	2 F0420015017530H0I	1	AN2B1008SET
PC1272150	42,5	SP100330060HI	2 F0425015017530H0I	1	AN2B1008SET
PC1272200	43	SP100330060HI	2 F0430015018030H0I	1	AN2B1008SET

Compressione
Compression 20,2

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 47,7

MOTORCYCLES & SCOOTERS

PEUGEOT

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Rapido	50					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2272	41	10 X 33 X 6	2 G30K STD 1,50			10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2272000	41	SP100330060HI	2 F0410015017030K0I	1	AN2B1008SET	
PC2272050	41,5	SP100330060HI	2 F0415015017030K0I	1	AN2B1008SET	
PC2272100	42	SP100330060HI	2 F0420015017530K0I	1	AN2B1008SET	
PC2272150	42,5	SP100330060HI	2 F0425015017530K0I	1	AN2B1008SET	
PC2272200	43	SP100330060HI	2 F0430015018030K0I	1	AN2B1008SET	



Compressione
Compression 20,2

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 47,7

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Eliseo	100	1999	2002			
Speedfight	100	1997	2001			
Trekker	100	1998	1999			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2009	50,6	14 X 42 X 9	2 G30HP SF 1,20			14 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC2009000	50,6	SP140420090HI	2 S0506012021030HPI	1	AN1B1410SET	
PC2009040	51	SP140420090HI	2 S0510012021530HPI	1	AN1B1410SET	
PC2009090	51,5	SP140420090HI	2 S0515012021530HPI	1	AN1B1410SET	
PC2009140	52	SP140420090HI	2 S0520012021530HPI	1	AN1B1410SET	



Compressione
Compression 29

Mis. Testa
Head size mm B-3

Lungh. tot.
Tot. Length mm 63

MOTORCYCLES & SCOOTERS

PEUGEOT

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
V-Clc	50					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1871	39	13 X 30 X 8	1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1871000	39	SP130300080HI	1 RSMOT390001	1	AN1B1310SET
PC1871040	39,4	SP130300080HI	1 RSMOT394001	1	AN1B1310SET
PC1871080	39,8	SP130300080HI	1 RSMOT398001	1	AN1B1310SET
PC1871100	40	SP130300080HI	1 RSMOT400001	1	AN1B1310SET
PC1871140	40,4	SP130300080HI	1 RSMOT404001	1	AN1B1310SET

Compressione 17,2
Compression
Mis. Testa B-2FV
Head size mm
Lungh. tot. 33,7
Tot. Length mm

4 VALVOLE / 4 VALVES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
CITYSTAR 125	125	2010	2014			
GEOPOLIS 125	125	2007	2012			
SATELIS 125	125	2006	2014			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2605	57	15 X 40 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2605000	57	SP150400100HI	1 RSMOT570005	1	AN0B1510SET
PC2605025	57,25	SP150400100HI	1 RSMOT572505	1	AN0B1510SET
PC2605050	57,5	SP150400100HI	1 RSMOT575005	1	AN0B1510SET
PC2605075	57,75	SP150400100HI	1 RSMOT577505	1	AN0B1510SET
PC2605100	58	SP150400100HI	1 RSMOT580005	1	AN0B1510SET

Compressione 21
Compression
Mis. Testa
Head size mm
Lungh. tot. 40,8
Tot. Length mm

MOTORCYCLES & SCOOTERS

PEUGEOT

4 TEMPI 4 STROKES

2 VALVOLE/ 2 VALVES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
ELYSEO 125	125	1998	2004			
ELYSTAR 125	125	2000	2006			
JETFORCE 125	125	2003				

2 VALVOLE

MP Ref: Nom. Ø mm

Spinotto dim. mm
Piston pin dim.

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
RS

Anellino/Circlip

NEW 2618

57

15 X 40 X 10

1	C6KBP	SF	1,00
1	C2LP	F	1,00
1	RAC	AC	2,00



15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2618000	57	SP150400100HI	1 RSMOT570005	1	AN0B1510SET
PC2618025	57,25	SP150400100HI	1 RSMOT572505	1	AN0B1510SET
PC2618050	57,5	SP150400100HI	1 RSMOT575005	1	AN0B1510SET
PC2618075	57,75	SP150400100HI	1 RSMOT577505	1	AN0B1510SET
PC2618100	58	SP150400100HI	1 RSMOT580005	1	AN0B1510SET

Compressione
Compression

21

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

39,75

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa XL 50 Catalizzata	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1613	38	12 X 31.5 X 8	1 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC16131	37,955	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16132	37,96	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16133	37,965	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16134	37,97	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC1613000	38	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC1613050	38,5	SP120315080HI	1 F0385015016015H0I	1	AN2B1210SET
PC1613100	39	SP120315080HI	1 F0390015016515H0I	1	AN2B1210SET



Compressione 24
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 55,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Bravo-Si Boxer Cil. Ridotto	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1102	38,2	10 X 31.5 X 6	1 LH STD 2,00 1 G15H STD 1,50	SEEGER D.10 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1102000	38,2	SP100315060HI	1 F0382020017531H0I 1 F0382015016015H0I	2	SG10
PC1102020	38,4	SP100315060HI	1 F0384020017531H0I 1 F0384015016015H0I	2	SG10
PC1102040	38,6	SP100315060HI	1 F0386020017531H0I 1 F0386015016015H0I	2	SG10
PC1102060	38,8	SP100315060HI	1 F0388020017531H0I 1 F0388015016015H0I	2	SG10
PC1102080	39	SP100315060HI	1 F0390020017531H0I 1 F0390015016515H0I	2	SG10
PC1102100	39,2	SP100315060HI	1 F0392020017531H0I 1 F0392015016515H0I	2	SG10
PC1102120	39,4	SP100315060HI	1 F0394020017531H0I 1 F0394015016515H0I	2	SG10
PC1102140	39,6	SP100315060HI	1 F0396020017531H0I 1 F0396015016515H0I	2	SG10
PC1102160	39,8	SP100315060HI	1 F0398020017531H0I 1 F0398015016515H0I	2	SG10
PC1102180	40	SP100315060HI	1 F0400020018531H0I 1 F0400015016515H0I	2	SG10
PC1102200	40,2	SP100315060HI	1 F0402020018531H0I 1 F0402015016515H0I	2	SG10
PC1102220	40,4	SP100315060HI	1 F0404020018531H0I 1 F0404015016515H0I	2	SG10
PC1102230	40,5	SP100315060HI	1 F0405020018531H0I 1 F0405015016515H0I	2	SG10
PC1102240	40,6	SP100315060HI	1 F0406020018531H0I 1 F0406015016515H0I	2	SG10
PC1102260	40,8	SP100315060HI	1 F0408020018531H0I 1 F0408015016515H0I	2	SG10

Compressione
Compression 26,54

Mis. Testa
Head size mm B-3,5

Lungh. tot.
Tot. Length mm 52

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Sì ecologico - Heron	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1243	38,2	10 X 31.5 X 6	1 LH STD 2,00 1 G15H STD 1,50	SEEGER D.10 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1243000	38,2	SP100315060HI	1 F0382020017531H0I 1 F0382015016015H0I	2	SG10
PC1243020	38,4	SP100315060HI	1 F0384020017531H0I 1 F0384015016015H0I	2	SG10
PC1243040	38,6	SP100315060HI	1 F0386020017531H0I 1 F0386015016015H0I	2	SG10
PC1243060	38,8	SP100315060HI	1 F0388020017531H0I 1 F0388015016015H0I	2	SG10
PC1243080	39	SP100315060HI	1 F0390020017531H0I 1 F0390015016515H0I	2	SG10
PC1243100	39,2	SP100315060HI	1 F0392020017531H0I 1 F0392015016515H0I	2	SG10
PC1243120	39,4	SP100315060HI	1 F0394020017531H0I 1 F0394015016515H0I	2	SG10
PC1243140	39,6	SP100315060HI	1 F0396020017531H0I 1 F0396015016515H0I	2	SG10
PC1243160	39,8	SP100315060HI	1 F0398020017531H0I 1 F0398015016515H0I	2	SG10
PC1243180	40	SP100315060HI	1 F0400020018531H0I 1 F0400015016515H0I	2	SG10
PC1243200	40,2	SP100315060HI	1 F0402020018531H0I 1 F0402015016515H0I	2	SG10

Compressione 26
Compression
Mis. Testa B-1,5
Head size mm
Lungh. tot. 49,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Bravo - Boxer - Ciao (L-RING)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2679	38,2	12 X 31.5 X 8	1 LH STD 2,00 1 G15H STD 1,50	12 2B FILO 1.0



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2679000	38,2	SP120315080HI	1 F0382020017531H0I 1 F0382015016015H0I	1	AN2B1210SET
PC2679020	38,4	SP120315080HI	1 F0384020017531H0I 1 F0384015016015H0I	1	AN2B1210SET
PC2679040	38,6	SP120315080HI	1 F0386020017531H0I 1 F0386015016015H0I	1	AN2B1210SET
PC2679060	38,8	SP120315080HI	1 F0388020017531H0I 1 F0388015016015H0I	1	AN2B1210SET
PC2679080	39	SP120315080HI	1 F0390020017531H0I 1 F0390015016515H0I	1	AN2B1210SET
PC2679100	39,2	SP120315080HI	1 F0392020017531H0I 1 F0392015016515H0I	1	AN2B1210SET
PC2679140	39,6	SP120315080HI	1 F0396020017531H0I 1 F0396015016515H0I	1	AN2B1210SET
PC2679160	39,8	SP120315080HI	1 F0398020017531H0I 1 F0398015016515H0I	1	AN2B1210SET
PC2679180	40	SP120315080HI	1 F0400020018531H0I 1 F0400015016515H0I	1	AN2B1210SET
PC2679200	40,2	SP120315080HI	1 F0402020018531H0I 1 F0402015016515H0I	1	AN2B1210SET

Compressione
Compression 26,5

Mis. Testa
Head size mm B-4

Lungh. tot.
Tot. Length mm 52,5

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa 50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0539	38,4	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0539000	38,4	SP120315080HI	2 F0384020016015H0I	1	AN2B1210SET
PC0539040	38,8	SP120315080HI	2 F0388020016015H0I	1	AN2B1210SET
PC0539080	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC0539100	39,4	SP120315080HI	2 F0394020016515H0I	1	AN2B1210SET
PC0539140	39,8	SP120315080HI	2 F0398020016515H0I	1	AN2B1210SET
PC0539180	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET
PC0539200	40,4	SP120315080HI	2 F0404020016515H0I	1	AN2B1210SET
PC0539240	40,8	SP120315080HI	2 F0408020016515H0I	1	AN2B1210SET
PC0539280	41,2	SP120315080HI	2 F0412020017015H0I	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Ciao	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0679	38,4	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0679000	38,2	SP120315080HI	2 F0382020016015H0I	1	AN2B1210SET
PC0679020	38,4	SP120315080HI	2 F0384020016015H0I	1	AN2B1210SET
PC0679040	38,6	SP120315080HI	2 F0386020016015H0I	1	AN2B1210SET
PC0679060	38,8	SP120315080HI	2 F0388020016015H0I	1	AN2B1210SET
PC0679080	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0679100	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC0679120	39,4	SP120315080HI	2 F0394020016515H0I	1	AN2B1210SET
PC0679140	39,6	SP120315080HI	2 F0396020016515H0I	1	AN2B1210SET
PC0679160	39,8	SP120315080HI	2 F0398020016515H0I	1	AN2B1210SET
PC0679180	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET
PC0679200	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespino 50/PK - Ape TM P50	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1154	38,4	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1154000	38,4	SP120315080HI	2 F0384020016015H0I	1	AN2B1210SET
PC1154020	38,6	SP120315080HI	2 F0386020016015H0I	1	AN2B1210SET
PC1154040	38,8	SP120315080HI	2 F0388020016015H0I	1	AN2B1210SET
PC1154060	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC1154080	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC1154100	39,4	SP120315080HI	2 F0394020016515H0I	1	AN2B1210SET
PC1154110	39,5	SP120315080HI	2 F0395020016515H0I	1	AN2B1210SET
PC1154120	39,6	SP120315080HI	2 F0396020016515H0I	1	AN2B1210SET
PC1154140	39,8	SP120315080HI	2 F0398020016515H0I	1	AN2B1210SET
PC1154160	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET
PC1154180	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET
PC1154200	40,4	SP120315080HI	2 F0404020016515H0I	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa 50 PK (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1157	38,4	12 X 31.5 X 8	2 LH STD 2,00 	SEEGER D.12 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1157A	38,35	SP120315080HI	2 F0384020017531H0I	2	SG12
PC1157B	38,36	SP120315080HI	2 F0384020017531H0I	2	SG12
PC1157C	38,37	SP120315080HI	2 F0384020017531H0I	2	SG12
PC1157D	38,38	SP120315080HI	2 F0384020017531H0I	2	SG12
PC1157E	38,39	SP120315080HI	2 F0384020017531H0I	2	SG12
PC1157F	38,4	SP120315080HI	2 F0384020017531H0I	2	SG12

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

26

B-4

52

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

26,5

B-3,5

52

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

**Segmenti NON CROMATI/
rings NOT CHROMED**



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Energy - NRG (ring not chromed)	50					
Free (ring not chromed)	50	1992	1998			
NTT (ring not chromed)	50	1995	1998			
Quarz (ring not chromed)	50	1992	1997			
Sfera (ring not chromed)	50	1991	1998			
Vespa ET2 (ring not chromed)	50	1998	2004			
Zip (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1306	40	12 X 33 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1306000	40	SP120330080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1306020	40,2	SP120330080HI	2 F0402015016515H0I	1	AN2B1210SET
PC1306040	40,4	SP120330080HI	2 F0404015016515H0I	1	AN2B1210SET
PC1306060	40,6	SP120330080HI	2 F0406015016515H0I	1	AN2B1210SET
PC1306080	40,8	SP120330080HI	2 F0408015016515H0I	1	AN2B1210SET
PC1306100	41	SP120330080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1306120	41,2	SP120330080HI	2 F0412015017015H0I	1	AN2B1210SET
PC1306140	41,4	SP120330080HI	2 F0414015017015H0I	1	AN2B1210SET
PC1306160	41,6	SP120330080HI	2 F0416015017015H0I	1	AN2B1210SET
PC1306180	41,8	SP120330080HI	2 F0418015017015H0I	1	AN2B1210SET
PC1306200	42	SP120330080HI	2 F0420015017515H0I	1	AN2B1210SET
PC1306250	42,5	SP120330080HI	2 F0425015017515H0I	1	AN2B1210SET
PC1306300	43	SP120330080HI	2 F0430015018015H0I	1	AN2B1210SET

Compressione 26
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 54
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED rings



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Energy - NRG	50					
Free	50	1992	1998			
NTT	50	1995	1998			
Quarz	50	1992	1997			
Sfera	50	1991	1998			
Vespa ET2	50	1998	2004			
Zip	50					

MP Ref: **2306** Nom. Ø mm **40** Spinotto dim. mm Piston pin dim. **12 X 33 X 8** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **2 G15K STD 1,50** Anellino/Circlip **12 2B FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2306000	40	SP120330080HI	2 F0400015016515K0I	1	AN2B1210SET
PC2306020	40,2	SP120330080HI	2 F0402015016515K0I	1	AN2B1210SET
PC2306040	40,4	SP120330080HI	2 F0404015016515K0I	1	AN2B1210SET
PC2306060	40,6	SP120330080HI	2 F0406015016515K0I	1	AN2B1210SET
PC2306080	40,8	SP120330080HI	2 F0408015016515K0I	1	AN2B1210SET
PC2306100	41	SP120330080HI	2 F0410015017015K0I	1	AN2B1210SET
PC2306120	41,2	SP120330080HI	2 F0412015017015K0I	1	AN2B1210SET
PC2306140	41,4	SP120330080HI	2 F0414015017015K0I	1	AN2B1210SET
PC2306160	41,6	SP120330080HI	2 F0416015017015K0I	1	AN2B1210SET
PC2306180	41,8	SP120330080HI	2 F0418015017515K0I	1	AN2B1210SET
PC2306200	42	SP120330080HI	2 F0420015017515K0I	1	AN2B1210SET

Compressione 26
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 54
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Sfera - Typhoon 80						

MP Ref: **1471** Nom. Ø mm **46,5** Spinotto dim. mm Piston pin dim. **12 X 38 X 8** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **2 G15KP SF 1,50** Anellino/Circlip **12 2B FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1471A	46,44	SP120380080HI	2 S0465015019015KPI	1	AN2B1210SET
PC1471B	46,45	SP120380080HI	2 S0465015019015KPI	1	AN2B1210SET
PC1471C	46,46	SP120380080HI	2 S0465015019015KPI	1	AN2B1210SET
PC1471D	46,47	SP120380080HI	2 S0465015019015KPI	1	AN2B1210SET
PC1471E	46,48	SP120380080HI	2 S0465015019015KPI	1	AN2B1210SET
PC1471F	46,49	SP120380080HI	2 S0465015019015KPI	1	AN2B1210SET
PC1471G	46,5	SP120380080HI	2 S0465015019015KPI	1	AN2B1210SET
PC1471H	46,51	SP120380080HI	2 S0465015019015KPI	1	AN2B1210SET

Compressione 23,2
Compression
Mis. Testa B-2,2
Head size mm
Lungh. tot. 52,4
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa P125X	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0960	52,5	15 X 44 X 10	2 G15HP STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0960000	52,5	SP150440100HI	2 F0525025021515HPI	2	SG15
PC0960020	52,7	SP150440100HI	2 F0527025021515HPI	2	SG15
PC0960040	52,9	SP150440100HI	2 F0529025021515HPI	2	SG15
PC0960060	53,1	SP150440100HI	2 F0531025022015HPI	2	SG15
PC0960080	53,3	SP150440100HI	2 F0533025022015HPI	2	SG15
PC0960100	53,5	SP150440100HI	2 F0535025022015HPI	2	SG15
PC0960120	53,7	SP150440100HI	2 F0537025022015HPI	2	SG15
PC0960140	53,9	SP150440100HI	2 F0539025022015HPI	2	SG15
PC0960160	54,1	SP150440100HI	2 F0541025022515HPI	2	SG15
PC0960180	54,3	SP150440100HI	2 F0543025022515HPI	2	SG15
PC0960200	54,5	SP150440100HI	2 F0545025022515HPI	2	SG15
PC0960250	55	SP150440100HI	2 F0550025023015HPI	2	SG15



Compressione 35
Compression
Mis. Testa B-6
Head size mm
Lungh. tot. 70
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa P125 K (seg. L)	125					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1164	52,5	15 X 44 X 10	1 LHP STD 2,50 	SEEGER D.15 DIN 472
			1 G15HP STD 2,50 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1164000	52,5	SP150440100HI	1 F0525025021515HPI 1 F0525025021531HP2878I	2	SG15
PC1164020	52,7	SP150440100HI	1 F0527025021515HPI 1 F0527025021531HP2878I	2	SG15
PC1164040	52,9	SP150440100HI	1 F0529025021531HP2878I 1 F0529025021515HPI	2	SG15
PC1164060	53,1	SP150440100HI	1 F0531025022015HPI 1 F0531025022031HP2878I	2	SG15
PC1164080	53,3	SP150440100HI	1 F0533025022015HPI 1 F0533025022031HP2878I	2	SG15
PC1164100	53,5	SP150440100HI	1 F0535025022015HPI 1 F0535025022031HP2878I	2	SG15
PC1164120	53,7	SP150440100HI	1 F0537025022015HPI 1 F0537025022031HP2878I	2	SG15
PC1164140	53,9	SP150440100HI	1 F0539025022015HPI 1 F0539025022031HP2878I	2	SG15
PC1164160	54,1	SP150440100HI	1 F0541025022515HPI 1 F0541025022531HP2878I	2	SG15
PC1164180	54,3	SP150440100HI	1 F0543025022515HPI 1 F0543025022531HP2878I	2	SG15
PC1164200	54,5	SP150440100HI	1 F0545025022515HPI 1 F0545025022531HP2878I	2	SG15

Compressione 35
Compression
Mis. Testa B-5
Head size mm
Lungh. tot. 70
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa ET3 - Primavera - PKX 125cc	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0973	55	15 X 47 X 10	2 G15HP STD 2,50 	SEEGER D.15 DIN 472
			2 G15H STD 2,50 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0973000	55	SP150470100HI	2 F0550025023015HPI	2	SG15
PC0973040	55,4	SP150470100HI	2 F0554025023015HPI	2	SG15
PC0973080	55,8	SP150470100HI	2 F0558025023015HPI	2	SG15
PC0973120	56,2	SP150470100HI	2 F0562025023515HPI	2	SG15
PC0973140	56,4	SP150470100HI	2 F0564025023515HPI	2	SG15
PC0973160	56,6	SP150470100HI	2 F0566025023515HPI	2	SG15
PC0973180	56,8	SP150470100HI	2 F0568025023515HPI	2	SG15

Compressione
Compression 36,5

Mis. Testa
Head size mm B-6

Lungh. tot.
Tot. Length mm 71



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa 125 XL/PKS	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1120	55	15 X 47 X 10	1 LHP STD 2,50 	SEEGER D.15 DIN 472
			1 G15HP STD 2,50 	
			1 G15H STD 2,50 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1120000	55	SP150470100HI	1 F0550025023031HP2879I 1 F0550025023015HPI	2	SG15
PC1120040	55,4	SP150470100HI	1 F0554025023031HP2879I 1 F0554025023015HPI	2	SG15
PC1120080	55,8	SP150470100HI	1 F0558025023031HP2879I 1 F0558025023015HPI	2	SG15
PC1120120	56,2	SP150470100HI	1 F0562025023531HP2879I 1 F0562025023515HPI	2	SG15
PC1120140	56,4	SP150470100HI	1 F0564025023531HP2879I 1 F0564025023515HPI	2	SG15
PC1120160	56,6	SP150470100HI	1 F0566025023531HP2879I 1 F0566025023515HPI	2	SG15
PC1120180	56,8	SP150470100HI	1 F0568025023531HP2879I 1 F0568025023515HPI	2	SG15

Compressione
Compression 36,5

Mis. Testa
Head size mm B-5,5

Lungh. tot.
Tot. Length mm 71

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Skipper	125					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1408	55	16 X 46 X 11	2 G30KB SF 1,20 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1408A	54,95	SP160460110HI	2 S0550012023030KB2291I	1	AN0B1612SET
PC1408B	54,955	SP160460110HI	2 S0550012023030KB2291I	1	AN0B1612SET
PC1408C	54,96	SP160460110HI	2 S0550012023030KB2291I	1	AN0B1612SET
PC1408D	54,965	SP160460110HI	2 S0550012023030KB2291I	1	AN0B1612SET
PC1408E	54,97	SP160460110HI	2 S0550012023030KB2291I	1	AN0B1612SET
PC1408F	54,975	SP160460110HI	2 S0550012023030KB2291I	1	AN0B1612SET
PC1408000	55	SP160460110HI	2 S0550012023030KB2291I	1	AN0B1612SET
PC1408040	55,4	SP160460110HI	2 S0554012023030KB2291I	1	AN0B1612SET
PC1408060	55,6	SP160460110HI	2 S0556012023030KB2291I	1	AN0B1612SET
PC1408080	55,8	SP160460110HI	2 S0558012023030KB2291I	1	AN0B1612SET
PC1408100	56	SP160460110HI	2 S0560012023530KB2291I	1	AN0B1612SET
PC1408150	56,5	SP160460110HI	2 S0565012023530KB2291I	1	AN0B1612SET

Compressione 30
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 63,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa 150 Sprint Veloce 3L	150					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0830	57	15 X 48.5 X 10	2 G15HP STD 2,50  2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0830000	57	SP150485100Y4I	2 F0570025024015HPI	2	SG15
PC0830020	57,2	SP150485100Y4I	2 F0572025024015H0I	2	SG15
PC0830040	57,4	SP150485100Y4I	2 F0574025024015H0I	2	SG15
PC0830060	57,6	SP150485100Y4I	2 F0576025024015H0I	2	SG15

Compressione 35
Compression
Mis. Testa B-7
Head size mm
Lungh. tot. 72
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa P150X - P150S	150					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1003	57,8	15 X 48.5 X 10	2 G15HP STD 2,50 	SEEGER D.15 DIN 472
			2 G15H STD 2,50 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1003000	57,8	SP150485100Y4I	2 F0578025024015HPI	2	SG15
PC1003020	58	SP150485100Y4I	2 F0580025024015HPI	2	SG15
PC1003040	58,2	SP150485100Y4I	2 F0582025024015HPI	2	SG15
PC1003060	58,4	SP150485100Y4I	2 F0584025024015HPI	2	SG15
PC1003080	58,6	SP150485100Y4I	2 F0586025024015HPI	2	SG15
PC1003100	58,8	SP150485100Y4I	2 F0588025024015HPI	2	SG15
PC1003120	59	SP150485100Y4I	2 F0590025024515H0I	2	SG15
PC1003140	59,2	SP150485100Y4I	2 F0592025024515H0I	2	SG15
PC1003160	59,4	SP150485100Y4I	2 F0594025024515H0I	2	SG15
PC1003180	59,6	SP150485100Y4I	2 F0596025024515H0I	2	SG15
PC1003200	59,8	SP150485100Y4I	2 F0598025024515H0I	2	SG15
PC1003220	60	SP150485100Y4I	2 F0600025025015H0I	2	SG15

Compressione
Compression 35

Mis. Testa
Head size mm B-7

Lungh. tot.
Tot. Length mm 72

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Skipper air cooled (cyl. Nikasil)	150					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1470	60,6	16 X 50 X 11	2 G30K STD 1,50 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1470A	60,56	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET
PC1470B	60,57	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET
PC1470C	60,58	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET
PC1470D	60,59	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET
PC1470E	60,6	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET

Compressione
Compression 30

Mis. Testa
Head size mm B-4,1

Lungh. tot.
Tot. Length mm 64,1

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Hexagon 150	150					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1488	60,6	16 X 50 X 11	2 G30HP SF 1,50 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1488000	60,6	SP160500110HI	2 S0606015025030HPI	1	AN0B1612SET
PC1488020	60,8	SP160500110HI	2 S0608015025030HPI	1	AN0B1612SET
PC1488040	61	SP160500110HI	2 S0610015025530HPI	1	AN0B1612SET
PC1488060	61,2	SP160500110HI	2 S0612015025530HPI	1	AN0B1612SET
PC1488080	61,4	SP160500110HI	2 S0614015025530HPI	1	AN0B1612SET
PC1488100	61,6	SP160500110HI	2 S0616015025530HPI	1	AN0B1612SET
PC1488120	61,8	SP160500110HI	2 S0618015025530HPI	1	AN0B1612SET

Compressione 30
Compression
Mis. Testa B-4,2
Head size mm
Lungh. tot. 64,2
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Ape MP500/550	180					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0720	63	16 X 54 X 11	2 G15H STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0720000	63	SP160540110Y4I	2 F0630025026515H0I	2	SG16
PC0720040	63,4	SP160540110Y4I	2 F0634025026515H0I	2	SG16
PC0720060	63,6	SP160540110Y4I	2 F0636025026515H0I	2	SG16
PC0720080	63,8	SP160540110Y4I	2 F0638025026515H0I	2	SG16
PC0720100	64	SP160540110Y4I	2 F0640025026515H0I	2	SG16
PC0720120	64,2	SP160540110Y4I	2 F0642025026515H0I	2	SG16
PC0720140	64,4	SP160540110Y4I	2 F0644025026515H0I	2	SG16
PC0720160	64,6	SP160540110Y4I	2 F0646025026515H0I	2	SG16
PC0720180	64,8	SP160540110Y4I	2 F0648025026515H0I	2	SG16
PC0720200	65	SP160540110Y4I	2 F0650025027015H0I	2	SG16
PC0720220	65,2	SP160540110Y4I	2 F0652025027015H0I	2	SG16
PC0720240	65,4	SP160540110Y4I	2 F0654025027015H0I	2	SG16
PC0720260	65,6	SP160540110Y4I	2 F0656025027015H0I	2	SG16

Compressione 43
Compression
Mis. Testa B-5,5
Head size mm
Lungh. tot. 70,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa PX 200cc.	200					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1007	66,5	16 X 59 X 11	2 G15HP STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1007000	66,5	SP160590110HI	2 F0665025027515HPI	2	SG16
PC1007020	66,7	SP160590110HI	2 F0667025027515HPI	2	SG16
PC1007040	66,9	SP160590110HI	2 F0669025027515HPI	2	SG16
PC1007060	67,1	SP160590110HI	2 F0671025028015HPI	2	SG16
PC1007080	67,3	SP160590110HI	2 F0673025028015HPI	2	SG16
PC1007100	67,5	SP160590110HI	2 F0675025028015HPI	2	SG16
PC1007120	67,7	SP160590110HI	2 F0677025028015HPI	2	SG16
PC1007140	67,9	SP160590110HI	2 F0679025028015HPI	2	SG16
PC1007160	68,1	SP160590110HI	2 F0681025028515HPI	2	SG16
PC1007180	68,3	SP160590110HI	2 F0683025028515HPI	2	SG16
PC1007200	68,5	SP160590110HI	2 F0685025028515HPI	2	SG16
PC1007220	68,7	SP160590110HI	2 F0687025028515HPI	2	SG16



Compressione
Compression 42,5
Mis. Testa
Head size mm B-5,5
Lungh. tot.
Tot. Length mm 81

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Ape Car	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0895	68	18 X 59 X 12	2 G15HP STD 2,50 	SEEGER D.18 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0895000	68	SP180590120HI	2 F0680025028515HPI	2	SG18
PC0895020	68,2	SP180590120HI	2 F0682025028515HPI	2	SG18
PC0895040	68,4	SP180590120HI	2 F0684025028515HPI	2	SG18
PC0895060	68,6	SP180590120HI	2 F0686025028515HPI	2	SG18
PC0895080	68,8	SP180590120HI	2 F0688025028515HPI	2	SG18
PC0895100	69	SP180590120HI	2 F0690025029015HPI	2	SG18
PC0895120	69,2	SP180590120HI	2 F0692025029015HPI	2	SG18
PC0895140	69,4	SP180590120HI	2 F0694025029015HPI	2	SG18
PC0895160	69,6	SP180590120HI	2 F0696025029015HPI	2	SG18
PC0895180	69,8	SP180590120HI	2 F0698025029015HPI	2	SG18
PC0895200	70	SP180590120HI	2 F0700025029015HPI	2	SG18
PC0895220	70,2	SP180590120HI	2 F0702025029015HPI	2	SG18
PC0895240	70,4	SP180590120HI	2 F0704025029015HPI	2	SG18
PC0895260	70,6	SP180590120HI	2 F0706025029015HPI	2	SG18
PC0895280	70,8	SP180590120HI	2 F0708025029015HPI	2	SG18

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Ape Car vers. originale						

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2335	68	18 X 59 X 12		SEEGER D.18 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2335000	68	SP180590120HI	1 SS2335000I	2	SG18
PC2335040	68,4	SP180590120HI	1 SS2335040I	2	SG18
PC2335060	68,6	SP180590120HI	1 SS2335060I	2	SG18
PC2335080	68,8	SP180590120HI	1 SS2335080I	2	SG18
PC2335100	69	SP180590120HI	1 SS2335100I	2	SG18
PC2335120	69,2	SP180590120HI	1 SS2335120I	2	SG18
PC2335140	69,4	SP180590120HI	1 SS2335140I	2	SG18
PC2335160	69,6	SP180590120HI	1 SS2335160I	2	SG18
PC2335180	69,8	SP180590120HI	1 SS2335180I	2	SG18
PC2335200	70	SP180590120HI	1 SS2335200I	2	SG18

Compressione
Compression 42,5

Mis. Testa
Head size mm B-6

Lungh. tot.
Tot. Length mm 80

Compressione
Compression 42,5

Mis. Testa
Head size mm B-5,6

Lungh. tot.
Tot. Length mm 79,6

MOTORCYCLES & SCOOTERS

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Ape Car (spin. 16mm)	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2895	68	16 X 59 X 11	2 G15HP STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2895000	68	SP160590110HI	2 F0680025028515HPI	2	SG16
PC2895040	68,4	SP160590110HI	2 F0684025028515HPI	2	SG16
PC2895080	68,8	SP160590110HI	2 F0688025028515HPI	2	SG16
PC2895100	69	SP160590110HI	2 F0690025029015HPI	2	SG16
PC2895140	69,4	SP160590110HI	2 F0694025029015HPI	2	SG16
PC2895160	69,6	SP160590110HI	2 F0696025029015HPI	2	SG16
PC2895180	69,8	SP160590110HI	2 F0698025029015HPI	2	SG16
PC2895200	70	SP160590110HI	2 F0700025029015HPI	2	SG16
PC2895240	70,4	SP160590110HI	2 F0704025029015HPI	2	SG16

Compressione 42,5
Compression
Mis. Testa B-6
Head size mm
Lungh. tot. 80
Tot. Length mm



4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Liberty	50	2004	2013			
Zip	50	2000	2013			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1828	39	13 X 30 X 8	1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1828000	39	SP130300080HI	1 RSMOT390001	1	AN1B1310SET
PC1828040	39,4	SP130300080HI	1 RSMOT394001	1	AN1B1310SET
PC1828080	39,8	SP130300080HI	1 RSMOT398001	1	AN1B1310SET
PC1828100	40	SP130300080HI	1 RSMOT400001	1	AN1B1310SET
PC1828120	40,2	SP130300080HI	1 RSMOT402001	1	AN1B1310SET
PC1828140	40,4	SP130300080HI	1 RSMOT404001	1	AN1B1310SET

Compressione 18
Compression
Mis. Testa
Head size mm
Lungh. tot. 35
Tot. Length mm



MOTORCYCLES & SCOOTERS

PIAGGIO

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Liberty 50- 4 Valvole	50					
Vespa 50- 4 Valvole	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2305	39	13 X 30 X 8	1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2305000	39	SP130300080HI	1 RSMOT390001	1	AN0B1310SET
PC2305040	39,4	SP130300080HI	1 RSMOT394001	1	AN0B1310SET
PC2305080	39,8	SP130300080HI	1 RSMOT398001	1	AN0B1310SET

Compressione
Compression 18,5

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm 38

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Fly	100	2006	2009			
Zip	100	2002	2008			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2146	50	13 X 30 X 8	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P SF 2,00 	13 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2146040	50,4	SP130300080HI	1 RSMOT504001	1	AN0B1310SET
PC2146080	50,8	SP130300080HI	1 RSMOT508001	1	AN0B1310SET

Compressione
Compression 17,5

Mis. Testa
Head size mm p

Lungh. tot.
Tot. Length mm 34

MOTORCYCLES & SCOOTERS

PIAGGIO

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa ET4	125	2002	2006			



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1548	57	14 X 42 X 9	1 C2LP F 1,00  1 S20LP F 1,00  1 R5P STD 2,50 	14 1B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1548000	57	SP140420090HI	1 RSMOT570001	1	AN1B1412SET
PC1548025	57,25	SP140420090HI	1 RSMOT572501	1	AN1B1412SET
PC1548050	57,5	SP140420090HI	1 RSMOT575001	1	AN1B1412SET
PC1548080	57,8	SP140420090HI	1 RSMOT578001	1	AN1B1412SET
PC1548100	58	SP140420090HI	1 RSMOT580001	1	AN1B1412SET

Compressione 19,7
Compression
Mis. Testa
Head size mm
Lungh. tot. 42,7
Tot. Length mm

SEGM. RASCH. GHISA/OIL RING IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Beverly	125	2008	2011			
Carnaby	125	2007	2011			
Motori Leader (4 valvole)	125	2008	2011			
Vespa GTS	125	2008	2012			
X7	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1769	57	15 X 44 X 10	1 S20LP F 1,00  1 C2LP F 1,00  1 S20LP F 1,00  1 C2LP F 1,00  1 R5P STD 2,50 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1769000	57	SP150440100HI	1 RSMOT570001	1	AN0B1510SET
PC1769040	57,4	SP150440100HI	1 RSMOT574001	1	AN0B1510SET
PC1769080	57,8	SP150440100HI	1 RSMOT578001	1	AN0B1510SET

Compressione 23,6
Compression
Mis. Testa P+4 FV
Head size mm
Lungh. tot. 47,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

4 TEMPI 4 STROKES

SEGM. RASCH. GHISA/OIL RING IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Liberty (4 valvole)	125					
X9	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1923	57	16 X 44 X 11		16 SB FILO 1.2

1	C2LP	F	1,00	
1	S20LP	F	1,00	
1	R5P	STD	2,50	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1923000	57	SP160440110HI	1 RSMOT570001	1	AN0B1612SET
PC1923050	57,5	SP160440110HI	1 RSMOT575001	1	AN0B1612SET
PC1923100	58	SP160440110HI	1 RSMOT580001	1	AN0B1612SET

Compressione
Compression 24,3

Mis. Testa
Head size mm P+4 FV

Lungh. tot.
Tot. Length mm 47,5

SEGM. RASCH. ACCIAIO/OIL RING IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa ET4	125	2002	2006			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2468	57	14 X 42 X 9		14 1B FILO 1.2

1	C6KBP	SF	1,00	
1	C2LP	F	1,00	
1	RAC	AC	2,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2468000	57	SP140420090HI	1 RSMOT570005	1	AN1B1412SET
PC2468050	57,5	SP140420090HI	1 RSMOT575005	1	AN1B1412SET
PC2468100	58	SP140420090HI	1 RSMOT580005	1	AN1B1412SET

Compressione
Compression 19,7

Mis. Testa
Head size mm p

Lungh. tot.
Tot. Length mm 42,7

MOTORCYCLES & SCOOTERS

PIAGGIO

4 TEMPI 4 STROKES

SEGM. RASCH. ACCIAIO /OIL RING IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Beverly	125	2008	2011			
Carnaby	125	2007	2011			
Motori Leader (4 valvole)	125	2008	2011			
Vespa GTS	125	2008	2012			
X7	125	2008				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS				Anellino/Circlip	
2469	57	15 X 44 X 10	1	C6KBP	SF	1,00		15 SB FILO 1.0
			1	C2LP	F	1,00		
			1	RAC	AC	2,00		
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code				AN.Qta CLIPQty	Cod. SERIE anellino
PC2469000	57	SP150440100HI	1	RSMOT570005			1	AN0B1510SET
PC2469050	57,5	SP150440100HI	1	RSMOT575005			1	AN0B1510SET
PC2469100	58	SP150440100HI	1	RSMOT580005			1	AN0B1510SET

Compressione 23,6
Compression
Mis. Testa P+4 FV
Head size mm
Lungh. tot. 47,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Beverly 200 (cast iron cyl.)	200	2002	2003			
Beverly 250 (cast iron cyl.)	250	2004	2011			
Carnaby 200 (cast iron cyl.)	200	2007	2011			
Carnaby 250 (cast iron cyl.)	250	2008	2011			
GTS 250 (cast iron cyl.)	250					
X9 (cast iron cyl.)	200	2000	2006			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS				Anellino/Circlip	
2049	72	15 X 44 X 7	1	C6KBP	SF	1,00		15 SB FILO 1.0
			1	S20LP	F	1,00		
			1	R5P	F	2,50		
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code				AN.Qta CLIPQty	Cod. SERIE anellino
PC2049000	72	SP150440070HI	1	RSMOT720002			1	AN0B1510SET
PC2049025	72,25	SP150440070HI	1	RSMOT722502			1	AN0B1510SET
PC2049050	72,5	SP150440070HI	1	RSMOT725002			1	AN0B1510SET
PC2049075	72,75	SP150440070HI	1	RSMOT727502			1	AN0B1510SET

Compressione 23,6
Compression
Mis. Testa P
Head size mm
Lungh. tot. 38,6
Tot. Length mm

MOTORCYCLES & SCOOTERS

PIAGGIO

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Beverly 200 (aluminum cyl.)	200	2002	2003			
Beverly 250 (aluminum cyl.)	250	2004	2011			
Carnaby 200 (aluminum cyl.)	200	2007	2011			
Carnaby 250 (aluminum cyl.)	250	2008	2011			
GTS 250 (aluminium cyl.)	250					
X9 (aluminum cyl.)	200	2000	2006			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2050	72	15 X 44 X 7	RS 1 C6KBP SF 1,00 1 S20LP F 1,00 1 R5P F 2,50	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2050A	71,96	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050B	71,97	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050C	71,98	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050D	71,99	SP150440070HI	1 RSMOT720002	1	ANOB1510SET

Compressione 23,6
Compression
Mis. Testa P
Head size mm
Lungh. tot. 38,6
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Beverly, Carnaby, MP3	300					
Vespa GTS-GTD	300					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2424	75	16 X 45 X 9.5 BIC	NS 1 C6NB AC 1,00 1 C2LP F 1,20 1 RAN AC 2,00 WS 1 C6NB AC 1,00 1 C2LP F 1,20 1 RAN AC 2,00	16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2424000	75	SP160450095KBI	1 NSMOT750002	1	ANOB1610SET
PC2424050	75,5	SP160450095KBI	1 WSMOT755005I	1	ANOB1610SET
PC2424100	76	SP160450095KBI	1 WSMOT760005I	1	ANOB1610SET

FORGIATO / FORGED
NUOVE MAGGIORAZIONI
/ NEW OVER SIZES: Ø
75,5 - Ø 76 mm

Compressione 23,6
Compression
Mis. Testa P
Head size mm
Lungh. tot. 41,6
Tot. Length mm

MOTORCYCLES & SCOOTERS

POLINI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Minimoto	40					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1920	36	10 X 29 X 6	1 G30KB SF 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC19203575	35,75	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203576	35,76	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203577	35,77	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203578	35,78	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203579	35,79	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203580	35,8	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203581	35,81	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203582	35,82	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203583	35,83	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203584	35,84	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203585	35,85	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203586	35,86	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203587	35,87	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203588	35,88	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203589	35,89	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203590	35,9	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203591	35,91	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203592	35,92	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203593	35,93	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203594	35,94	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203595	35,95	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203596	35,96	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203597	35,97	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203598	35,98	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203600	36	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203602	36,02	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET



Compressione 20
Compression
Mis. Testa B-1,5
Head size mm
Lungh. tot. 43,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

POLINI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Piaggio Ciao/Si- foro spinotto 10	0					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1223	43	10 X 34 X 6	2 G15HP STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1223000	43	SP100340060HI	2 F0430015018015HPI	1	AN2B1010SET
PC1223020	43,4	SP100340060HI	2 F0434015018015HPI	1	AN2B1010SET
PC1223040	43,8	SP100340060HI	2 F0438015018015HPI	1	AN2B1010SET

Compressione 26,5
Compression
Mis. Testa B - 2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Piaggio CIAO/SI - foro spinotto 12	0					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2552	43	12 X 35 X 8	2 G15HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2552000	43	SP120350080HI	2 F0430015018015HPI	1	AN2B1210SET
PC2552040	43,4	SP120350080HI	2 F0434015018015HPI	1	AN2B1210SET
PC2552080	43,8	SP120350080HI	2 F0438015018015HPI	1	AN2B1210SET

Compressione 26,5
Compression
Mis. Testa B - 2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

POLINI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Honda Camino						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1200	46	10 X 36 X 6	2 G15HP STD 1,50		10 SB FILO 1	
			2 G15H STD 1,50			
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1200000	46	SP100360060HI	2 F0460015019015H0I	1	AN0B1010SET	
PC1200020	46,2	SP100360060HI	2 F0462015019015H0I	1	AN0B1010SET	
PC1200040	46,4	SP100360060HI	2 F0464015019015H0I	1	AN0B1010SET	
PC1200050	46,5	SP100360060HI	2 F0465015019015H0I	1	AN0B1010SET	
PC1200060	46,6	SP100360060HI	2 F0466015019015H0I	1	AN0B1010SET	
PC1200080	46,8	SP100360060HI	2 F0468015019015H0I	1	AN0B1010SET	
PC1200100	47	SP100360060HI	2 F0470015018515HP2861I	1	AN0B1010SET	
PC1200120	47,2	SP100360060HI	2 F0472015019515H0I	1	AN0B1010SET	
PC1200140	47,4	SP100360060HI	2 F0474015018515HP2861I	1	AN0B1010SET	
PC1200150	47,5	SP100360060HI	2 F0475015019515H0I	1	AN0B1010SET	
PC1200160	47,6	SP100360060HI	2 F0476015019515H0I	1	AN0B1010SET	
PC1200180	47,8	SP100360060HI	2 F0478015018515HP2861I	1	AN0B1010SET	
PC1200200	48	SP100360060HI	2 F0480015020015H0I	1	AN0B1010SET	

Compressione 24,5
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 49
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Piaggio Vespa 90 cc.						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1247	47	12 X 40 X 7	2 G15HP STD 1,50		12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1247000	47	SP120400070KI	2 F0470015018515HP2861I	1	AN2B1210SET	
PC1247020	47,2	SP120400070KI	2 F0472015019515HPI	1	AN2B1210SET	
PC1247040	47,4	SP120400070KI	2 F0474015018515HP2861I	1	AN2B1210SET	
PC1247060	47,6	SP120400070KI	2 F0476015019515HPI	1	AN2B1210SET	
PC1247080	47,8	SP120400070KI	2 F0478015018515HP2861I	1	AN2B1210SET	
PC1247100	48	SP120400070KI	2 F0480015020015HPI	1	AN2B1210SET	
PC1247120	48,2	SP120400070KI	2 F0482015020015HPI	1	AN2B1210SET	
PC1247140	48,4	SP120400070KI	2 F0484015020015HPI	1	AN2B1210SET	
PC1247160	48,6	SP120400070KI	2 F0486015020015HPI	1	AN2B1210SET	
PC1247180	48,8	SP120400070KI	2 F0488015020015HPI	1	AN2B1210SET	

Compressione 26,2
Compression
Mis. Testa B-3,8
Head size mm
Lungh. tot. 52
Tot. Length mm

MOTORCYCLES & SCOOTERS

POLINI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Derby Vamos 74cc.; Suzuki Tr. Address - Sepia - ZZ - AJ - Ru	74					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1380	47	10 X 36 X 6	2 G30HP STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1380000	47	SP100360060HI	2 F0470015019530HPI	1	AN2B1010SET
PC1380020	47,2	SP100360060HI	2 F0472015019530HPI	1	AN2B1010SET
PC1380040	47,4	SP100360060HI	2 F0474015019530HPI	1	AN2B1010SET
PC1380060	47,6	SP100360060HI	2 F0476015019530HPI	1	AN2B1010SET
PC1380080	47,8	SP100360060HI	2 F0478015019530HPI	1	AN2B1010SET
PC1380100	48	SP100360060HI	2 F0480015020030HPI	1	AN2B1010SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Scooter Aprilia - MBK - Yamaha; spin. Ø 10	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1415	47	10 X 36 X 6	2 G30HP SF 1,20  1 G30HP SF 1,20 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1415000	47	SP100360060HI	2 S0470012020030HP2290I	1	AN2B1010SET
PC1415020	47,2	SP100360060HI	2 S0472012020030HP2290I	1	AN2B1010SET
PC1415040	47,4	SP100360060HI	1 S0474012020030HP2290I	1	AN2B1010SET
PC1415060	47,6	SP100360060HI	2 S0476012020030HP2290I	1	AN2B1010SET
PC1415080	47,8	SP100360060HI	2 S0478012020030HP2290I	1	AN2B1010SET
PC1415100	48	SP100360060HI	2 S0480012020030HP2290I	1	AN2B1010SET
PC1415120	48,2	SP100360060HI	2 S0482012020030HP2290I	1	AN2B1010SET



Compressione
Compression 20,2

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 45



Compressione
Compression 24,5

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 50,5

MOTORCYCLES & SCOOTERS

POLINI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Scooter Honda - Kymco - Piaggio; spin. Ø 12	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1416	47	12 X 36 X 8	1 G30KB SF 1,20 	12 2B FILO 1.0
			1 G30HP SF 1,20 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1416000	47	SP120360080HI	1 S0470012019530KB2671I 1 S0470012020030HP2290I	1	AN2B1210SET
PC1416020	47,2	SP120360080HI	1 S0472012019530KB2671I 1 S0472012020030HP2290I	1	AN2B1210SET
PC1416040	47,4	SP120360080HI	1 S0474012019530KB2671I 1 S0474012020030HP2290I	1	AN2B1210SET
PC1416060	47,6	SP120360080HI	1 S0476012020030HP2290I 1 S0476012019530KB2671I	1	AN2B1210SET
PC1416080	47,8	SP120360080HI	1 S0478012020030HP2290I 1 S0478012020030KB2671I	1	AN2B1210SET
PC1416100	48	SP120360080HI	1 S0480012020030KB2671I 1 S0480012020030HP2290I	1	AN2B1210SET
PC1416120	48,2	SP120360080HI	1 S0482012020030KB2671I 1 S0482012020030HP2290I	1	AN2B1210SET
PC1416140	48,4	SP120360080HI	1 S0484012020030KB2671I 1 S0484012020030HP2290I	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Morini G30; Gilera Bullit; Minarelli AM	74					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1490	47	12 X 40 X 7	2 G30KB SF 1,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1490A	46,95	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET
PC1490B	46,96	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET
PC1490C	46,97	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET
PC1490D	46,98	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET
PC1490E	46,99	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET

Compressione
Compression 24,5

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 50,5

Compressione
Compression 24,5

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 48,5

MOTORCYCLES & SCOOTERS

POLINI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Yamaha / Minarelli 75	75					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1765	47,6	10 X 38 X 6	1 G30KB SF 1,00 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1765A	47,55	SP100380060HI	1 S0476010019530KB254SI	1	AN2B1010SET
PC1765B	47,56	SP100380060HI	1 S0476010019530KB254SI	1	AN2B1010SET
PC1765C	47,57	SP100380060HI	1 S0476010019530KB254SI	1	AN2B1010SET
PC1765D	47,58	SP100380060HI	1 S0476010019530KB254SI	1	AN2B1010SET
PC1765E	47,59	SP100380060HI	1 S0476010019530KB254SI	1	AN2B1010SET

Compressione
Compression 25

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 49,5

FERMO SEGM. LATERALE / SHIFTED RING STOPPER



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Piaggio - Gilera 75	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1766	47,6	12 X 37 X 8	1 G30KB SF 1,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1766A	47,55	SP120370080HI	1 S0476010019530KB254SI	1	AN2B1210SET
PC1766B	47,56	SP120370080HI	1 S0476010019530KB254SI	1	AN2B1210SET
PC1766C	47,57	SP120370080HI	1 S0476010019530KB254SI	1	AN2B1210SET
PC1766D	47,58	SP120370080HI	1 S0476010019530KB254SI	1	AN2B1210SET
PC1766E	47,59	SP120370080HI	1 S0476010019530KB254SI	1	AN2B1210SET

Compressione
Compression 25

Mis. Testa
Head size mm B-3

Lungh. tot.
Tot. Length mm 50,5



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Scooters Piaggio - Tipo racing (ring 0,8 mm)	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2185	47,6	12 X 38 X 8	1 G30KB AC 0,80 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2185A	47,55	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185B	47,56	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185C	47,57	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185D	47,58	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET

Compressione
Compression 25

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 49,5

MOTORCYCLES & SCOOTERS

POLINI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Piaggio Vespa 99,7 cc.	100					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1037	55	12 X 40 X 7	2 G30HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1037000	55	SP120400070KI	2 F0550015022030HP285OI	1	AN2B1210SET
PC1037040	55,4	SP120400070KI	2 F0554015022030HP285OI	1	AN2B1210SET
PC1037080	55,8	SP120400070KI	2 F0558015022030HP285OI	1	AN2B1210SET
PC1037120	56,2	SP120400070KI	2 F0562015023530HPI	1	AN2B1210SET
PC1037140	56,4	SP120400070KI	2 F0564015023530HPI	1	AN2B1210SET
PC1037150	56,5	SP120400070KI	2 F0565015023530HPI	1	AN2B1210SET
PC1037160	56,6	SP120400070KI	2 F0566015023530HPI	1	AN2B1210SET
PC1037180	56,8	SP120400070KI	2 F0568015023530HPI	1	AN2B1210SET
PC1037200	57	SP120400070KI	2 F0570015024030HP287SI	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Piaggio Vespa ET3 (luce bassa)	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1249	57	15 X 48.5 X 10	2 G30HP SF 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1249000	57	SP150485100Y4I	2 S0570015023030HP2628I	1	AN2B1512SET
PC1249020	57,2	SP150485100Y4I		1	AN2B1210SET
PC1249040	57,4	SP150485100Y4I	2 S0574015023030HP2628I	1	AN2B1512SET
PC1249080	57,8	SP150485100Y4I	2 S0578015023030HP2628I	1	AN2B1512SET
PC1249120	58,2	SP150485100Y4I	2 S0582015023030HP2628I	1	AN2B1512SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. VESPA 50PK, 50 SPECIAL, 50XL						

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2582	57,5	12 X 40 X 7	2 G30HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2582000	57,5	SP120400070KI	2 F0575015023530HP2834I	1	AN2B1210SET
PC2582040	57,9	SP120400070KI	2 F0579015023530HP2834I	1	AN2B1210SET
PC2582080	58,3	SP120400070KI	2 F0583015023530HP2834I	1	AN2B1210SET
PC2582100	58,5	SP120400070KI	2 F0585015023530HP2834I	1	AN2B1210SET

MOTORCYCLES & SCOOTERS

POLINI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Vespa 125/150 PX-TS - LML STAR DELUXE 125/150	175					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1036	63	15 X 54 X 10	2 G30HP STD 2,00 	15 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1036000	63	SP150540100HI	2 F0630020025030HP2756I	1	AN2B1512SET
PC1036040	63,4	SP150540100HI	2 F0634020025030HP2756I	1	AN2B1512SET
PC1036080	63,8	SP150540100HI	2 F0638020025030HP2756I	1	AN2B1512SET
PC1036100	64	SP150540100HI	2 F0640020026530HPI	1	AN2B1512SET



Compressione 35
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 67
Tot. Length mm

MOTORCYCLES & SCOOTERS

PUCH

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
VZMM 4V	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0763	38	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0763050	38,5	SP120315080HI	2 F0385020016015H0I	1	AN2B1210SET
PC0763100	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0763150	39,5	SP120315080HI	2 F0395020016515H0I	1	AN2B1210SET

Compressione 22,5
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 55
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc. (Cil. Crom.)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0816	38	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC08161	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08162	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08163	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08164	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08165	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08166	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08167	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0816025	38,25	SP120315080HI	2 F0382520016015H0I	1	AN2B1210SET
PC0816060	38,5	SP120315080HI	2 F0386020016015H0I	1	AN2B1210SET
PC0816100	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0816150	39,5	SP120315080HI	2 F0395020016515H0I	1	AN2B1210SET

Compressione 22,5
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 52,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

PUCH

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Puch Supermaxi cat.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1613	38	12 X 31.5 X 8	1 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC16131	37,955	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16132	37,96	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16133	37,965	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16134	37,97	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC1613000	38	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC1613050	38,5	SP120315080HI	1 F0385015016015H0I	1	AN2B1210SET
PC1613100	39	SP120315080HI	1 F0390015016515H0I	1	AN2B1210SET



Compressione 24
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 55,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

ROTAX

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Rotax 123 (cast iron cyl.)	125					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1298	54	15 X 45 X 10 BIC	2 G30KP SF 1,00		15 SB FILO 1.0	
			2 G30KB SF 1,00			
			2 G30KB AC 1,00			
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1298000	54	SP150450100YB4I	2 N0540010022530KBI	1	AN0B1510SET	
PC1298025	54,25	SP150450100YB4I	2 S0542510022530KPI	1	AN0B1510SET	
PC1298050	54,5	SP150450100YB4I	2 S0545010022530KB2669I	1	AN0B1510SET	
PC1298075	54,75	SP150450100YB4I	2 S0547510022530KPI	1	AN0B1510SET	
PC1298100	55	SP150450100YB4I	2 S0550010023030KB2522I	1	AN0B1510SET	
PC1298150	55,5	SP150450100YB4I	2 S0555010023030KB2522I	1	AN0B1510SET	
PC1298200	56	SP150450100YB4I	2 S0560010023530KB2350I	1	AN0B1510SET	

Compressione 29
Compression
Mis. Testa B-3,2
Head size mm
Lungh. tot. 63,2
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Rotax 123 - Aluminium cylinder	125					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1688	54	15 X 45 X 10 BIC	2 G30KB SF 1,20		15 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1688A	53,96	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET	
PC1688B	53,97	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET	
PC1688C	53,98	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET	
PC1688D	53,99	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET	
PC1688E	54	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET	

Compressione 29
Compression
Mis. Testa B-3,3
Head size mm
Lungh. tot. 63,3
Tot. Length mm

MOTORCYCLES & SCOOTERS

ROTAX

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TM (aluminum cyl.)	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1789	54	15 X 45 X 10 BIC	1 G30KP SF 1,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1789A	53,93	SP150450100YB4I	1 S0540010022530KP2030I	1	AN0B1510SET
PC1789B	53,94	SP150450100YB4I	1 S0540010022530KP2030I	1	AN0B1510SET
PC1789C	53,95	SP150450100YB4I	1 S0540010022530KP2030I	1	AN0B1510SET
PC1789D	53,96	SP150450100YB4I	1 S0540010022530KP2030I	1	AN0B1510SET
PC1789E	53,97	SP150450100YB4I	1 S0540010022530KP2030I	1	AN0B1510SET
PC1789F	53,98	SP150450100YB4I	1 S0540010022530KP2030I	1	AN0B1510SET
PC1789G	53,99	SP150450100YB4I	1 S0540010022530KP2030I	1	AN0B1510SET



Compressione
Compression 29

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 62

MOTORCYCLES & SCOOTERS

SACHS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
M. 58/59 - 2.2. HP	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0290	38	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0290000	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0290030	38,3	SP120315080HI	2 F0383020016015H0I	1	AN2B1210SET
PC0290060	38,6	SP120315080HI	2 F0386020016015H0I	1	AN2B1210SET
PC0290090	38,9	SP120315080HI	2 F0389020016015H0I	1	AN2B1210SET
PC0290120	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC0290150	39,5	SP120315080HI	2 F0395020016515H0I	1	AN2B1210SET
PC0290200	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET
PC0290220	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET

Compressione 28
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

SACHS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vel. Herkules	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0857	38	14 X 30 X 9	1 LH STD 2,00 1 G15H STD 1,50	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0857A	37,95	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857B	37,96	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857C	37,97	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857D	37,98	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857E	37,99	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857000	38	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857F	38	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857G	38,01	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857050	38,5	SP140300090HI	1 F0385020017531H0I 1 F0385015016015H0I	1	AN1B1410SET
PC0857100	39	SP140300090HI	1 F0390020017531H0I 1 F0390015016515H0I	1	AN1B1410SET
PC0857150	39,5	SP140300090HI	1 F0395020017531H0I 1 F0395015016515H0I	1	AN1B1410SET
PC0857200	40	SP140300090HI	1 F0400020018531H0I 1 F0400015016515H0I	1	AN1B1410SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
504-2 vel.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0922	38	12.02 X 31.5 X 8	2 G15H STD 2,00	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0922A	37,97	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0922B	37,98	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0922C	37,99	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0922D	38	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

28

B-2

51

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

28

B-3

53

MOTORCYCLES & SCOOTERS

SACHS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
505/25 Km.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0987	38	12.02 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0987A	37,97	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0987B	37,98	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0987C	37,99	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0987D	38	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1271	38	12 X 31.5 X 8	1 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1271A	37,96	SP120315080HI	1 F0380015016030H01555I	1	AN2B1210SET
PC1271B	37,97	SP120315080HI	1 F0380015016030H01555I	1	AN2B1210SET
PC1271C	37,98	SP120315080HI	1 F0380015016030H01555I	1	AN2B1210SET
PC1271D	37,99	SP120315080HI	1 F0380015016030H01555I	1	AN2B1210SET
PC1271E	38	SP120315080HI	1 F0380015016030H01555I	1	AN2B1210SET

Compressione 28
Compression
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Compressione 28
Compression
Mis. Testa B-3
Head size mm
Lungh. tot. 53
Tot. Length mm

MOTORCYCLES & SCOOTERS

SACHS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Herkules	60					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0858	42	14 X 34 X 9	1 LH STD 2,00 1 G15H STD 1,50	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0858A	41,945	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858B	41,955	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858C	41,965	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858D	41,975	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858E	41,985	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858F	41,995	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858G	42,005	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858050	42,5	SP140340090HI	1 F0425020018531H0I 1 F0425015017515H0I	1	AN1B1410SET
PC0858100	43	SP140340090HI	1 F0430015018015H0I	1	AN1B1410SET



Compressione 28
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 51
Tot. Length mm

MOTORCYCLES & SCOOTERS

SUZUKI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Adress - Sepia - ZZ - AJ - Rush - F50 - Street - Magic Scooter (	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1365	41	10 X 33 X 6	2 G30H STD 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1365000	41	SP100330060HI	2 F0410015017030H0I	1	AN2B1008SET
PC1365025	41,25	SP100330060HI	2 F0412515017030H0I	1	AN2B1008SET
PC1365050	41,5	SP100330060HI	2 F0415015017030H0I	1	AN2B1008SET
PC1365075	41,75	SP100330060HI	2 F0417515017030H0I	1	AN2B1008SET
PC1365100	42	SP100330060HI	2 F0420015017530H0I	1	AN2B1008SET
PC1365150	42,5	SP100330060HI	2 F0425015017530H0I	1	AN2B1008SET
PC1365200	43	SP100330060HI	2 F0430015018030H0I	1	AN2B1008SET



Compressione 19,2
Compression
Mis. Testa B-3,3
Head size mm
Lungh. tot. 45,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TS50W-TS50X-TS50-TV50 Katana - RMX 50 Wolf Scooter (ring not ch	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1423	41	12 X 33 X 8	2 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1423000	41	SP120330080HI	2 F0410015017030H0I	1	AN2B1210SET
PC1423025	41,25	SP120330080HI	2 F0412515017030H0I	1	AN2B1210SET
PC1423050	41,5	SP120330080HI	2 F0415015017030H0I	1	AN2B1210SET
PC1423075	41,75	SP120330080HI	2 F0417515017030H0I	1	AN2B1210SET
PC1423100	42	SP120330080HI	2 F0420015017530H0I	1	AN2B1210SET
PC1423125	42,25	SP120330080HI	2 F0422515017530H0I	1	AN2B1210SET
PC1423150	42,5	SP120330080HI	2 F0425015017530H0I	1	AN2B1210SET
PC1423175	42,75	SP120330080HI	2 F0427515017530H0I	1	AN2B1210SET
PC1423200	43	SP120330080HI	2 F0430015018030H0I	1	AN2B1210SET



Compressione 27
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

SUZUKI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Adress - Sepia - ZZ - AJ - Rush - F50 -TR50 -Street - Magic Sco	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2365	41	10 X 33 X 6	2 G30K STD 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2365000	41	SP100330060HI	2 F0410015017030K0I	1	AN2B1008SET
PC2365025	41,25	SP100330060HI	2 F0412515017030K0I	1	AN2B1008SET
PC2365050	41,5	SP100330060HI	2 F0415015017030K0I	1	AN2B1008SET
PC2365075	41,75	SP100330060HI	2 F0417515017030K0I	1	AN2B1008SET
PC2365100	42	SP100330060HI	2 F0420015017530K0I	1	AN2B1008SET
PC2365150	42,5	SP100330060HI	2 F0425015017530K0I	1	AN2B1008SET
PC2365200	43	SP100330060HI	2 F0430015018030K0I	1	AN2B1008SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

19,2

B-3,3

45,5



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TS50W-TS50X-TS50-TV50 Katana - RMX 50 - Wolf Scooter	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2423	41	12 X 33 X 8	2 G30K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2423000	41	SP120330080HI	2 F0410015017030K0I	1	AN2B1210SET
PC2423025	41,25	SP120330080HI	2 F0412515017030K0I	1	AN2B1210SET
PC2423050	41,5	SP120330080HI	2 F0415015017030K0I	1	AN2B1210SET
PC2423075	41,75	SP120330080HI	2 F0417515017030K0I	1	AN2B1210SET
PC2423100	42	SP120330080HI	2 F0420015017530K0I	1	AN2B1210SET
PC2423125	42,25	SP120330080HI	2 F0422515017530K0I	1	AN2B1210SET
PC2423150	42,5	SP120330080HI	2 F0425015017530K0I	1	AN2B1210SET
PC2423175	42,75	SP120330080HI	2 F0427515017530K0I	1	AN2B1210SET
PC2423200	43	SP120330080HI	2 F0430015018030K0I	1	AN2B1210SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

27

B-3,5

51,5

MOTORCYCLES & SCOOTERS

SUZUKI

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
---------------	----	-----------	--------	--------------	-------------------------	------------------------------

Trasf. FM 50 / Landie

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1305	45	12 X 37 X 8	2 G30H STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1305A	44,94	SP120370080HI	2 F0450015019030H0I	1 AN2B1210SET
PC1305B	44,95	SP120370080HI	2 F0450015019030H0I	1 AN2B1210SET
PC1305C	44,96	SP120370080HI	2 F0450015019030H0I	1 AN2B1210SET
PC1305D	44,97	SP120370080HI	2 F0450015019030H0I	1 AN2B1210SET
PC1305E	44,98	SP120370080HI	2 F0450015019030H0I	1 AN2B1210SET
PC1305F	44,99	SP120370080HI	2 F0450015019030H0I	1 AN2B1210SET



Compressione 27
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
---------------	----	-----------	--------	--------------	-------------------------	------------------------------

RGV 250 Twin cylinders

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2585	56	16 X 45 X 9.5 BIC	2 G30KB AC 1,00 	16 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2585A	55,94	SP160450095KBI	2 N0560010022530KBI	1 AN0B1610SET
PC2585B	55,95	SP160450095KBI	2 N0560010022530KBI	1 AN0B1610SET
PC2585C	55,96	SP160450095KBI	2 N0560010022530KBI	1 AN0B1610SET
PC2585D	55,97	SP160450095KBI	2 N0560010022530KBI	1 AN0B1610SET
PC2585E	55,98	SP160450095KBI	2 N0560010022530KBI	1 AN0B1610SET



Compressione 28,6
Compression
Mis. Testa P
Head size mm
Lungh. tot. 59,1
Tot. Length mm

RACING Versione 1 SEGMENTO - 1 RING version

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
---------------	----	-----------	--------	--------------	-------------------------	------------------------------

RGV 250 Twin cylinders

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
3. RACING NEW 2634	56	16 X 45 X 9.5 BIC	1 G30KB AC 1,00 	16 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2634A	55,94	SP160450095KBI	1 N0560010022530KBI	1 AN0B1610SET
PC2634B	55,95	SP160450095KBI	1 N0560010022530KBI	1 AN0B1610SET
PC2634C	55,96	SP160450095KBI	1 N0560010022530KBI	1 AN0B1610SET
PC2634D	55,97	SP160450095KBI	1 N0560010022530KBI	1 AN0B1610SET
PC2634E	55,98	SP160450095KBI	1 N0560010022530KBI	1 AN0B1610SET



Compressione 28,6
Compression
Mis. Testa P
Head size mm
Lungh. tot. 59,1
Tot. Length mm

MOTORCYCLES & SCOOTERS

SYM

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Fiddle	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1871	39	13 X 30 X 8	1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1871000	39	SP130300080HI	1 RSMOT390001	1	AN1B1310SET
PC1871040	39,4	SP130300080HI	1 RSMOT394001	1	AN1B1310SET
PC1871080	39,8	SP130300080HI	1 RSMOT398001	1	AN1B1310SET
PC1871100	40	SP130300080HI	1 RSMOT400001	1	AN1B1310SET
PC1871140	40,4	SP130300080HI	1 RSMOT404001	1	AN1B1310SET

Compressione 17,2
 Compression
 Mis. Testa B-2FV
 Head size mm
 Lungh. tot. 33,7
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Joyride 200 - Joyride 200 EVO - HD 200	200					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2290	61	15 X 44 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2290050	61,5	SP150440100HI	1 RSMOT615005	1	AN0B1510SET
PC2290100	62	SP150440100HI	1 RSMOT620005	1	AN0B1510SET

Compressione 19
 Compression
 Mis. Testa p
 Head size mm
 Lungh. tot. 35,5
 Tot. Length mm

MOTORCYCLES & SCOOTERS

TOMOS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
5 M	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0872	38	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0872000	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0872025	38,25	SP120315080HI	2 F0382520016015H0I	1	AN2B1210SET
PC0872050	38,5	SP120315080HI	2 F0385020016015H0I	1	AN2B1210SET
PC0872100	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0872150	39,5	SP120315080HI	2 F0395020016515H0I	1	AN2B1210SET

Compressione
Compression 22,5

Mis. Testa
Head size mm B-3,5

Lungh. tot.
Tot. Length mm 50

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1370	38	10 X 31.5 X 6	2 G15H STD 2,00 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1370000	38	SP100315060HI	2 F0380020016015H0I	1	AN2B1010SET
PC1370050	38,5	SP100315060HI	2 F0385020016015H0I	1	AN2B1010SET
PC1370100	39	SP100315060HI	2 F0390020016515H0I	1	AN2B1010SET
PC1370150	39,5	SP100315060HI	2 F0395020016515H0I	1	AN2B1010SET

Compressione
Compression 22,5

Mis. Testa
Head size mm B-3,5

Lungh. tot.
Tot. Length mm 50

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1371	38	10 X 31.5 X 6	1 LH STD 2,00  1 G15H STD 2,00 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1371000	38	SP100315060HI	1 F0380020017531H0I 1 F0380020016015H0I	1	AN2B1010SET
PC1371050	38,5	SP100315060HI	1 F0385020017531H0I 1 F0385020016015H0I	1	AN2B1010SET
PC1371100	39	SP100315060HI	1 F0390020017531H0I 1 F0390020016515H0I	1	AN2B1010SET
PC1371150	39,5	SP100315060HI	1 F0395020017531H0I 1 F0395020016515H0I	1	AN2B1010SET

Compressione
Compression 22,5

Mis. Testa
Head size mm B-3,5

Lungh. tot.
Tot. Length mm 50

MOTORCYCLES & SCOOTERS

TOMOS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Colibri (due finestre) Trav.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1392	38	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1392000	38	SP120315080HI	2 F0380015016015H0I	1	AN2B1210SET
PC1392025	38,25	SP120315080HI	2 F0382515016015H0I	1	AN2B1210SET
PC1392050	38,5	SP120315080HI	2 F0385015016015H0I	1	AN2B1210SET
PC1392100	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET

Compressione 22,5
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
5 M	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2872	38	12 X 31.5 X 8	1 LH STD 2,00  1 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2872000	38	SP120315080HI	1 F0380020017531H0I 1 F0380020016015H0I	1	AN2B1210SET
PC2872050	38,5	SP120315080HI	1 F0385020017531H0I 1 F0385020016015H0I	1	AN2B1210SET
PC2872100	39	SP120315080HI	1 F0390020017531H0I 1 F0390020016515H0I	1	AN2B1210SET
PC2872150	39,5	SP120315080HI	1 F0395020017531H0I 1 F0395020016515H0I	1	AN2B1210SET

Compressione 22,5
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1561	40	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1561000	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET

Compressione 22,5
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm

MOTORCYCLES & SCOOTERS

TOMOS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2370	40	10 X 31.5 X 6	2	G15H	STD 2,00	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code			AN.Qta CLIPQty
PC2370000	40	SP100315060HI	2 F0400020016515H0I			1 AN2B1010SET



Compressione 22,5
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2371	40	10 X 31.5 X 6	1	LH	STD 2,00	10 2B FILO 1.0
			1	G15H	STD 2,00	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code			AN.Qta CLIPQty
PC2371000	40	SP100315060HI	1 F0400020018531H0I 1 F0400020016515H0I			1 AN2B1010SET



Compressione 22,5
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
5 M	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2561	40	12 X 31.5 X 8	1	LH	STD 2,00	12 2B FILO 1.0
			1	G15H	STD 2,00	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code			AN.Qta CLIPQty
PC2561000	40	SP120315080HI	1 F0400020018531H0I 1 F0400020016515H0I			1 AN2B1210SET
PC2561050	40,5	SP120315080HI	1 F0405020018531H0I 1 F0405020016515H0I			1 AN2B1210SET
PC2561100	41	SP120315080HI	1 F0410020018531H0I 1 F0410020017015H0I			1 AN2B1210SET
PC2561150	41,5	SP120315080HI	1 F0415020018531H0I 1 F0415020017015H0I			1 AN2B1210SET



Compressione 22,5
Compression
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm

MOTORCYCLES & SCOOTERS

TOMOS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
60 cc.	60					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0913	42	12 X 35 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0913000	42	SP120350080HI	2 F0420020017515H0I	1	AN2B1210SET
PC0913050	42,5	SP120350080HI	2 F0425020017515H0I	1	AN2B1210SET
PC0913100	43	SP120350080HI	2 F0430020018015H0I	1	AN2B1210SET

Compressione 22,5
Compression
Mis. Testa B-4
Head size mm
Lungh. tot. 53
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
60 cc.	60					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1389	42	10 X 36 X 6	2 G15H STD 2,00 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1389000	42	SP100360060HI	2 F0420020017515H0I	1	AN2B1010SET
PC1389050	42,5	SP100360060HI	2 F0425020017515H0I	1	AN2B1010SET

Compressione 22,5
Compression
Mis. Testa B-4
Head size mm
Lungh. tot. 53
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
60 cc.	60					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1913	42	12 X 35 X 8	1 LH STD 2,00  1 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1913000	42	SP120350080HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN2B1210SET
PC1913050	42,5	SP120350080HI	1 F0425020018531H0I 1 F0425015017515H0I	1	AN2B1210SET
PC1913100	43	SP120350080HI	1 F0430015018015H0I	1	AN2B1210SET

Compressione 22,5
Compression
Mis. Testa B-4
Head size mm
Lungh. tot. 53
Tot. Length mm



MOTORCYCLES & SCOOTERS

TOMOS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
60 cc.	60					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2389	42	10 X 36 X 6	1 LH STD 2,00  1 G15H STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2389000	42	SP100360060HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN2B1010SET
PC2389050	42,5	SP100360060HI	1 F0425020018531H0I 1 F0425015017515H0I	1	AN2B1010SET
PC2389100	43	SP100360060HI	1 F0430015018015H0I	1	AN2B1010SET

Compressione
Compression 22,5

Mis. Testa
Head size mm B-4

Lungh. tot.
Tot. Length mm 53



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
90 cc.	90					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1308	46	14 X 37.5 X 9	1 LH STD 2,00  1 G30H STD 1,50 	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1308A	45,95	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET
PC1308B	45,96	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET
PC1308C	45,97	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET
PC1308D	45,98	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET
PC1308E	45,99	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET

Compressione
Compression 23

Mis. Testa
Head size mm B-4,3

Lungh. tot.
Tot. Length mm 54,3

MOTORCYCLES & SCOOTERS

TOMOS

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
100 cc.	100					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1309	48	14 X 40 X 9	1 LH STD 2,00  1 G30HP STD 1,50 	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1309A	47,95	SP140400090HI	1 F0480020020031H0I 1 F0480015020030HPH	1	AN1B1410SET
PC1309B	47,96	SP140400090HI	1 F0480020020031H0I 1 F0480015020030HPH	1	AN1B1410SET
PC1309C	47,97	SP140400090HI	1 F0480020020031H0I 1 F0480015020030HPH	1	AN1B1410SET
PC1309D	47,98	SP140400090HI	1 F0480020020031H0I 1 F0480015020030HPH	1	AN1B1410SET
PC1309E	47,99	SP140400090HI	1 F0480020020031H0I 1 F0480015020030HPH	1	AN1B1410SET

Compressione 22,7
 Compression
 Mis. Testa B-4,6
 Head size mm
 Lungh. tot. 54,3
 Tot. Length mm

MOTORCYCLES & SCOOTERS

TOP PERFORMANCES

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. APRILIA - YAMAHA - MINARELLI	70					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2300	47	10 X 38 X 6 18NirCoMo	1 G18KP IKA 1,56 1 G18HL IKA 1,56	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2300000	47	SP100380060KI	1 I0470015618018HL2556I 1 I0470015618018KP2555I	1	AN2B1010SET
PC2300040	47,4	SP100380060KI	1 I0474015618018KP2555I 1 I0474015618018HL2556I	1	AN2B1010SET
PC2300080	47,8	SP100380060KI	1 I0478015618018KP2555I 1 I0478015618018HL2556I	1	AN2B1010SET
PC2300100	48	SP100380060KI	1 I0480015618018KP2555I 1 I0480015618018HL2556I	1	AN2B1010SET
PC2300120	48,2	SP100380060KI	1 I0482015618018HL2556I 1 I0482015618018KP2555I	1	AN2B1010SET
PC2300140	48,4	SP100380060KI	1 I0484015618018HL2556I 1 I0484015618018KP2555I	1	AN2B1010SET

Compressione
Compression 25,5

Mis. Testa
Head size mm B-2,4

Lungh. tot.
Tot. Length mm 50,4

1 SEGMENTO/ 1 RING - RIPORTO BISOLFURO / DISULPHIDE COATING

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TR. SCOOTER APRILIA/YAMAHA 75cc vers. 1 segm/1 ring	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
NEW 2671	47	10 X 38 X 6 18NirCoMo	1 G18KP IKA 1,56	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2671040	47,4	SP100380060KI	1 I0474015618018KP2555I	1	AN2B1010SET
PC2671000	47,8	SP100380060KI	1 I0470015618018KP2555I	1	AN2B1010SET
PC2671080	47,8	SP100380060KI	1 I0478015618018KP2555I	1	AN2B1010SET

Compressione
Compression 0

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm 0

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Tr. Scooters Piaggio - Tipo racing (ring 0,8 mm) 75	75					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2185	47,6	12 X 38 X 8	1 G30KB AC 0,80	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2185A	47,55	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185B	47,56	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185C	47,57	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185D	47,58	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET

Compressione
Compression 25

Mis. Testa
Head size mm B-2

Lungh. tot.
Tot. Length mm 49,5

MOTORCYCLES & SCOOTERS

TOP PERFORMANCES

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Typhoon - Sfera	75					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1489	48	12 X 40 X 7	1 G15KP STD 1,50 1 G15HP STD 1,50	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1489000	48	SP120400070KI	1 F0480015020015KPI 1 F0480015020015HPI	1	AN2B1210SET
PC1489020	48,2	SP120400070KI	1 F0482015020015KPI 1 F0482015020015HPI	1	AN2B1210SET
PC1489040	48,4	SP120400070KI	1 F0484015020015KPI 1 F0484015020015HPI	1	AN2B1210SET
PC1489060	48,6	SP120400070KI	1 F0486015020015KPI 1 F0486015020015HPI	1	AN2B1210SET
PC1489080	48,8	SP120400070KI	1 F0488015020015KPI 1 F0488015020015HPI	1	AN2B1210SET
PC1489100	49	SP120400070KI	1 F0490015020515KPI 1 F0490015020515HPI	1	AN2B1210SET
PC1489120	49,2	SP120400070KI	1 F0492015020515KPI 1 F0492015020515HPI	1	AN2B1210SET
PC1489140	49,4	SP120400070KI	1 F0494015020515KPI	1	AN2B1210SET

Compressione
Compression 25,5

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 54

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TYPHOON - SFERA (1-ring version)						



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2001	48	12 X 40 X 8	1 G15K STD 1,50	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2001000	48	SP120400080HI	1 F0480015020015KPI	1	AN2B1210SET
PC2001040	48,4	SP120400080HI	1 F0484015020015KPI	1	AN2B1210SET
PC2001080	48,8	SP120400080HI	1 F0488015020015KPI	1	AN2B1210SET

Compressione
Compression 25,5

Mis. Testa
Head size mm B-2,5

Lungh. tot.
Tot. Length mm 54

TOP PERFORMANCES

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. Scooter racing - pin 12mm	86					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2269	50	12 X 42 X 7 BIC RAM	1 G30KB SF 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2269A	49,95	SP120420070KRI	1 S0500010021030KB2249I	1	AN0B1210SET
PC2269B	49,96	SP120420070KRI	1 S0500010021030KB2249I	1	AN0B1210SET
PC2269C	49,97	SP120420070KRI	1 S0500010021030KB2249I	1	AN0B1210SET

Compressione 24
Compression
Mis. Testa B-2
Head size mm
Lungh. tot. 47
Tot. Length mm



MOTORCYCLES & SCOOTERS

YAMAHA

2 TEMPI 2 STROKES

**Segmenti NON CROMATI/
rings NOT CHROMED**



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Aerox (ring not chromed)	50	2007	2013			
Axis (ring not chromed)	50	1995	1998			
BW'S (ring not chromed)	50	2000	2011			
CRZ (ring not chromed)	50	1992	1995			
CT (ring not chromed)	50	1990	1996			
Neo's (ring not chromed)	50	2009	2013			
Zest (ring not chromed)	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1278	40	10 X 33 X 6	2 G15H STD 1,50 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1278000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET
PC1278025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1008SET
PC1278050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1008SET
PC1278075	40,75	SP100330060HI	2 F0407515016515H0I	1	AN2B1008SET
PC1278100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1008SET
PC1278125	41,25	SP100330060HI	2 F0412515017015H0I	1	AN2B1008SET
PC1278150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1008SET
PC1278175	41,75	SP100330060HI	2 F0417515017015H0I	1	AN2B1008SET
PC1278200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1008SET
PC1278220	42,25	SP100330060HI	2 F0422015017515H0I	1	AN2B1008SET
PC1278250	42,5	SP100330060HI	2 F0425015017515H0I	1	AN2B1008SET
PC1278300	43	SP100330060HI	2 F0430015018015H0I	1	AN2B1008SET
PC1278350	43,5	SP100330060HI	2 F0435015018015H0I	1	AN2B1008SET

Compressione 25,5
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

YAMAHA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
DT 50 Moped	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2258	40	12 X 33 X 8	2 G15K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2258000	40	SP120330080HI	2 F0400015016515K0I	1	AN2B1210SET
PC2258025	40,25	SP120330080HI	2 F0402515016515K0I	1	AN2B1210SET
PC2258050	40,5	SP120330080HI	2 F0405015016515K0I	1	AN2B1210SET
PC2258075	40,75	SP120330080HI	2 F0407515016515K0I	1	AN2B1210SET
PC2258100	41	SP120330080HI	2 F0410015017015K0I	1	AN2B1210SET
PC2258150	41,5	SP120330080HI	2 F0415015017015K0I	1	AN2B1210SET
PC2258175	41,75	SP120330080HI	2 F0417515017015K0I	1	AN2B1210SET
PC2258200	42	SP120330080HI	2 F0420015017515K0I	1	AN2B1210SET
PC2258250	42,5	SP120330080HI	2 F0425015017515K0I	1	AN2B1210SET



Compressione 23,5
Compression
Mis. Testa B-1
Head size mm
Lungh. tot. 49
Tot. Length mm

MOTORCYCLES & SCOOTERS

YAMAHA

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED rings



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Aerox	50	2007	2013			
Axis	50	1995	1998			
BW'S	50	2000	2011			
CRZ	50	1992	1995			
CT	50	1990	1996			
Neo's	50	2009	2013			
Zest	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2278	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2278000	40	SP100330060HI	2 F0400015016515K0I	1	AN2B1008SET
PC2278025	40,25	SP100330060HI	2 F0402515016515K0I	1	AN2B1008SET
PC2278050	40,5	SP100330060HI	2 F0405015016515K0I	1	AN2B1008SET
PC2278075	40,75	SP100330060HI	2 F0407515016515K0I	1	AN2B1008SET
PC2278100	41	SP100330060HI	2 F0410015017015K0I	1	AN2B1008SET
PC2278125	41,25	SP100330060HI	2 F0412515017015K0I	1	AN2B1008SET
PC2278150	41,5	SP100330060HI	2 F0415015017015K0I	1	AN2B1008SET
PC2278175	41,75	SP100330060HI	2 F0417515017015K0I	1	AN2B1008SET
PC2278200	42	SP100330060HI	2 F0420015017515K0I	1	AN2B1008SET
PC2278225	42,25	SP100330060HI	2 F0422515017515K0I	1	AN2B1008SET
PC2278250	42,5	SP100330060HI	2 F0425015017515K0I	1	AN2B1008SET
PC2278300	43	SP100330060HI	2 F0430015018015K0I	1	AN2B1008SET
PC2278350	43,5	SP100330060HI	2 F0435015018015K0I	1	AN2B1008SET

Compressione
Compression 25,5
Mis. Testa
Head size mm B-2,5
Lungh. tot.
Tot. Length mm 50,5

MOTORCYCLES & SCOOTERS

YAMAHA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
YB80-PW80-TY80	80					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1572	47	12 X 40 X 8	2 G15K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1572A	46,95	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572B	46,96	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572C	46,97	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572D	46,98	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572000	47	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572025	47,25	SP120400080HI	2 F0472515019515K0I	1	AN2B1210SET
PC1572050	47,5	SP120400080HI	2 F0475015019515K0I	1	AN2B1210SET
PC1572075	47,75	SP120400080HI	2 F0477515019515K0I	1	AN2B1210SET
PC1572100	48	SP120400080HI	2 F0480015020015K0I	1	AN2B1210SET

Compressione 30
Compression
Mis. Testa B-2,5
Head size mm
Lungh. tot. 59
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Aerox	100	1999	2002			
BW'S	100	1999	2002			
Neos	100	2002	2003			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2008	52	14 X 40 X 9	2 G30KP SF 1,20 	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2008000	52	SP140400090HI	2 S0520012021530KPI	1	AN1B1410SET
PC2008050	52,5	SP140400090HI	2 S0525012021530KPI	1	AN1B1410SET
PC2008100	53	SP140400090HI	2 S0530012022030KPI	1	AN1B1410SET
PC2008150	53,5	SP140400090HI	2 S0535012022030KPI	1	AN1B1410SET

Compressione 33,5
Compression
Mis. Testa B-3,2
Head size mm
Lungh. tot. 63,5
Tot. Length mm

MOTORCYCLES & SCOOTERS

YAMAHA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
DTLC - DTMX	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1119	56	16 X 48 X 11 BIC	2 G15KP SF 1,20 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1119000	56	SP160480110KBI	2 S0560012023515KPI	1	AN0B1612SET
PC1119025	56,25	SP160480110KBI	2 S0562512023515KPI	1	AN0B1612SET
PC1119050	56,5	SP160480110KBI	2 S0565012023515KPI	1	AN0B1612SET
PC1119075	56,75	SP160480110KBI	2 S0567512023515KPI	1	AN0B1612SET
PC1119100	57	SP160480110KBI	2 S0570012024015KPI	1	AN0B1612SET
PC1119125	57,25	SP160480110KBI	2 S0572512024015KPI	1	AN0B1612SET
PC1119150	57,5	SP160480110KBI	2 S0575012024015KPI	1	AN0B1612SET
PC1119200	58	SP160480110KBI	2 S0580012024015KPI	1	AN0B1612SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
DTR 125	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1399	56	16 X 48 X 11 BIC	2 G15KP SF 1,20 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1399000	56	SP160480110KBI	2 S0560012023515KPI	1	AN0B1612SET
PC1399025	56,25	SP160480110KBI	2 S0562512023515KPI	1	AN0B1612SET
PC1399050	56,5	SP160480110KBI	2 S0565012023515KPI	1	AN0B1612SET
PC1399075	56,75	SP160480110KBI	2 S0567512023515KPI	1	AN0B1612SET
PC1399100	57	SP160480110KBI	2 S0570012024015KPI	1	AN0B1612SET
PC1399125	57,25	SP160480110KBI	2 S0572512024015KPI	1	AN0B1612SET
PC1399150	57,5	SP160480110KBI	2 S0575012024015KPI	1	AN0B1612SET
PC1399200	58	SP160480110KBI	2 S0580012024015KPI	1	AN0B1612SET

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

30

B-3

65,5

Compressione
Compression

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

30,5

B-2,5

63,5

MOTORCYCLES & SCOOTERS

YAMAHA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
DT 125 R	125	1994	2004			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1522	56	16 X 48 X 11 BIC	2 G30KB SF 1,00 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1522A	55,95	SP160480110KBI	2 S0560010023530KB2350I	1	AN0B1612SET
PC1522B	55,96	SP160480110KBI	2 S0560010023530KB2350I	1	AN0B1612SET
PC1522C	55,97	SP160480110KBI	2 S0560010023530KB2350I	1	AN0B1612SET
PC1522000	56	SP160480110KBI	2 S0560010023530KB2350I	1	AN0B1612SET
PC1522025	56,25	SP160480110KBI	2 S0562510023530KB2350I	1	AN0B1612SET
PC1522050	56,5	SP160480110KBI	2 S0565010023530KB2350I	1	AN0B1612SET
PC1522075	56,75	SP160480110KBI	2 S0567510023530KB2350I	1	AN0B1612SET
PC1522100	57	SP160480110KBI	2 S0570010023530KB2350I	1	AN0B1612SET
PC1522125	57,25	SP160480110KBI	2 S0572510023530KB2350I	1	AN0B1612SET
PC1522150	57,5	SP160480110KBI	2 S0575010023530KB2350I	1	AN0B1612SET
PC1522175	57,75	SP160480110KBI	2 S0577510023530KB2350I	1	AN0B1612SET
PC1522200	58	SP160480110KBI	2 S0580010023530KB2350I	1	AN0B1612SET



Compressione 30
Compression
Mis. Testa B-3
Head size mm
Lungh. tot. 65,5
Tot. Length mm

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Majesty	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1772	53,7	15 X 44 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1772000	53,7	SP150440100HI	1 RSMOT537001	1	AN0B1510SET



PER LE MAGGIORAZIONI /
FOR OVERSIZES Ø 54 /
54,25/ 54,50 VEDERE
PISTONE / SEE PISTON
No. 2487

Compressione 18,8
Compression
Mis. Testa P+2 FV
Head size mm
Lungh. tot. 37
Tot. Length mm

MOTORCYCLES & SCOOTERS

YAMAHA

4 TEMPI 4 STROKES

SPINOTTO/PIN IN DLC

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
T-MAX 530 TURBO - DECOMPRESSO / REDUCED COMPRESSION RATIO	530	2012	2017			

3. RACING


MP Ref:
NEW 2684

Nom. Ø mm
68

Spinotto dim. mm
Piston pin dim.
16 X 40 X 10 BIC
NITR+DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
TS

1	C6KB	AC	0,90
1	S02K	AC	0,80
1	RAV	AC	1,50



Anellino/Circlip

16 SB FILO 1.0

FORGIATO / FORGED

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2684A	67,96	SP160400100ZG2I	1 TSMOT680001I	1	AN0B1610SET
PC2684B	67,97	SP160400100ZG2I	1 TSMOT680001I	1	AN0B1610SET
PC2684C	67,98	SP160400100ZG2I	1 TSMOT680001I	1	AN0B1610SET

Compressione 21,2
Compression
Mis. Testa P
Head size mm
Lungh. tot. 39,2
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Majesty	250					
X-City	250					
X-Max	250					

MP Ref:

1771

Nom. Ø mm
69

Spinotto dim. mm
Piston pin dim.
17 X 47 X 12 BIC RAM

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
RS

1	C6KBP	SF	1,00
1	S20LP	F	1,00
1	R7P	F	2,00



Anellino/Circlip

17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1771000	69	SP170470120KRI	1 RSMOT690001	1	AN0B1712SET
PC1771075	69,75	SP170470120KRI	1 RSMOT697501	1	AN0B1712SET
PC1771100	70	SP170470120KRI	1 RSMOT700001	1	AN0B1712SET

Compressione 21,25
Compression
Mis. Testa
Head size mm
Lungh. tot. 42,35
Tot. Length mm

MOTORCYCLES & SCOOTERS

YAMAHA

4 TEMPI 4 STROKES

SERIE SEGM. ACCIAIO / RINGS SET IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Majesty	250					
X-City	250					
X-Max	250					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. ws	Anellino/Circlip
2512	69	17 X 47 X 12 BIC RAM	1 C6KB AC 1,00  1 C2LP SF 1,00  1 RAC AC 1,50 	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2512000	69	SP170470120KRI	1 WSMOT690001I	1	AN0B1712SET
PC2512025	69,25	SP170470120KRI	1 WSMOT692501I	1	AN0B1712SET
PC2512050	69,5	SP170470120KRI	1 WSMOT695001I	1	AN0B1712SET
PC2512075	69,75	SP170470120KRI	1 WSMOT697501I	1	AN0B1712SET
PC2512100	70	SP170470120KRI	1 WSMOT700001I	1	AN0B1712SET
PC2512150	70,5	SP170470120KRI	1 WSMOT705001I	1	AN0B1712SET

Compressione
Compression 21,25

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 42,35

BIG BORE VERSION - SPINOTTO/PIN IN DLC

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
T-MAX 560 - BIG BORE	560	2012	2017		H.C.	12,5:1

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. TS	Anellino/Circlip
NEW 2685	70	16 X 40 X 10 BIC NITR+DLC	1 C6KB AC 0,90  1 S02K AC 0,80  1 RAV AC 1,50 	16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2685A	69,96	SP160400100ZG2I	1 TSMOT700002I	1	AN0B1610SET
PC2685B	69,97	SP160400100ZG2I	1 TSMOT700002I	1	AN0B1610SET
PC2685C	69,98	SP160400100ZG2I	1 TSMOT700002I	1	AN0B1610SET

FORGIATO / FORGED

Compressione
Compression 22,5

Mis. Testa
Head size mm P

Lungh. tot.
Tot. Length mm 36,5

MOTORCYCLES & SCOOTERS

YAMAHA

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Majesty-Versity	300					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2048	71	17 X 47 X 12 BIC RAM	1 C6KBP SF 1,00  1 R7P F 2,00  1 C2LP F 1,00  1 R7P F 2,00  1 C2LP F 1,00 	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2048000	71	SP170470120KRI	1 RSMOT710001	1	ANOB1712SET
PC2048025	71,25	SP170470120KRI	1 RSMOT712501	1	ANOB1712SET
PC2048050	71,5	SP170470120KRI	1 RSMOT715001	1	ANOB1712SET
PC2048100	72	SP170470120KRI	1 RSMOT720001	1	ANOB1712SET
PC2048125	72,25	SP170470120KRI	1 RSMOT722501	1	ANOB1712SET
PC2048150	72,5	SP170470120KRI	1 RSMOT725001	1	ANOB1712SET

Compressione 21,25
Compression
Mis. Testa P
Head size mm
Lungh. tot. 42,35
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Majesty-Versity	300					



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2543	71	17 X 47 X 12 BIC RAM	1 C6KB AC 1,00  1 C2LP SF 1,00  1 RAC AC 2,00 	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2543000	71	SP170470120KRI	1 WSMOT710003I	1	ANOB1712SET
PC2543050	71,5	SP170470120KRI	1 WSMOT715003I	1	ANOB1712SET
PC2543100	72	SP170470120KRI	1 WSMOT720003I	1	ANOB1712SET
PC2543150	72,5	SP170470120KRI	1 WSMOT725003I	1	ANOB1712SET

Compressione 21,25
Compression
Mis. Testa P
Head size mm
Lungh. tot. 42,35
Tot. Length mm

MOTORCYCLES & SCOOTERS

ZUNDAPP

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0774	39	12 X 31.5 X 8	1 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0774AB	38,95	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0774BC	38,955	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0774CD	38,96	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0774DE	38,965	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0774EF	38,97	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0774FG	38,975	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0774GH	38,98	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET

Compressione
Compression 26

Mis. Testa
Head size mm B-1,5

Lungh. tot.
Tot. Length mm 51,5

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
50 cc.	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0803	39	12 X 31.5 X 8	1 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0803AB	38,95	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0803CD	38,96	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0803EF	38,97	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0803GH	38,98	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0803000	39	SP120315080HI	1 F0390015016530H0I	1	AN2B1210SET
PC0803050	39,5	SP120315080HI	1 F0395015016530H0I	1	AN2B1210SET
PC0803100	40	SP120315080HI	1 F0400015016530H0I	1	AN2B1210SET

Compressione
Compression 26

Mis. Testa
Head size mm B-1,5

Lungh. tot.
Tot. Length mm 51,5

ZUNDAPP

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
KS 1976	50					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0933	39	12 X 31.5 X 8	1 LH STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0933AB	38,95	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC0933BC	38,96	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC0933CD	38,96	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC0933EF	38,97	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC0933GH	38,98	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET

Compressione 26
Compression
Mis. Testa B-1,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm



VINTAGE

VESPA
LAMBRETTA



VINTAGE

LAMBRETТА

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
LI 2a serie	125	1959	1961			
LI 3a serie	125	1962	1967			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0326	52	16 X 45 X 11	2 G15H STD 2,00 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0326000	52	SP160450110HI	2 F0520020021515H0I	2	SG16
PC0326040	52,4	SP160450110HI	2 F0524020021515H0I	2	SG16
PC0326080	52,8	SP160450110HI	2 F0528020021515H0I	2	SG16
PC0326120	53,2	SP160450110HI	2 F0532020022015H0I	2	SG16
PC0326160	53,6	SP160450110HI	2 F0536020022015H0I	2	SG16

Compressione 39
Compression
Mis. Testa B-6
Head size mm
Lungh. tot. 75
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Lambretta LI 2a-3a serie	150					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0688	57	16 X 50 X 11	2 G15H STD 2,00 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0688000	57	SP160500110HI	2 F0570020024015H0I	2	SG16
PC0688040	57,4	SP160500110HI	2 F0574020024015H0I	2	SG16
PC0688080	57,8	SP160500110HI	2 F0578020024015H0I	2	SG16
PC0688120	58,2	SP160500110HI	2 F0582020024015H0I	2	SG16
PC0688160	58,6	SP160500110HI	2 F0586020024015H0I	2	SG16
PC0688180	58,8	SP160500110HI	2 F0588020024015H0I	2	SG16

Compressione 39
Compression
Mis. Testa B-6,5
Head size mm
Lungh. tot. 76
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
175 SX - 150 LI TRASF. 175	175					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0582	62	16 X 54 X 11	2 G15H STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0582000	62	SP160540110Y4I	2 F0620025026015H0I	2	SG16
PC0582040	62,4	SP160540110Y4I	2 F0624025026015H0I	2	SG16
PC0582060	62,6	SP160540110Y4I	2 F0626025026015H0I	2	SG16
PC0582080	62,8	SP160540110Y4I	2 F0628025026015H0I	2	SG16
PC0582100	63	SP160540110Y4I	2 F0630025026515H0I	2	SG16

Compressione 39
Compression
Mis. Testa B-7
Head size mm
Lungh. tot. 76
Tot. Length mm

VINTAGE

LAMBRETТА

2 TEMPI 2 STROKES

**CON SEGM. 1 mm / with
RING h. 1 mm**

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Trasf. 175cc versione RACING	175					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
NEW 2711	62	16 X 54 X 11	2 G30KB SF 1,00 	16 SB FILO 1.2
			2 G30KB AC 1,00 	

Compressione
Compression 39
Mis. Testa
Head size mm B-7
Lungh. tot.
Tot. Length mm 76

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2711000	62	SP160540110Y4I	2 N0620010024530KBI	1	AN0B1612SET
PC2711050	62,5	SP160540110Y4I	2 N0625010024530KBI	1	AN0B1612SET
PC2711100	63	SP160540110Y4I	2 S0630010026530KB1900I	1	AN0B1612SET



Compressione
Compression 39
Mis. Testa
Head size mm B-7
Lungh. tot.
Tot. Length mm 78

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
LAMBRETТА SX - Lambro Motocarro	200	1966	1969			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0766	66	16 X 59 X 11	3 G15H STD 2,00 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0766040	66,4	SP160590110HI	3 F0664020027515H0I	2	SG16
PC0766080	66,8	SP160590110HI	3 F0668020027515H0I	2	SG16
PC0766120	67,2	SP160590110HI	3 F0672020028015H0I	2	SG16
PC0766160	67,6	SP160590110HI	3 F0676020028015H0I	2	SG16
PC0766180	67,8	SP160590110HI	3 F0678020028015H0I	2	SG16

VINTAGE

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa Super Sprint	90	1966	1969			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0654	47	15 X 40 X 10	2 G15H STD 2,00 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0654000	47	SP150400100HI	2 F0470020019515H0I	2	SG15
PC0654040	47,4	SP150400100HI	2 F0474020019515H0I	2	SG15
PC0654080	47,8	SP150400100HI	2 F0478020019515H0I	2	SG15
PC0654120	48,2	SP150400100HI	2 F0482020020015H0I	2	SG15
PC0654140	48,4	SP150400100HI	2 F0484020020015H0I	2	SG15
PC0654160	48,6	SP150400100HI	2 F0486020020015H0I	2	SG15

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa VNB - 2%	125	1960	1965			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0321	52,5	15 X 44 X 10	2 G15HP STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0321040	52,9	SP150440100HI	2 F0529025021515HPI	2	SG15
PC0321080	53,3	SP150440100HI	2 F0533025022015HPI	2	SG15
PC0321120	53,7	SP150440100HI	2 F0537025022015HPI	2	SG15
PC0321160	54,1	SP150440100HI	2 F0541025022515HPI	2	SG15
PC0321180	54,3	SP150440100HI	2 F0543025022515HPI	2	SG15

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa VN1A - VM2A	125	1957	1958			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0215	54	15 X 45 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0215040	54,4	SP150450100HI	2 F0544025022515H0I	2	SG15
PC0215080	54,8	SP150450100HI	2 F0548025022515H0I	2	SG15
PC0215120	55,2	SP150450100HI	2 F0552025023015H0I	2	SG15
PC0215160	55,6	SP150450100HI	2 F0556025023015H0I	2	SG15
PC0215180	55,8	SP150450100HI	2 F0558025023015H0I	2	SG15

VINTAGE

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa SL/Primavera	125					

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0671	55	15 X 47 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0671040	55,4	SP150470100HI	2 F0554025023015H0I	2	SG15
PC0671080	55,8	SP150470100HI	2 F0558025023015H0I	2	SG15
PC0671120	56,2	SP150470100HI	2 F0562025023515H0I	2	SG15
PC0671160	56,6	SP150470100HI	2 F0566025023515H0I	2	SG15
PC0671180	56,8	SP150470100HI	2 F0568025023515H0I	2	SG15



Compressione
Compression 36,5

Mis. Testa
Head size mm B-6

Lungh. tot.
Tot. Length mm 71

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa VL1.2.3-VB1 Mix5%	150	1955	1958			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0186	57	15 X 48.5 X 10	2 G15HP STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0186040	57,4	SP150485100Y4I	2 F0574025024015H0I	2	SG15
PC0186080	57,8	SP150485100Y4I	2 F0578025024015H0I	2	SG15
PC0186120	58,2	SP150485100Y4I	2 F0582025024015H0I	2	SG15
PC0186160	58,6	SP150485100Y4I	2 F0586025024015H0I	2	SG15
PC0186180	58,8	SP150485100Y4I	2 F0588025024015H0I	2	SG15



Compressione
Compression 30

Mis. Testa
Head size mm DFL-12

Lungh. tot.
Tot. Length mm 79

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa - VBA-VBB-VGLA-VGLB Mix 2 %	150	1959	1961			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0430	57	15 X 48.5 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0430040	57,4	SP150485100Y4I	2 F0574025024015H0I	2	SG15
PC0430080	57,8	SP150485100Y4I	2 F0578025024015H0I	2	SG15
PC0430120	58,2	SP150485100Y4I	2 F0582025024015H0I	2	SG15
PC0430160	58,6	SP150485100Y4I	2 F0586025024015H0I	2	SG15
PC0430180	58,8	SP150485100Y4I	2 F0588025024015H0I	2	SG15



Compressione
Compression 35

Mis. Testa
Head size mm DFL-12

Lungh. tot.
Tot. Length mm 77

VINTAGE

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa GL - Super - Sprint VL1-2-3 VGL1 VLA	150	1962	1968			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0498	57	15 X 48.5 X 10	2 G15HP STD 2,50 	SEEGER D.15 DIN 472
			2 G15H STD 2,50 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0498000	57	SP150485100Y4I	2 F0570025024015HPI	2	SG15
PC0498040	57,4	SP150485100Y4I	2 F0574025024015H0I	2	SG15
PC0498080	57,8	SP150485100Y4I	2 F0578025024015H0I	2	SG15
PC0498120	58,2	SP150485100Y4I	2 F0582025024015H0I	2	SG15
PC0498140	58,4	SP150485100Y4I	2 F0584025024015H0I	2	SG15
PC0498160	58,6	SP150485100Y4I	2 F0586025024015H0I	2	SG15
PC0498180	58,8	SP150485100Y4I	2 F0588025024015H0I	2	SG15

Compressione
Compression

35

Mis. Testa
Head size mm

B-7

Lungh. tot.
Tot. Length mm

72

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa 160 GS	160	1960	1965			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0461	58	15 X 48.5 X 10	2 G15HP STD 2,50 	15 2B FILO 1.2
			2 G15H STD 2,50 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0461000	58	SP150485100Y4I	2 F0580025024015HPI	1	AN2B1512SET
PC0461040	58,4	SP150485100Y4I	2 F0584025024015HPI	1	AN2B1512SET
PC0461080	58,8	SP150485100Y4I	2 F0588025024015H0I	1	AN2B1512SET
PC0461100	59	SP150485100Y4I	2 F0590025024515HPI	1	AN2B1512SET
PC0461140	59,4	SP150485100Y4I	2 F0594025024515HPI	1	AN2B1512SET
PC0461180	59,8	SP150485100Y4I	2 F0598025024015HPI	1	AN2B1512SET
PC0461200	60	SP150485100Y4I	2 F0600025025015H0I	1	AN2B1512SET

Compressione
Compression

42,5

Mis. Testa
Head size mm

B-5,4

Lungh. tot.
Tot. Length mm

80,9

VINTAGE

PIAGGIO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa 180 SS	180	1964	1968			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0577	62	16 X 54 X 11	2 G15H STD 2,50 	16 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0577000	62	SP160540110Y4I	2 F0620025026015H0I	1	AN2B1612SET
PC0577040	62,4	SP160540110Y4I	2 F0624025026015H0I	1	AN2B1612SET
PC0577080	62,8	SP160540110Y4I	2 F0628025026015H0I	1	AN2B1612SET
PC0577100	63	SP160540110Y4I	2 F0630025026515H0I	1	AN2B1612SET
PC0577140	63,4	SP160540110Y4I	2 F0634025026515H0I	1	AN2B1612SET
PC0577180	63,8	SP160540110Y4I	2 F0638025026515H0I	1	AN2B1612SET
PC0577200	64	SP160540110Y4I	2 F0640025026515H0I	1	AN2B1612SET
PC0577250	64,5	SP160540110Y4I	2 F0645025026515H0I	1	AN2B1612SET
PC0577300	65	SP160540110Y4I	2 F0650025027015H0I	1	AN2B1612SET
PC0577350	65,5	SP160540110Y4I	2 F0655025027015H0I	1	AN2B1612SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
Vespa 180 Rally	180	1968	1973			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0719	63,5	16 X 54 X 11	2 G15H STD 2,50 	16 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0719000	63,5	SP160540110Y4I	2 F0635025026515H0I	1	AN2B1612SET
PC0719040	63,9	SP160540110Y4I	2 F0639025026515H0I	1	AN2B1612SET
PC0719080	64,3	SP160540110Y4I	2 F0643025026515H0I	1	AN2B1612SET
PC0719100	64,5	SP160540110Y4I	2 F0645025026515H0I	1	AN2B1612SET
PC0719120	64,7	SP160540110Y4I	2 F0647025026515H0I	1	AN2B1612SET
PC0719150	65	SP160540110Y4I	2 F0650025027015H0I	1	AN2B1612SET
PC0719200	65,5	SP160540110Y4I	2 F0655025027015H0I	1	AN2B1612SET

Compressione
Compression 42,5

Mis. Testa
Head size mm B-5

Lungh. tot.
Tot. Length mm 80,5

Compressione
Compression 42,5

Mis. Testa
Head size mm B-5

Lungh. tot.
Tot. Length mm 80,5

VINTAGE

YAMAHA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TZ250 A-F (Two cylinders)	250	1976	1979	430-11631-70		

3. RACING		Spinotto dim. mm	Dett. segmenti: qta x tipo x mat.			Anellino/Circlip
MP Ref:	Nom. Ø mm	Piston pin dim.	Rings details: qty x type x mat.			
NEW 2688	54	16 X 45 X 9.5 BIC	1	G30KB AC	1,00	 16 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC26885396	53,96	SP160450095KBI	1 N0540010022530KBI	1	AN2B1612SET
PC26885397	53,97	SP160450095KBI	1 N0540010022530KBI	1	AN2B1612SET
PC26885398	53,98	SP160450095KBI	1 N0540010022530KBI	1	AN2B1612SET

Compressione
Compression

30,1

Mis. Testa
Head size mm

B-2,9

Lungh. tot.
Tot. Length mm

60,9

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TZ250 - 5F7 Bi-cilindrico/Two-cylinder	250	1981	1984			

3. RACING		Spinotto dim. mm	Dett. segmenti: qta x tipo x mat.		Anellino/Circlip
MP Ref:	Nom. Ø mm	Piston pin dim.	Rings details: qty x type x mat.		
2508	56	16 X 45 X 9.5 BIC	1	G30KB AC 0,80 	16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC25085594	55,94	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET
PC25085596	55,96	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET
PC25085598	55,98	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET
PC2508000	56	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET
PC25085600	56	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET

Compressione
Compression

30,1

Mis. Testa
Head size mm

B-2,3

Lungh. tot.
Tot. Length mm

59,3

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TR3	350		1972			
TZ350 Bi-cilindrico/Two-cylinder	350	1973	1981			

3. RACING		Spinotto dim. mm	Dett. segmenti: qta x tipo x mat.			Anellino/Circlip
MP Ref:	Nom. Ø mm	Piston pin dim.	Rings details: qty x type x mat.			
2338	64	16 X 50 X 10 BIC	1	G30KB AC	1,00	16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23386396	63,96	SP160500100KBI	1 N0640010024530KBI	1	AN0B1610SET
PC23386397	63,97	SP160500100KBI	1 N0640010024530KBI	1	AN0B1610SET
PC23386398	63,98	SP160500100KBI	1 N0640010024530KBI	1	AN0B1610SET

Compressione
Compression

36,2

Mis. Testa
Head size mm

B-3,9

Lungh. tot.
Tot. Length mm

66,1

VINTAGE

YAMAHA

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	Tipo Compr. Compr. Type	Rapp. Compress. Compr. Ratio
TZ 750 (4 cylinders)	750					

3. RACING

MP Ref:

Nom. Ø mm

Spinotto dim. mm
Piston pin dim.

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

Anellino/Circlip

NEW 2611

66,4

16 X 54 X 11

1 G30KB AC 1,00



16 SB FILO 1.2

Codice KIT
PISTONE

Ø mm

Cod. SPINOTTO
PIN code


Codice Segmenti
Piston rings code

AN.Qta
CLIPQty

Cod. SERIE
anellino

PC26116637	66,37	SP160540110Y4I	1 N0664010024530KBI	1 AN0B1612SET
PC26116638	66,38	SP160540110Y4I	1 N0664010024530KBI	1 AN0B1612SET

Compressione 36
Compression
Mis. Testa B-4,4
Head size mm
Lungh. tot. 66,4
Tot. Length mm



CONDIZIONI GENERALI DI VENDITA GENERAL SALES CONDITIONS

PREZZI

I prezzi si intendono per merce resa Franco fabbrica (Ex-Works). Essi non sono impegnativi e possono essere modificati senza preavviso, anche nel corso di una stessa fornitura.

ORDINI

Qualsiasi ordine deve riferirsi chiaramente ai dati riportati sul presente catalogo, oltre eventuali riferimenti del cliente. I dati non contemplati o eventuali variazioni personalizzate dovranno essere corredate da campioni o disegni. Qualsiasi ordine, diretto o indiretto, sarà soggetto a nostra conferma d'ordine.

DATA DI CONSEGNA

La data di consegna è indicativa e può essere soggetta ad una ragionevole tolleranza. La mancata consegna per cause di forza maggiore o eventuali ritardi, rispetto alla data di consegna stabilita nella nostra conferma d'ordine, non potranno dare adito a rimesse o richieste di danni da parte del cliente.

Si declina inoltre ogni responsabilità per ulteriori ritardi provocati dalla negligenza del vettore incaricato della spedizione.

RESA

I termini di resa della merce sono da riferirsi agli Incoterms (Revisione 2000) della Camera di Commercio Internazionale (Icc Incoterms Rev. 2000). Salvo accordi diversi, la merce è da intendersi resa Ex-Works (Franco fabbrica). Eventuali assicurazioni sono a carico del cliente.

CONFEZIONI ED IMBALLI

I prezzi si intendono sempre al netto delle spese di imballo. Il costo dello stesso sarà addebitato in fattura, separatamente.

GARANZIA RECLAMI E RESI

METEOR PISTON S.R.L. garantisce che i propri prodotti sono venduti senza difetti in materiale e lavorazione per trenta (30) giorni dalla data di acquisto. I prodotti Meteor sono venduti da distributori e rivenditori ufficiali, professionisti del settore. Eventuali reclami sulla qualità del prodotto riscontrata prima dell'uso o su un cattivo funzionamento durante l'utilizzo, saranno accettati esclusivamente dai punti di vendita ufficiali e non da utilizzatori/consumatori privati. Se siete consumatori privati e desiderate esporre un reclamo, rivolgetevi immediatamente al rivenditore ufficiale da cui avete acquistato il prodotto. Se il prodotto è riscontrato difettoso da METEOR PISTON S.R.L. tale prodotto sarà sostituito a proprie spese. Tutti i prodotti ritenuti difettosi dall'acquirente dovranno essere restituiti al rivenditore ufficiale, a spese dell'acquirente, entro trenta (30) giorni dal periodo di garanzia. Questa garanzia non copre costi di manodopera o qualsiasi altra spesa o costo concomitante con la sostituzione del prodotto o di sue parti. Non copre inoltre prodotti soggetti a uso improprio, errato utilizzo o maneggiamento, errata applicazione, negligenza (incluso ma non limitato a inadeguata manutenzione), incidenti, errata installazione, modifica (incluso utilizzo di componenti non autorizzati o non del corredo originale del prodotto), adattamenti o riparazioni che non siano stati effettuati direttamente da

PRICES

Prices are Ex-Works. Prices are not binding and may be subject to any modification without prior notice, even all along the same supply.

ORDERS

Every order must clearly refer to the data reported on this catalogue, in addition to possible customer's references. Samples or drawings should be provided for further details, not reported on the catalogue, or special features on demand.

Any order, either direct or indirect, shall be subject to our confirmation.

DATE OF DELIVERY

Every date shall not be of essence and may be subject to reasonable tolerance. The purchaser shall be deemed waived of any claims in case delivery was not effected for reasons of Force Majeure.

No claims for damages will be accepted in case of delayed delivery caused by shipping agents in charge of the transport.

DELIVERY TERM

Terms of delivery refer to the International Chamber of Commerce Incoterms (Revision 2000). Except for different agreements, goods should be considered as delivered Ex-Works. Any insurance would be on customer's charge.

PACKAGING AND PACKING

Prices are always to be considered net of the packing costs. The cost of packing will always be shown on invoice separately.

WARRANTY, CLAIMS AND RETURNS

METEOR PISTON S.R.L. warrants his products free from defects in material and workmanship for thirty (30) days following date of original purchase. METEOR PISTON products are sold by professional distributors, dealers and shops official network.

All the eventual claims resulting by quality problems prior assembly or bad functionality during the usage, will be accepted only by our official network that succeeded the sale and never by private consumers. So if you are a private user and have a warranty claim to submit, get immediately in touch with the dealer/shop who sold you the parts. If the product is found by METEOR PISTON S.R.L. to be defective, such products will be replaced at its own cost. All products alleged by Purchaser to be defective must be returned to METEOR PISTON's official seller, postage prepaid, within thirty (30) days warranty period. This limited warranty does not cover labor or other costs or expenses incidental replacement of products or parts. This limited warranty does not apply to any product which is subject to misuse, mishandling, misapplication, neglect (including but not limited to improper maintenance), accident, improper installation, modification (including but not limited to use of unauthorized parts or attachments), or adjustment or repair performed by anyone other than METEOR PISTON S.R.L.. The purchaser's sole and exclusive remedy against METEOR PISTON S.R.L. shall be for the replacement of the defective product as provided in this limited warranty. This exclusive remedy shall not be deemed to have failed of its essential purpose so long as METEOR PISTON is willing and able to

METEOR PISTON S.R.L.. Il solo risarcimento dell'acquirente nei confronti METEOR PISTON S.R.L. sarà quello della sostituzione del prodotto difettoso come dichiarato dalla presente garanzia. Questo unico risarcimento riconosce alla METEOR PISTON S.R.L. di aver assolto al proposito essenziale di questa garanzia nel momento in cui METEOR PISTON S.R.L. può e vuole sostituire la merce difettosa. QUESTA GARANZIA VALE E SUPERA QUALSIASI ALTRA GARANZIA, ESPRESSA O IMPLICITA, INCLUSA QUELLA DEI RIVENDITORI O PER UNO SCOPO SPECIFICO, NON ESPRESSAMENTE QUI DICHIARATA. QUALSIASI PRODOTTO VENDUTO DA METEOR PISTON S.R.L. MA NON PRODOTTO DA METEOR PISTON S.R.L. NON E' GARANTITO DA METEOR PISTON S.R.L. MA VENDUTO CON LE GARANZIE, SE PRESENTI, DEI PRODUTTORI DELLO STESSO.

La responsabilità di METEOR PISTON S.R.L. (nell'ambito delle legislazioni su garanzie, negligenza o responsabilità civile) per i suoi prodotti si limita alla sostituzione di prodotti riscontrati da METEOR PISTON S.R.L. come difettosi o, per scelta di METEOR PISTON S.R.L., di rimborsare tali prodotti al valore dell'acquisto. In nessun altro modo METEOR PISTON S.R.L. sarà responsabile per danni emergenti o conseguenti derivanti o in relazione al prodotto. Per danni conseguenti si intendono inclusi, e non solo, perdita di utilizzo, di fatturato o entrate, o danni permanenti risultanti da infortuni (incluso morte) a chiunque, o perdita o danni di proprietà.

L'acquirente perde il diritto di qualsiasi reclamo a meno che non segnali per iscritto: (i) entro 15 (quindici giorni) dalla scoperta, o da quando ragionevolmente l'acquirente avrebbe dovuto riscontrare, qualsiasi violazione a questa garanzia o (ii) nei 30 giorni seguenti alla data dell'acquisto. Qualsiasi azione correttiva nei confronti del reclamo ricevuto sarà evasa entro 6 (sei) mesi dalla data del reclamo.

RISERVA DI PROPRIETÀ

La merce rimane di proprietà di Meteor Piston s.r.l. sino al pagamento integrale della stessa.

AGENTI E CONCESSIONARI

Non si assumono responsabilità nei confronti dell'operato dei nostri agenti e concessionari, in quanto, nei rapporti commerciali con terzi, essi agiscono in nome proprio e per proprio conto.

LEGGE APPLICABILE

La legge applicabile è italiana.

FORO COMPETENTE

Per qualsiasi controversia è competente il Foro giudiziario di Milano.

N.B.

Le suddette condizioni si intendono accettate integralmente e incondizionatamente con l'emissione di ordinazioni scritte o verbali, salvo nostre specifiche deroghe scritte.

replace defective goods.

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOT EXPRESSLY SET FORTH HEREIN. ANY PRODUCT WHICH MAY BE SOLD BY METEOR PISTON S.R.L. BUT WHICH IS NOT MANUFACTURED BY METEOR PISTON IS NOT WARRANTED BY METEOR PISTON, BUT IS SOLD ONLY WITH THE WARRANTIES, IF ANY, OF THE MANUFACTURERS THEREOF.

METEOR PISTON's liability (whether under the theories of warranty, negligence or strict liability) for its products shall be limited to replacing parts found by METEOR PISTON to be defective, or at METEOR PISTON'S option, to refund the purchase price of such product. In no event shall METEOR PISTON be liable for incidental or consequential damages arising out of or in connection with the product. Consequential damages shall include, without limitation, loss of use, income or profit, or losses sustained as the result of injury (including death) to any person, or loss of or damage to property.

Any claim by purchaser regarding this product shall be deemed waived by the purchaser unless submitted in writing to METEOR PISTON within the earlier of (i) fifteen (15) days following the date Purchaser discovered, or by reasonable inspection should have discovered, any claimed breach of this limited warranty, or (ii) thirty (30) days following the date of original purchase. Any cause of action for breach of this limited warranty shall be brought within six months from the date the alleged breach was discovered or should have been discovered, whichever occurs first. This limited warranty gives you specific legal rights, and you may also have other rights which vary from country to country.

RETENTION OF PROPERTY

Any goods shall remain the property of Meteor Piston S.r.l. until their full payment.

AGENTS AND DEALERS

We shall not be liable for the behaviour of our agents and dealers since, dealing with third parties, they act on their own.

APPLICABLE LAW

Applicable law of Italy

LAW COURT

Any and all disputes shall be exclusively submitted to the Law Court of Milan.

N.B. The above mentioned conditions shall be considered fully and unconditionally approved when placing any orders, either oral or written, except for any specific derogation written by us.

NOTES

This image shows a full page of white paper with horizontal dashed lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting or typing. There are no margins, text, or other markings on the page.



go to our website



METEOR PISTON S.R.L.

Via Monte Amiata 9/11

20021 Baranzate (MI) Italy

tel +39 02 3561634 | fax +39 02 3560802

info@meteorpiston.com | www.meteorpiston.com